



Ninety-Eighth
Annual Report of the
Registrar-General for
Scotland

1952

EDINBURGH : HER MAJESTY'S STATIONERY OFFICE

1954

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6
TEXT	
SUMMARY	7
POPULATION	8
BIRTHS	
Sex Ratio	9
Monthly Rates	9
Fertility Rates	9
Multiple Births	11
Illegitimate Births	11
International Rates	12
MARRIAGES	
Civil Marriages... ..	13
International Rates	13
Divorces	13
DEATHS	
Standardised Rates	14
Monthly Rates	17
International Rates	17
Age and Sex	17
Infant Mortality	17
International Rates	19
Mortality among Legitimate and Illegitimate Children	19
Neo-natal Mortality	20
Centenarians	20
LIFE TABLES	21
CAUSES OF DEATH	22
Certification	22
Principal Epidemic Diseases	23
Tuberculosis	24
Malignant Disease	26
Diabetes	28
Other General Diseases	28
Diseases of the Nervous System	28
Diseases of the Circulatory System	29
Diseases of the Respiratory System	29
Diseases of the Digestive System	30
Diseases of the Genito-Urinary System	30
Diseases of Pregnancy and Childbirth	30
Diseases of Skin and Cellular Tissue	31
Diseases of the Organs of Locomotion... ..	31
Malformations	31
Diseases of Early Infancy	32
Senility	32
Violence	32
Accidents at Home and elsewhere	33
Relative Frequency of Cause of Death	36
Infant Deaths	36
Death-rates standardised to Population of Great Britain	37
Central Clydeside Conurbation.	38
Statistical Summary	38
APPENDICES	
I. FERTILITY OF WOMEN	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1952	41

II.	STILL-BIRTHS								PAGE 45
	Registration of Still-births	
III.	SOCIAL CLASS								
	Births, Still-births and Infant Deaths according to the social class of father, 1952	52
IV.	MARRIAGES								
	Additional Statistics regarding Marriages registered during the year 1951	56
V.	PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1952						63
VI.	WEATHER								
	Report on the weather in Scotland for the year ended 31st December, 1952	64
VII.	ALTERATION OF BOUNDARIES								
	Burghs, Landward Areas, Parishes and Registration Districts	...							67
VIII.	RE-REGISTRATION OF BIRTHS								
	Adopted Children Register—Searches and Extracts					68
IX.	INHABITED HOUSES								
	Inhabited houses in each area in Scotland for the years 1939 and 1948 to 1952	70

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Still-births, Deaths and Marriages in Scotland, 1855 to 1952, with Quinquennial averages	72
2. Birth, Still-birth, Death and Marriage rates, Scotland, 1855 to 1952, with Quinquennial averages	74
3. Births, Still-births, Deaths and Marriages by Quarters, Scotland, 1942 to 1952	76
4. Birth, Still-birth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1952...	77
5. Birth, Still-birth, Death and Marriage rates, Small Burghs, 1952	80
6. Birth, Still-birth, Death and Marriage rates, Landward Areas, 1952	83

GENERAL REGISTRATION SUMMARY

7. Births, Still-births, Deaths, Marriages, Scotland, Counties of Cities, Counties, Large Burghs, 1952	84
---	-----	-----	-----	-----	-----	-----	----

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1952... .. 85

See also Tables 7 and 63

FERTILITY OF WOMEN

9.	Births by sex and legitimacy and by year of age of mother, Scotland, 1952	87
10.	Births by age of mother and duration of marriage, Scotland, 1952	88
11.	Fertility by age of mother, Scotland, 1952	89
12.	Interval between marriage and birth of first child, Scotland, 1952	90
13.	Number of previous children by age of mother, Scotland, 1952	91
14.	Births by duration of marriage and number of previous children, Scotland, 1952	92
15.	Deaths of married women who died childless—age-groups, Scotland, 1952	93
16.	Deaths of women by duration of marriage, and number who died childless, Scotland, 1952	94
17.	Deaths from selected causes and age groups of women who had been married, Scotland, 1952	95

STILL-BIRTHS

	PAGE
18. Number and rates of still-births and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1952	96
19. Still-births by age of mother and number of previous children, Scotland, 1952	98
20. Multiple confinements (all births live and still) by age of mother, 1952 ...	99
21. Still-births by cause and age of mother, Scotland, 1952	100
22. Still-births by cause and order of birth, Scotland, 1952	103
23. Still-births by cause and month of registration, Scotland, 1952	105
24. Still-births by cause in Public Health Districts of Scotland (Persons), 1952	107
25. Legitimate still-births by cause and social classification, Scotland, 1952 ...	111
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1952	113
27. Still-births by social classification, age of mother and number of previous children, Scotland, 1952	114
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1952	115

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1952 ...	116
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1952	117
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1952 ...	118
32. Children under one year, deaths by selected age-groups, Scotland, 1952 ...	120
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1952	121
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1952	122
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1952	124
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1952	127
37. Deaths from selected causes and in age-groups, Scotland, 1950-1952 ...	129
38. Death-rates from selected causes and in age-groups, Scotland, 1950-1952	130
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1952	131
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1952	132
41. Deaths from poison and under anaesthetics, Scotland, 1952	133
Detailed International List	
42. Causes of death by age-groups (males and females), Scotland, 1952 ...	134
Intermediate International List	
43. Causes of death by months (Persons), Scotland, 1952	194
44A. Deaths in Scotland by sex and age-groups, 1952	198
44B. Deaths in Cities over 1,000,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1952	206
44c. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1952	214
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1952	222
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1952	230
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1952... ..	238
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1952 ...	246
Abbreviated International List	
46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1952 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties)	258
47. Statistical Abstract Population, Births, Still-births, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1952	318

DEATHS—continued

	PAGE		PAGE
County of Aberdeen	318	County of Lanark	342
Do. Angus	322	Do. Midlothian	344
Do. Argyll	322	Do. Moray	346
Do. Ayr	324	Do. Nairn	346
Do. Banff	326	Do. Orkney	346
Do. Berwick	328	Do. Peebles	348
Do. Bute	330	Do. Perth	348
Do. Caithness	330	Do. Renfrew	350
Do. Clackmannan	330	Do. Ross and Cromarty	352
Do. Dumfries	332	Do. Roxburgh	352
Do. Dunbarton	332	Do. Selkirk	354
Do. East Lothian	334	Do. Stirling	354
Do. Fife	336	Do. Sutherland	356
Do. Inverness	340	Do. West Lothian	356
Do. Kincardine	340	Do. Wigtown	358
Do. Kinross	340	Do. Zetland... ..	358
Do. Kirkcudbright	342		

STANDARDISED RATES

48. Death rates standardised to population of Great Britain: Scotland: England and Wales for comparison	360
---	-----

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1951	361
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1951	362
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1951	363
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1951	364
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1951	366
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1951	368
54A. Age and conjugal condition of men marrying in Scotland, 1951	370
54B. Age and conjugal condition of women marrying in Scotland, 1951	372
55. Ages in combination of men and women at marriage, Scotland, 1951	374
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1951	375
57. Ages in combination of bachelors and widows at marriage, Scotland, 1951	376
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1951	377
59. Ages in combination of widowers and widows at marriage, Scotland, 1951	378
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1951	379
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1951	380
See also Tables 7 and 63	

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the March, 1952, Register	381
61. Local Government Electors and analysis of local elections on the March, 1952, Register	384

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1948-1952	395
---	-----

METEOROLOGY

63. Meteorology of Scotland for 1952; also number of births, still-births, deaths, deaths under one year and marriages by months, with rates	401
64. Deaths, temperature and rainfall for each week of 1952—seventeen Large Burghs	402
See also Tables I to IV, pages 403-407	

METEOROLOGICAL TABLES FOR APPENDIX VI

I. District Values of air temperature, rainfall and sunshine, 1952	403
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1952, also generalised figures for rain for the United Kingdom	404
III. Number of hours bright sunshine, Monthly values, 1952	405
IV. Rainfall, Monthly values, 1952	406

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1952

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, 10th December, 1953

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1952.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,

Registrar-General

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND

REPORT

SUMMARY

The total number of births registered in Scotland during the year 1952 was 90,422. The number is very much the same as in 1951, when there were 90,639, or 217 more than the 1952 total.

The births in 1952 were at a rate of 17.68 per thousand of the population, a little less than the rate of 17.72 in the year 1951. These rates are very similar to those recorded for the years before the war, namely 17.65 in 1937 and 17.75 in 1938.

The trend of the birth-rate was considerably affected by the abnormal circumstances during and after the war. It rose appreciably in the middle years of the war and again on a still greater scale in the years immediately after. For example, the rate in 1947 was 22.02 per 1,000 of the population as compared with 17.75 per 1,000 in 1938. Between 1947 and 1950 it fell to 17.88, and the fall from one year to another was never much less than 3,000 births. The fall from 1950 to 1951 was lower at about 2,000 births. The fall of only 217 from 1951 to 1952 is therefore very much lower than in any of the immediately preceding years.

This suggests that the effects of abnormal war and immediate post-war conditions in increasing the number and rate of births may have ceased to have effect so far as they operated to increase the birth rate beyond what it was before the war. It remains to be seen, however, in the light of further experience, whether the birth rate is tending to stabilise at something around the pre-war levels; or whether it may still continue to fall, though not so steeply as it did from the abnormally high levels after the war.

The number of marriages in 1952 was 41,163, which is 198 fewer than in 1951. The rate was 8.05 per 1,000 of the population, compared with 8.09 in 1951. It is above the average of the five years immediately preceding the war, which was 7.65.

The deaths registered in Scotland during the year 1952 numbered 61,510. They were 4,268 less than the number registered in 1951, and were equivalent to a death rate per thousand of the population of 12.03. This was 0.84 less than in 1951 and 0.41 below the average.* Save for the year 1948, when the rate was 11.80, the rate in 1952 was the lowest death rate so far recorded in Scotland. The infant mortality rate in 1952 was 35.2 per thousand live births, lower than any rate previously recorded in Scotland.

Deaths from heart disease in 1952 were 1,287 fewer than in 1951, but as a consequence of the drop in total deaths from 1951 to 1952 the proportion of deaths from heart disease to all deaths was higher at 32.9 per cent in 1952 than it was, at 32.7 per cent, in 1951.

The decline in the number of deaths from tuberculosis, which began in 1948, was continued in 1952; and the mortality rate of 32 per 100,000 of the population, which compares with 43 in 1951 and 54 in 1950, is the lowest so far recorded in Scotland.

Maternal deaths numbered 92 and this too is the lowest figure recorded in Scotland.

The still-birth rate has fallen steadily from 42.2 per 1,000 total births in 1939, the first year in which still-births were registered in Scotland, to 26.2 in 1952.

POPULATION

The population of Scotland at 30th June, 1952, is estimated at 5,114,200.†

Table A indicates how it was distributed among the counties of cities, the large burghs, the small burghs and the landward areas. It also shows the corresponding distribution of population at the time of the censuses of 1931 and 1951.

There was a natural increase of 28,540 in the population in the year ended 30th June, 1952. It is estimated, however, that in 1952 there was a loss of fully 27,000 on the balance of outward over inward migration from and to Scotland. On that estimate the accession of new population was reduced to something between 1,000 and 1,500.

EXPLANATORY NOTES

* (1) *To save repetition, any subsequent references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1947 to 1951.*

† (2) *The population is taken to be the civil population (including members of the Mercantile Marine for the time being in Scotland) and members of the armed forces stationed in Scotland. Birth, death and marriage rates are calculated accordingly.*

(3) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

BIRTHS

Numbers.—The number of living children whose births were registered in Scotland during the year 1952 was 90,422 (46,268 males and 44,154 females). This is 217 less than in 1951 and is the lowest number of births in the post-war years. It is greater, however, than in any pre-war year after 1932.

Still-births are dealt with in Appendix II (Tables 18-23).

Rates.—The birth-rate for the year was 17·68 per 1,000 population. The rate in 1951 was 17·72 and the average rate 19·10. In the counties of cities the 1952 rate was 17·5, in the large burghs 18·4, in the small burghs 17·3 and in the landward districts 17·7.

The birth-rate reached its peak in Scotland in 1876 when it was 35·6 per 1,000 population. In the last quarter of the century the percentage fell by six points to 29·6 in 1900. In the first quarter of this century it fell more steeply, by 8 points, to 21·4 in 1925. The second quarter saw it fall again, but much

TABLE A.—Population of Scotland in 1952

GROUP OF DISTRICTS	Estimated Population at 30th June, 1952	Census 1951 (Preliminary Resident)			Census 1931 (Resident)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,923,400	1,926,732	902,135	1,024,597	1,892,409	889,297	1,003,112
Large Burghs ...	836,600	830,821	398,117	432,704	777,244	378,023	399,221
Small Burghs ...	837,800	830,529	386,735	443,794	747,474	347,428	400,046
Landward ...	1,516,400	1,507,887	747,762	760,125	1,425,853	710,775	715,078
SCOTLAND ...	5,114,200	5,095,969	2,434,749	2,661,220	4,842,980	2,325,523	2,517,457
Males ...	2,442,000						
Females ...	2,672,200						

less heavily, from 21·4 to 17·9 in 1950—a fall of 3½ points. There was a sharp rise after each world war. In 1947, for example, it stood at 22. In 1951 and 1952 it was 17·7, a little down from the 1950 figure of 17·9 already referred to.

Birth-rates for each city, large burgh and county will be found in Table 4. In the cities and large burghs the birth-rate ranged from 24·9 in Port Glasgow, 23·6 in Coatbridge, 22·5 in Clydebank to 15·8 in Dunfermline, 15·3 in Falkirk and 15·0 in Edinburgh. In the counties the rate ranged from 20·2 in Wigtown, 19·6 in West Lothian and 19·5 in Midlothian to 14·7 in Peebles and Zetland, 14·3 in Berwick and 12·1 in Bute.

Ratio of Male to Female Births.—There were 1,048 males to every thousand females among the children born alive in 1952. The average for the years 1946 to 1950 was 1,063 which was the highest five years average since 1855—the beginning of registration. In 1951 the rate was also 1,063 but in 1952 it had fallen to 1,048.

Monthly Birth-rates.—As will be seen from Table 63 the average monthly birth-rate was higher in the first than in the second half of the year.

Fertility Rates.—Table 8 gives the birth-rate for Scotland and for each county and large burgh calculated, not on the total population, but on the number of women of child-bearing age and the number of married women of child-bearing age, thus providing a truer index of fertility than the ordinary birth-rate quoted in Table 2. Table B (2) summarises these rates for Scotland for triennial periods around the census years from 1860-62 to 1940-42.

The rates in Table B (2) show that fertility was diminishing up to the period 1940-42 and that the decline was more pronounced for legitimate births per 1,000 married women than for all births per 1,000 women, married and unmarried. As will be seen from column 3 of the following summary, however, there was

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1952

GROUPS OF DISTRICTS	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	33,638	16,363	15,546	906	823	17·49	16·59	0·90	5·14
Large Burghs	15,423	7,519	7,298	301	305	18·44	17·71	0·72	3·93
Small Burghs	14,522	7,167	6,700	333	322	17·33	16·55	0·78	4·51
Landward ...	26,839	12,984	12,539	695	621	17·70	16·83	0·87	4·90
SCOTLAND ...	90,422	44,033	42,083	2,235	2,071	17·68	16·84	0·84	4·76

	Still-births				Rate per 1,000 Births (including Still-births)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	
Counties of Cities ...	900	840	60	26·1	25·6	33·5	
Large Burghs	443	419	24	27·9	27·5	38·1	
Small Burghs	387	362	25	26·0	25·4	36·8	
Landward ...	700	655	45	25·4	25·0	33·1	
SCOTLAND ...	2,430	2,276	154	26·2	25·7	34·5	

a yearly increase in the general fertility rate per 1,000 women aged 15-44 from 1940 to 1947. (The interruption in 1945 can be ignored as due to war circumstances.)

The year 1948 showed a sharp decrease to 88·7 from the abnormally high rates, reaching 99·1 in 1947, of the immediate post-war years. Each succeeding year brought the rate down further but 1952 showed a slight increase on 1951 of 0·5.

The general trend of the rate per 1,000 married women is fairly similar, although in several instances it shows a decline in a year when the general fertility rate increased. The illegitimate birth-rate per 1,000 unmarried women rose appreciably from 1940 to 1945 but has fallen steadily since the termination of the war.

			Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·0	99·1	171·5	12·2
1948	19·4	88·7	150·2	11·5
1949	18·5	85·4	144·0	10·6
1950	17·9	83·4	139·8	10·0
1951	17·7	80·2	132·2	9·6
1952	17·7	80·7	132·3	9·2

The rate per 1,000 women for 1952 is 9 per cent above that for 1938 and the rate per 1,000 unmarried women 6 per cent above. The crude rate showed no change in the same period.

**TABLE B (2).—Birth-rate in Scotland, per 1,000 Women
aged 15-44, 1861-1951**

YEAR	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62	144·6	—	100	316·0	—	100
1870-72	149·4	103·3	103·3	319·4	101·1	101·1
1880-82	145·8	97·6	100·8	311·5	97·5	98·6
1890-92	132·5	90·9	91·6	296·4	95·2	93·8
1900-02	121·9	92·0	84·3	271·8	91·7	86·0
1910-12	107·3	88·0	74·2	233·2	85·8	73·8
1920-22	105·1	97·9	72·7	226·7	97·2	71·7
1930-32	80·1	76·2	55·4	169·0	74·5	53·5
1940-42	73·0	91·1	50·5	136·9	81·0	43·3
1950-52	81·4	111·5	56·3	134·7	98·4	42·6

In the cities the rate was 127·5 and in the large burghs 131·4 compared with 130·2 in the small burghs and 140·9 in the landward areas. As usual the rates were generally highest in the industrial towns of the west and in the Northern Counties (Table 8).

In the counties of cities and large burghs the number of births per 1,000 married women aged 16-44 ranged from 184·4 in Port Glasgow, 170·0 in Coatbridge and 153·3 in Dumbarton to 111·1 in Edinburgh, 106·2 in Dunfermline and 104·5 in Falkirk. In the counties the range was from 186·6 in Ross & Cromarty, 181·9 in Inverness and 179·5 in Sutherland to 119·8 in Peebles, 111·7 in Berwick and 107·7 in Bute.

Multiple Births.—The total number of women giving birth to living children in 1952 was 89,227 of whom 88,043 or 98·67 per cent gave birth to single children, 1,173 or 1·31 per cent to twin children and 11 or 0·01 per cent to triplets. These births refer only to children born alive and single births here include multiple births in which only one child was live born. Appendix II which analyses the still-births registered in Scotland in 1952 provides further particulars regarding multiple births, live and still. Tables 15 and 20 which appeared in the Annual Reports for 1950 and 1951 have been amalgamated, and Table 20 of this Report now includes all multiple births (live and still).

Illegitimate Births.—These numbered 4,306 and constituted 4·76 per cent of the total living births compared with 4,592 and 5·07 per cent in 1951.

In the cities this rate was 5·1 and in the large burghs 3·9, compared with 5·5 and 4·2 in 1951. It was 4·5 in the small burghs and 4·9 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 9·2 per thousand, that for the cities being also 9·2, for the large burghs 8·0, for the small burghs 8·3, and for the landward areas 10·3. The corresponding Scottish rate for 1951 was 9·6 (Tables 1-4 and 8).

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1952

GROUPS OF DISTRICTS	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being = 100	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	438,300	33,638	17·49	98·9	76·7	95·0
Large Burghs	188,200	15,423	18·44	104·3	81·9	101·5
Small Burghs	185,700	14,522	17·33	98·0	78·2	96·9
Landward ...	308,500	26,839	17·70	100·1	87·0	107·8
SCOTLAND ...	1,120,700	90,422	17·68	100·0	80·7	100·0

International Rates.—The following table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1952

Israel	31·6†	Netherlands	22·4
Northern Rhodesia ...	31·3*	Northern Ireland ...	20·9
Southern Rhodesia ...	28·2*	Spain	20·8
Canada	27·4	Norway	18·7
Japan	26·0	Scotland...	17·7
South Africa	25·9*	Italy	17·6
New Zealand	24·8‡	Switzerland	17·3
Portugal	24·6	Sweden	15·5
United States of America	24·6	England & Wales ...	15·3
Finland	22·7	Austria	14·6

*European population only. † Jewish population only.

‡ Excluding Maoris.

MARRIAGES

There were 41,163 marriages in Scotland in 1952. This was 198 fewer than in 1951. The rate per 1,000 of the population of the marriages in 1952 was 8·05 compared with a rate of 8·09 in 1951.

In 1855, when the system of statutory registration of births, deaths and marriages was introduced in Scotland, the Scottish marriage rate was 6·6 per 1,000 of the population. By 1863 it rose to 7·2 and by 1873 to 7·8. That was its highest point in the nineteenth century. In the next ten years it fell more than a whole point from the 7·8 of 1873 to 6·7 in 1878. In 1886 it reached the lowest level so far recorded, when it was down to 6·3. Thereafter it showed a considerable, if not a steady improvement, and in 1900 stood at 7·3.

It was not till 1914 that it reached as high a rate again, falling between times as low as 6·4 in 1909. The abnormal circumstances arising out of the first world war raised it immediately after the war to the highest level till then recorded, namely 9·6, in 1920. It declined again thereafter, but never for any length of time to levels so low, on the whole, as those in the early part of the century. The lowest point recorded was in 1923 when the rate was 6·4. It increased steadily after that, reaching 7·5 in 1934 and never thereafter falling below 7. Indeed it moved up year by year until 1938 when it reached 7·8. The rates during and immediately after the war, with the exception of the years 1943 and 1944 when there was a drop to little more than 7, showed a sharp increase, the highest being 10·6 in 1940, and it was not until 1950 that the rate fell again below 8.

During 1952 the marriage rate was highest in the months of March (16·0), July (10·1), September (9·8) and April (8·8), and lowest in January (5·4), November (5·2) and May (2·4). (Table 63.)

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1952

GROUPS OF DISTRICTS	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being=100
Counties of Cities ...	18,118	9·42	117·0
Large Burghs... ..	7,713	9·22	114·5
Small Burghs... ..	7,352	8·78	109·1
Landward	7,980	5·26	65·3
SCOTLAND	41,163	8·05	100·0

The marriage-rate was 9·4 per thousand in the cities, 9·2 in the large burghs, 8·8 in the small burghs and 5·3 in the landward districts. Marriages, however, are not corrected in any way by transfer to place of usual residence. The rates cannot therefore reflect with accuracy the actual distribution of marriages according to the place of residence of the parties. It is quite common for people living in the countryside to go to the nearest town to be married there and the marriage is, of course, registered in the area where it is contracted. (Table 4.)

Civil Marriages.—The following table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1952:—

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	41,163	18,118	7,713	7,352	7,980
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	33,554	13,322	6,288	6,268	7,676
Authorised by Sheriff's Licence	148	75	27	19	27
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	8	1	—	—	7
Civil Marriages:—					
Preceded by Publication of Notice	7,026	4,424	1,324	1,012	266
Authorised by Sheriff's Licence	427	296	74	53	4

Civil marriages constituted 18·1 per cent of all marriages registered in Scotland. The percentage was 26·1 for the cities, 18·1 for the large burghs, 14·5 for the small burghs and 3·4 for landward areas. In 1951 civil marriages constituted 16·7 per cent of all marriages (23·9 per cent for the cities, 17·6 for the large burghs, 12·9 for the small burghs and 3·3 for landward areas).

International Rates.—The following table shows marriage-rates in other countries so far as these are available:—

MARRIAGE RATES PER 1,000 POPULATION, 1952

Israel	11·0*	Finland	7·9
United States of America	10·0	Japan	7·9
Canada	8·8	Portugal	7·8
Netherlands	8·4	Switzerland	7·8
Australia	8·3	Spain	7·7
Northern Rhodesia	8·2†	Sweden	7·3
Scotland	8·0	Italy	7·0
England & Wales	7·9	Northern Ireland	6·8

* Jewish population only.

† European population only.

Divorces.—2,737 marriages were dissolved by decrees pronounced in Scotland during the year 1952. 2,702 were decrees of divorce, 16 of nullity and 19 marriages were dissolved on a presumption of death of one of the parties.

Divorces have increased by 774 compared with 1951. It is understood that this considerable increase is in large part consequential upon the Act providing for legal aid being made more readily available for persons of small or moderate means.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten-yearly periods from 1855 to 1944, and annually from 1934 to 1952.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1952

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
		1934	465	3	
1855-64	17	1935	494	4	
1865-74	14	1936	633	9	
1875-84	60	1937	642	7	
1885-94	100	1938	783	5	1
1895-1904	159	1939	882	2	6
1905-14	222	1940	772	8	2
1915-24	458	1941	757	5	2
1925-34	488	1942	1010	7	3
1935-44	906	1943	1300	12	5
		1944	1721	10	8
		1945	2208	15	4
		1946	2902	22	10
		1947	2495	18	20
		1948	2028	19	10
		1949	2419	19	9
		1950	2186	10	8
		1951	1928	16	11
		1952	2702	16	19

DEATHS

The total number of deaths registered during the year was 61,510—a decrease of 4,268 compared with 1951. The death-rate for the year was 12.0 per 1,000 population. It is 0.9 below the rate for 1951.

STANDARDISED DEATH-RATES

The Table on page 16 shows for each year since 1931 the crude death-rate for Scotland as a whole. The crude death-rate is simply the number of deaths per 1,000 of the population. If, therefore, a population is old the crude death-rate will tend to be high. If a population is young it will, other things being equal, tend to be low. If, therefore, what is looked for is a comparative measure of the true vitality of a population, then to compare the crude death-rate of an older population with that of a younger would not serve the purpose. The older population might have had a greater resistance to mortality than the younger even though its present death-rate inevitably was a good deal higher. It has to be kept in mind too that mortality rates vary between the sexes, and that the female population has a longer life expectation than the male. The crude rate makes no allowance for such differences any more than for variations in the age grouping of the population.

In an effort to compare the mortality of one population and another on a truer basis, a standardised death-rate is necessary. This is based on a hypothetical population selected by the International Statistical Institute, of which the sex distribution and age grouping was determined by reference to the actual sex and age distribution of the combined populations of a number of European countries as ascertained at censuses nearest in point of time to the year 1900. The standardised death-rate is calculated by taking the death-rate of each quinquennial age group in the actual population that is being considered and assuming that each corresponding age group in the standard population was subject to the same death-rate.

Reports on the 1951 census area by area are in the course of preparation. Those issued for the four cities show that the percentage of persons in the age groups 0-15, between 15-65, and over 65 were in 1931 and 1951 as follows:—

						% of population	
						1931	1951
0-15	26.0	23.9
15-65	67.6	66.5
65 and over	6.4	9.6

The reports on the 1931 census and on the one per cent sample of the 1951 census indicate that the comparative percentages for Scotland as a whole for 1931 and 1951 were as follows:—

						% of population	
						1931	1951
0-15	26.9	24.6
15-65	65.8	65.4
65 and over	7.3	10.0

The figures based on the one per cent sample must of course be taken with considerable reserve and will be supplanted by the final figures, which will be available when, in the course of a few months, the area by area reports on the census have been completed.

The following table shows the standardised death rate for each of the years for which the crude death rate is given.

The table shows at a glance that the crude death-rate in Scotland is now much higher than the standardised rate. The crude rate, which was 12.03 in 1952, has fallen, though with many fluctuations, from 13.26 in 1931. But the standardised rate in the same period has fallen from 12.45 to 8.19. This reflects the considerable ageing of the Scottish population.

Touching on the disparity between the crude and the standardised rates, it is observed from the table that the gap was increasing up to 1939 and widened still more rapidly during the war. It was less in the period 1947-48 than in 1945 though still above the years before the war. In 1949 it was the same as it was in 1945 but from 1950 the gap has again widened.

Standardising the death-rate separately for each sex, it is found that both male and female rates between 1931 and 1937 moved irregularly within narrow limits. Save for a temporary increase in 1940 and 1941 the rate for males fell steadily between 1939 and 1948. In 1949 it showed a slight increase of 0.11, declined again in 1950 but increased by 0.44 in 1951. 1952, however, showed a decrease of 0.55 from the rate of 1951, and is the lowest ever recorded. The rate for females also showed a temporary increase in 1940 and 1941 and the subsequent trend has, on the whole, been downwards. The rate for 1952, like that for males, is the lowest recorded.

DEATH-RATES FOR SCOTLAND PER 1,000 POPULATION

				PERSONS		MALES		FEMALES	
				Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940*	14·86	12·46	16·59	14·32	13·40	10·78
1941*	14·74	12·30	16·75	14·02	13·11	10·71
1942*	13·34	10·70	15·24	12·26	11·81	9·27
1943*	13·98	10·71	15·93	12·21	12·43	9·34
1944*	13·57	10·22	15·65	11·74	11·95	8·82
1945*	13·20	9·63	15·11	11·07	11·70	8·32
1946*	13·07	9·82	14·14	11·15	12·15	8·61
1947	12·88	9·53	13·62	10·83	12·20	8·36
1948	11·80	8·57	12·33	9·70	11·30	7·56
1949	12·27	8·70	12·71	9·81	11·86	7·70
1950	12·37	8·52	12·86	9·68	11·91	7·47
1951	12·86	8·80	13·55	10·12	12·24	7·62
1952	12·03	8·19	12·86	9·57	11·27	6·95

* Civilian death-rates.

The male rates, crude and standardised, are invariably higher than the female. The excess in the standardised rate was 38 per cent and is 5 per cent higher than in 1951.

LOCAL DEATH-RATE (STANDARDISED)

For local death-rates the standardising factors are not derived from the international standard but from the age and sex distribution of the population of Scotland as ascertained at the 1931 census (the full 1951 census figures are not yet available to put in place of those for 1931). The effect of this standardisation is to adjust the local death-rate to allow for difference between the local age and sex distribution in 1931 and that of Scotland as a whole in the same year. The crude rates do not vary greatly between urban and rural areas, being 12·55 per 1,000 in the cities, 11·50 in the large burghs, 12·57 in the small burghs and 11·35 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. In the aggregate the rate for the cities was 13·39; for the large burghs 12·28; for the small burghs 11·48; and for the landward area 10·64.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1952

GROUPS OF DISTRICTS				Deaths		Death-rate per 1,000 of Population	
				Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931
Counties of Cities	26,218	24,146	12·55	13·39
Large Burghs	9,953	9,620	11·50	12·28
Small Burghs	8,806	10,535	12·57	11·48
Landward	16,533	17,209	11·35	10·64
SCOTLAND	61,510	61,510	12·03	—

In the cities and large burghs the standardised rate ranged from 15·5 in Rutherglen, 14·3 in Glasgow, and 13·9 in Falkirk to 10·6 in Dunfermline, 10·5 in Dumfries and 10·1 in Inverness. In the counties it ranged from 13·1 in Lanark, 12·8 in Berwick and 12·6 in Selkirk to 9·2 in Kincardine, 8·6 in Inverness and 8·3 in Moray. (Table 4.)

MONTHLY DEATH-RATES

The highest death-rates of the year occurred in December, February and January and the lowest in June, July and August. They ranged from 15·6 in December to 9·4 in August. (Table 63.)

INTERNATIONAL DEATH-RATES

The following table gives the crude death rates for various countries, so far as available, in the year 1952. The death-rate in Scotland is higher than in any of the other countries mentioned in the table. Its population, however, is older than most of the other countries included in the table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

DEATH-RATES PER 1,000 POPULATION, 1952

Scotland	12·0	Finland	9·5
Austria	11·9	New Zealand	9·3†
Portugal	11·7	Japan	9·0
England & Wales	11·3	Canada	8·6
Northern Ireland	10·8	South Africa	8·6‡
Italy	10·0	Norway	8·3
Switzerland	9·9	Netherlands	7·3
Spain	9·7	Israel	6·8§
Sweden	9·6	Southern Rhodesia	5·9‡
United States of America	9·6	Northern Rhodesia	5·2‡

† Excluding Maoris.

‡ White population only.

§ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age group, except at 85 and over.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for the years 1941 to 1952 and for groups of years back to 1911-15. (Tables 35, 37 and 38.)

Infant Mortality.—Deaths of children aged under one year numbered 3,181. When related to the 90,422 live births in 1952 this gives an infant mortality rate for 1952 of 35·2 per 1,000 live births. This is the lowest infant mortality rate ever recorded in Scotland. Up to the year 1915 the rate was never below 100. In 1916 it was 97·1 and it fluctuated rather irregularly until 1922 when for the last time it exceeded 100. Thereafter it dropped to 79 in 1923, but it did not again touch so low a figure until 1934 when it was 78. By 1939 it had fallen to 68·5. During the early war years the rates were fluctuating, with little evidence of general improvement; but thereafter they fell to 65 in 1943 and 1944, 45 in 1948 and to the record low level of 35·2 in 1952. Among male children the rate was 39·3 and among female children 30·8; the male rate being 2·9, the female 1·6, below that for 1951.

The monthly infant mortality rate was highest in December, January, February and April and lowest in August, September, June and July. In 1951 the highest rates were recorded in January, February and March, and the lowest in September, May, June and July. (Tables 1, 2 and 63.)

The rate is 36 in the counties of cities, 37 in the large burghs and 33 in the small burghs and 33 in the landward areas. In 1951 these rates were respectively 40, 38, 34 and 36. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The Census of 1951† showed

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1952

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	85,600	43,600	41,900	45—54	677,000	321,400	355,600
1—4	364,600	186,500	178,100	55—64	494,100	218,300	275,800
5—9	428,000	217,400	210,500	65—74	349,800	151,400	198,300
10—14	383,500	193,700	189,900	75—84	149,100	61,300	87,800
15—24	713,700	337,600	376,000	85 & over	20,000	6,600	13,400
25—34	726,500	353,900	372,600				
35—44	722,400	350,300	372,100	All ages	5,114,200	2,442,000	2,672,200

* The Central Industrial Belt comprises:—

EAST CENTRAL DIVISION: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.

WEST CENTRAL DIVISION: Counties of Lanark, Dunbarton, Renfrew and Ayr.

The Counties lying to the north and west of the Central Industrial Belt are referred to as the NORTHERN DIVISION; those lying to the south and east of it as the SOUTHERN DIVISION.

† Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1952

YEARS	MALES												FEMALES											
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
1911-15	140.0	18.5	3.7	2.4	4.1	5.6	8.8	16.2	33.5	67.4	162.7	...	111.2	17.5	3.7	2.6	3.8	5.5	8.3	12.9	26.4	54.3	147.0	
1916-20	110.8	15.5	3.6	2.4	4.5	6.2	8.5	16.2	34.3	69.1	170.2	...	85.4	14.7	3.6	2.7	4.3	6.0	7.8	12.6	25.9	49.8	149.5	
1921-25	109.1	15.1	2.9	1.9	3.2	4.6	6.9	12.0	26.8	61.9	144.5	280.7	82.6	13.7	2.7	1.9	3.2	4.5	6.3	10.1	21.5	49.2	118.7	
1926-30	103.8	11.8	2.7	1.9	3.1	4.2	7.0	11.9	25.9	62.4	143.2	303.8	79.0	10.2	2.4	1.7	2.9	4.1	5.9	10.0	20.6	48.4	118.6	
1931-35	96.2	9.3	2.6	1.6	2.9	3.8	6.3	11.8	24.3	59.7	140.7	289.8	74.1	8.3	2.2	1.5	2.8	3.7	5.2	9.1	19.4	47.8	117.4	
1936-40	90.7	8.2	2.2	1.5	2.8	3.5	6.0	12.4	25.4	60.9	147.2	349.9	69.0	6.1	1.9	1.2	2.6	3.2	4.6	8.7	18.8	47.5	116.9	
1941-45	82.1	4.6	1.9	1.4	3.3	4.2	6.1	11.7	24.4	54.1	129.1	290.3	62.0	4.2	1.5	1.2	3.0	3.3	4.0	7.5	16.5	41.0	101.1	
1946-50	56.0	2.6	1.1	0.9	1.8	2.4	3.4	10.6	24.5	54.2	117.8	258.5	42.6	2.1	0.8	0.7	1.5	3.0	3.3	6.5	15.3	41.2	98.0	
1941†	100.5	6.5	2.5	1.7	3.7	4.9	6.8	13.3	26.6	58.4	146.3	299.0	75.8	6.6	2.0	1.6	3.2	3.5	4.6	8.5	18.0	45.3	113.4	
1942†	85.4	4.6	1.7	1.4	3.3	4.0	5.8	11.9	23.9	54.0	132.4	278.3	65.2	4.1	1.4	1.2	3.0	3.3	4.0	7.2	16.5	40.3	100.7	
1943†	79.1	4.4	1.9	1.4	3.5	4.4	6.3	11.6	23.9	53.8	131.0	300.7	60.9	3.9	1.6	1.2	3.2	3.3	4.1	7.5	17.0	40.9	100.7	
1944†	80.5	4.0	1.8	1.4	3.2	3.8	5.8	11.0	24.1	52.5	121.3	289.3	60.8	3.2	1.4	1.1	2.9	3.1	3.7	7.1	15.7	38.9	97.3	
1945†	65.0	3.5	1.5	1.2	2.9	4.1	5.6	10.8	23.7	51.6	118.2	284.9	47.2	3.0	1.1	1.0	2.6	3.1	3.5	7.0	15.4	39.8	95.8	
1946†	73.2	3.5	1.4	1.1	2.3	2.6	4.8	11.4	24.4	54.4	121.2	279.3	56.5	2.8	1.1	0.9	2.4	3.3	3.4	6.8	15.8	40.7	98.1	
1947	64.3	3.1	1.3	0.9	2.0	2.6	4.5	11.1	24.5	54.2	124.4	305.1	48.8	2.7	1.0	1.0	2.5	3.2	3.4	6.5	15.6	41.1	97.5	
1948	51.8	2.5	1.1	1.0	1.8	2.5	4.3	10.1	23.5	50.8	108.9	242.4	37.2	1.9	0.8	0.8	2.3	3.0	3.3	6.4	14.8	39.5	91.1	
1949	46.8	2.1	1.1	0.7	1.6	2.3	4.2	10.3	24.6	55.1	115.6	242.4	36.5	1.8	0.7	0.6	2.1	2.9	3.2	6.4	15.1	42.5	99.6	
1950	43.7	2.0	0.8	0.6	1.5	2.0	3.7	10.3	25.3	56.4	119.4	239.4	34.1	1.6	0.6	0.4	1.6	2.5	3.2	6.3	15.4	42.4	103.6	
1951	42.6	1.8	0.9	0.5	1.3	2.1	3.6	10.2	26.3	57.3	140.8	291.4	32.5	1.6	0.6	0.5	1.2	1.9	3.0	6.3	15.7	43.0	112.9	
1952	41.7	1.6	0.8	0.5	1.2	1.8	3.3	9.6	25.0	55.2	131.4	280.7	32.5	1.4	0.5	0.4	1.0	1.6	2.8	6.0	14.6	39.9	101.9	

† 1940-1946—Civilians only.

that no less than 67.9 per cent of the landward population in the Central Industrial Belt was enumerated in towns and villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7.6.

The infant mortality for 1952 in landward areas was 37 per 1,000 in the Central Industrial Belt, compared with 28 per 1,000 in the rest of Scotland.

The following table shows the infant mortality rates for the years 1951 and 1952 for the large burghs (including counties of cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions*

The rate for the large burghs is largely influenced by the rate in Glasgow in which 41 per cent of the births in the large burghs occurred. The rates for Glasgow are therefore shown separately in the table.

	1951	1952		1951	1952
Scotland	37	35	Regions (Landward):—		
Large burghs	39	37	Northern... ..	31	27
Glasgow	46	41	East Central*	36	38
Other large burghs	34	34	West Central*	40	36
Small burghs	34	33	Southern	40	30
Landward	36	33			

This analysis shows an overall decrease in Scottish infant mortality save in the landward area of the East Central Region, where there was a slight increase.

The rate in the large burghs was 59 per 1,000 live births in 1946, 64 in 1947, 48 in 1948, 44 in 1949 and 40 in 1950. In Glasgow the rates were 67 in 1946, 77 in 1947, 56 in 1948, 49 in 1949 and 44 in 1950. The areas are arranged in descending order of the infant mortality rate in the following table (which groups the two central, and the north and south, regional landward areas together):—

	1951	1952		1951	1952
Glasgow	46	41	Small burghs	34	33
Landward (Central)	38	37	Landward (Northern and		
Other large burghs	34	34	Southern)	33	28

In individual large burghs the rate ranged from 60 in Port Glasgow, 55 in Hamilton and 51 in Falkirk to 24 in Arbroath and Dunfermline, 21 in Perth and 17 in Stirling. In the counties it ranged from 51 in Caithness, 50 in Clackmannan and Nairn and 46 in Argyll to 25 in Inverness, Selkirk and Zetland, 24 in Dumfries and Ross & Cromarty and 18 in Moray.

International Rates.—The following table shows Infant Mortality rates in other countries in 1952 so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1952

Italy	64	United States of America	29
Spain	61	England & Wales	28
Austria	52	Northern Rhodesia	26‡
Israel	40§	Netherlands	22
Northern Ireland	39	New Zealand	22*
South Africa	35‡	Southern Rhodesia	22‡
Scotland	35	Sweden	20

* Maoris excepted.

‡ White population only.

§ Jewish population only.

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 34 per thousand live births, being 35 in counties of cities, 36 in the large burghs and 33 in the counties. In 1951 the rates were 37 for Scotland, 38 in the cities, 37 in the large burghs and 35 in the counties. Among illegitimate children the rate was 54, being 60 in counties of cities, 66 in the large burghs and 45 in the counties. In 1951 the rates were 54 for Scotland, 58 in the counties of cities, 46 in the large burghs and 53 in the counties.

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 51 per cent of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 21·7 per 1,000 births at ages under a month to 4·9 at 1·2 months. It is 1·2 at 9·11 months.

* See note *, p.18

Infant death rates at age under 1 month are highest in the large burghs. At ages over 1 month the rates for the cities and large burghs are in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and to month of registration. (See also page 36.)

Neo-Natal Mortality.—Deaths at ages under one month are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. From 1942 onwards the neo-natal rate has been higher than the post-natal rate and the difference between the two rates has increased since 1948. In 1952 the rate for ages between one month and one year (13·5) was appreciably below the neo-natal rate (21·7).

NEO-NATAL MORTALITY PER 1,000 BIRTHS

	Deaths under 1 month			Deaths between 1 month and 1 Year		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43·0	—	—	69·8	—	—
1916-20	40·5	—	—	58·5	—	—
1921-25	38·2	—	—	53·6	—	—
1926-30	36·5	—	—	48·9	—	—
1931-35	36·8	—	—	44·0	—	—
1936-40	36·9	35·8	54·5	38·9	37·5	58·8
1941-45	33·8	32·3	53·0	33·9	32·1	55·6
1946-50	26·1	25·3	39·8	21·2	20·2	37·0
1947	28·5	27·5	45·8	27·3	26·1	45·9
1948	25·1	24·4	37·6	19·6	18·7	33·0
1949	23·2	22·2	40·8	18·2	17·5	30·0
1950	23·0	22·5	32·0	15·6	15·2	21·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9

Since 1936 infant deaths have been, for certain purposes, separately classified according to legitimacy and this classification is shown in the table above. A longer period elapsed before the illegitimate post-natal rate fell below that of the neo-natal. The rate for ages between one month and one year was, until 1947, higher than the neo-natal rate, except in the year 1945 when the rate for ages between one month and one year was 27·7 and the neo-natal rate 28·5. Since 1948 the neo-natal rate, as with legitimate infants, exceeds the death rate in the later months of infancy.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 36.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians.—Thirteen deaths of reputed centenarians were registered during the year, one male and twelve females. In ten cases the age was verified as being at least 100 years, the verified age being 100 years in seven cases, 101 in two cases, 104 in one case. In three cases such evidence as was available was rather against the claims. Since 1910, when enquiries regarding such cases were begun, 593 have been registered as those of centenarians, 97 of males and 496 of females. The age has been verified as being at least 100 years in 353 cases (48 males and 305 females); in 104 the evidence was rather against the claim; while in 136 cases no satisfactory evidence of age could be found. The highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified since 1921 was one of 109 years and 14 days, in 1936.

LIFE TABLES

The following abridged life table shows the expectation of life at different age periods on the experience of the 1952 mortality rates. In the separate age groups the expectation of life is the average future lifetime a person aged x would live if the 1952 mortality rates had operated throughout.

A table is also given showing the historical picture of the expectation of life at birth beginning with the period 1861-1870. One of the greatest improvements, especially in recent years, has been the declining infantile mortality rate. To bring this out clearly the expectation of life at age 1 is also given.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 24·9 years for males and by 25·7 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years and in females 3·5 years. From 1891-1900 to 1930-32 the span had lengthened by 11·3 years for males and 12·1 years for females. In the last twenty years another 9·2 years and 10·1 years have been added to the respective sexes.

In the period 1861-1870 the hazards of infant mortality are clearly shown. If there was a survival to the first year of life the expectation of life jumped from 40·3 years at age 0 to 45·6 aged 1 for males and from 43·9 to 47·5 for females. The expectation of life in 1861-70 increased by 5·3 years in the first year of life in the case of males and 3·6 in the case of females. Allowing for the fact that these lives had survived through the first year of life, the overall increase was 6·3 and 4·6 years respectively. For 1952 the male difference was only 1·6 years and the female 1·2 years.

ABRIDGED LIFE TABLE—SCOTLAND
1952

Age x	Males		Females	
	l_x	e_x	l_x	e_x
0	10,000	65·16	10,000	69·58
1	9,605	66·83	9,690	70·80
2	9,580	66·00	9,668	69·96
3	9,566	65·10	9,655	69·05
4	9,555	64·17	9,644	68·13
5	9,544	63·25	9,635	67·19
10	9,506	58·49	9,611	62·35
15	9,484	53·62	9,593	57·47
20	9,440	48·86	9,555	52·68
25	9,367	44·22	9,498	47·99
30	9,293	39·55	9,434	43·29
35	9,202	34·92	9,348	38·67
40	9,079	30·36	9,237	34·10
45	8,904	25·90	9,096	29·59
50	8,591	21·76	8,878	25·26
55	8,074	17·99	8,561	21·10
60	7,309	14·61	8,074	17·22
65	6,257	11·65	7,378	13·61
70	4,971	9·01	6,342	10·43
75	3,546	6·63	4,866	7·83
80	1,992	4·85	3,187	5·64
85	777	3·53	1,533	4·03

This abridged life table is constructed from the estimated population in 1952 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1952 death records. Column e_x is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x , if likewise subject to these death probabilities.

EXPECTATION OF LIFE AT BIRTH AND AGE ONE YEAR, 1861 TO 1952 SCOTLAND

Scottish Life Table	Expectation of Life at			
	Birth		Age one year	
	Male	Female	Male	Female
1861-70	40·3	43·9	45·6	47·5
1871-80	41·0	43·8	46·5	48·5
1881-90	43·9	46·3	49·7	51·2
1891-1900	44·7	47·4	51·1	52·7
1910-12	50·1	53·2	55·8	57·8
1920-22	53·1	56·4	58·4	60·4
1930-32	56·0	59·5	60·7	63·1
1942-44	59·8	64·6	63·6	67·6
1947	61·7	65·7	64·8	68·0
1948	63·8	67·6	66·1	69·2
1949	64·0	67·6	66·0	69·1
1950	64·5	68·3	66·3	69·6
1951	64·2	68·3	66·0	69·6
1952	65·2	69·6	66·8	70·8

CAUSES OF DEATH

NOTE.—In 1947-1949 deaths were classified according to the Fifth, and in 1950 and 1951 according to the Sixth, Revision of the International List. Averages referred to in this section of the Report dealing with causes of death are either not materially affected by, or have been adjusted in the light of, changes from the Fifth to the Sixth Revision.

Certification.—The number of deaths registered in Scotland in 1952 was 61,510. The cause was certified in 61,474 cases, or 99·9 per cent of the total, normally by a registered medical practitioner, but occasionally by an officer of the forces or other similarly authorised person, or by the report of a Procurator Fiscal.

The percentage of cases in which the cause of death was uncertified was 0·1 of the total. This was the same proportion as in the years 1948-1951. It had fallen from 0·2 in 1945-1947 and 0·3 over the period 1936-1944. Back in 1881 it stood as high as 10·9 per cent but it fell, broadly speaking, by half in each decade thereafter.

TABLE H.—Deaths from Uncertified Causes, 1881-1952

Year	Uncertified Causes	Percentage of Uncertified to Total	Year	Uncertified Causes	Percentage of Uncertified to Total
1881-1890	6,061	8·2	1949 ...	55	0·1
1891-1900	3,239	4·1	1950 ...	52	0·1
1901-1910 ...	1,839	2·4	1951 ...	46	0·1
1911-1920 ...	1,239	1·7	1952 ...	36	0·1
1921-1930 ...	499	0·8			
1931-1940	235	0·4			
1941-1950 ...	128	0·2			
1941 ...	218	0·3			
1942 ...	174	0·3			
1943 ...	187	0·3			
1944 ...	178	0·3			
1945 ...	144	0·2			
1946 ...	98	0·2			
1947 ...	135	0·2			
1948 ...	40	0·1			

These cases of death without cause stated were commoner, as usual, in counties in which the populations are more widely scattered. The county of Ross & Cromarty accounted for 9 of the 36 cases and Inverness-shire for 7. (See Table 7.)

The cause of death was specified in 60,612 cases or 98.5 per cent of the total deaths registered. These figures include 1,025 deaths attributed to senility. In 898 cases, or 1.5 per cent of the total registered deaths, the cause of death was either ill-defined or not mentioned. 354 deaths were ascribed to heart failure. 446 were assigned to various symptoms and ill-defined causes, including 64 from convulsions in children under 5 and 52 from unclassified uraemia. In 34 cases no cause was specified and in 64 cases the death was described as sudden.

Owing to the changes in the classification of causes of death it is not possible to compare the experience of death certification in 1952 with any period prior to the year 1950. In that year the percentage of registered deaths in which the cause of death was either ill-defined or not stated was 1.2.

Principal Epidemic Diseases.—This group as now classified consists of typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections and measles. For comparison with previous years, deaths from influenza are also included. The total number of deaths in the group in 1952 was 423. The equivalent death-rate is 8 per 100,000 population which compares with 22 in 1951 and an average of 13.

There were 26 deaths from whooping cough in 1952, 72 less than in the previous year. The total of 8 deaths from diphtheria, although 3 more than in 1951, maintains against the comparatively high figures of a decade ago the considerably smaller figures of recent years. 316 deaths from influenza made up the greater part of the deaths from epidemic diseases in 1952 and were 642 fewer than in 1951.

The following Table J (1) shows the number of certified deaths in which influenza was mentioned not as a primary, but as a contributory cause. Deaths from meningococcal infections were 45, 1 more than in 1951, but an extremely low figure compared even with earlier post-war experience. There was 1 death from typhoid fever. Measles accounted for 22 of the epidemic disease deaths, 3 fewer than in 1951. There were 5 deaths from scarlet fever. It is of interest to note that deaths in the whole of this group of the main epidemic diseases were less than 1 per cent of all deaths in Scotland. (Tables 35-40.)

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1952

abbreviated List 'B'	CAUSE OF DEATH	Total	Males	Females	AGES												
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1	Tuberculosis of respiratory system ...	2	1	1	-	-	-	-	-	1	-	1	-	-	-		
20	Diabetes mellitus ...	1	1	-	-	-	-	-	-	-	-	1	-	-	-		
21	Anæmias ...	2	1	1	-	-	-	-	-	-	-	-	1	1	-		
26.1	Other general diseases ...	4	-	4	-	-	1	-	-	-	-	1	-	1	-		
22	Vascular lesions affecting central nervous system ...	5	-	5	-	-	-	-	-	-	-	1	3	1	-		
26.2	Other diseases of nervous system ...	6	-	6	-	-	-	1	1	-	-	1	1	-	-		
25	Chronic rheumatic heart disease ...	5	1	4	-	-	-	-	-	-	-	-	1	3	1		
26	Arteriosclerotic and degenerative heart disease...	47	21	26	-	-	-	-	-	-	1	3	6	9	23		
27	Other diseases of heart ...	7	3	4	-	-	-	-	-	-	-	-	2	2	1		
28	Hypertension with heart disease ...	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
29	Hypertension without heart disease ...	2	1	1	-	-	-	-	-	-	-	-	-	1	1		
26.3	Other circulatory disease ...	3	2	1	-	-	-	-	-	-	-	-	-	2	1		
31	Pneumonia ...	1	1	-	1	-	-	-	-	-	-	-	-	-	-		
32	Bronchitis ...	9	5	4	-	-	-	-	-	-	-	-	1	3	4		
36.4	Other respiratory diseases ...	1	1	-	-	-	-	-	-	-	-	-	1	-	-		
36.2	Diarrhoea (except of newborn) ...	1	-	1	1	-	-	-	-	-	-	-	-	-	-		
36.5	Other diseases of liver ...	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
1	Congenital malformations ...	1	1	-	-	1	-	-	-	-	-	-	-	-	-		
	TOTAL ...	99	40	59	2	1	1	1	1	1	1	8	15	23	36		

Tuberculosis.—Deaths from all forms of tuberculosis numbered 1,612 compared with 2,179 in 1951. They showed a decline of 51 per cent from the average of 3,287. The death-rate was 32 per 100,000 compared with 43 the previous year and an average of 64. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality ascribed to tuberculosis has continuously improved decade by decade except for a slight retardation in the rate of decline in the first world war and a considerable setback during and immediately after the second.

On the 1952 statistics, death-rates from tuberculosis were heaviest at ages 45-74 in males and 15-34 in females. (Table 35.)

Deaths from tuberculosis were most numerous in January, February and March. (Table 43.)

The rate in the counties of cities was 43 per 100,000, in the large burghs 35, in the small burghs 20 and in the landward areas 22. The range was from 4 in Kincardineshire to 77 in Port Glasgow. In the cities and large burghs the highest rates were recorded in Port Glasgow (77), Glasgow (55) and Hamilton (54), and the lowest in Kilmarnock (21), Stirling (19) and Dunfermline (18). In the counties (excluding large burghs) the rates ranged from 33 in Ross & Cromarty, 32 in Lanark and 31 in Caithness, Dunbarton, Renfrew and Zetland to 6 in Moray and Wigtown and 4 in Kincardine. There were no deaths from tuberculosis in the counties of Kinross and Nairn. (Table 4.)

Respiratory Tuberculosis.—Over 87 per cent of the deaths from tuberculosis in 1952 were due to the respiratory forms of the disease. They numbered 1,409. In 1951 the number was 1,886. The average over 1947-1951 was 2,843. The death-rate from respiratory tuberculosis in 1952 was 28 per 100,000 (males 35, females 21) compared with 37 in 1951 (males 45, females 29). The heaviest death-rates in males in 1952 were at ages 55-74, in females at 15-34. The lowest rates in each sex were recorded at 5-14 years. (Tables 35, 37-40.)

Deaths from respiratory tuberculosis were most numerous in January, February and March, and fewest in August, September and November. The range of monthly incidence was from 78 in August and September to 180 in February. (Table 43.)

The rate in the cities was 38 per 100,000, in the large burghs 31, in the small burghs 17, and in the landward areas 18. It was highest in the large burghs of the west, Port Glasgow 72, Paisley and Glasgow 49, Dumbarton 46 and Hamilton 44. Taken as a group, the southern counties had the lowest death rates from respiratory tuberculosis. The rate was 6 per 100,000 in Moray and Wigtown, 7 in Peebles, 8 in Berwick and Perth, and 9 in Selkirk. There were no deaths from respiratory tuberculosis in the counties of Kincardine, Kinross, Nairn and Zetland. (Table 4.)

Non-respiratory Tuberculosis.—Deaths from non-respiratory forms of tuberculosis numbered 203 compared with 293 in 1951 and an average of 445 in the previous five years. The rate was 4 for males and 4 for females per 100,000. In 1951 they were 6 for males and 5 for females.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually reaching a level of 60 per 100,000 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was down to 16 per 100,000. As with respiratory tuberculosis the decline was interrupted for a few years during and after the last war but the rate of 4 per 100,000 in 1952 is much lower than the pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

Mortality from this cause is highest in each sex at ages under five years. Thirty-one per cent of deaths from non-respiratory forms of tuberculosis occurred at ages under 10 and the following table shows the distribution at these younger ages in the past 15 years. It will be observed that deaths from non-respiratory tuberculosis have, since 1946, both for males and females, been heaviest among children between one and four; and not, broadly speaking, among infants under one, as previously.

About half of the deaths in this group are from tubercular meningitis. Over the past ten years the general improvement in non-pulmonary deaths is shown in varying degree by deaths in most sites, but outstandingly so in abdominal and disseminated tuberculosis, relatively less in meningeal tuberculosis.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

MALES					FEMALES				
	Under One year	1-4	5-9	10 and over	Under One year	1-4	5-9	10 and over	
1938 ...	73	63	26	12	78	50	24	12	
1939 ...	78	53	20	13	67	40	23	12	
1940 ...	109	77	23	14	72	62	19	14	
1941 ...	100	69	26	16	75	77	23	15	
1942 ...	92	65	27	14	88	63	21	13	
1943 ...	76	68	21	16	58	63	27	15	
1944 ...	76	57	24	16	51	62	36	14	
1945 ...	54	51	27	13	59	58	26	13	
1946 ...	57	54	29	9	54	48	27	10	
1947 ...	40	44	24	9	31	52	22	10	
1948 ...	29	34	16	7	16	29	13	7	
1949 ...	21	30	14	5	19	27	7	6	
1950 ...	11	23	6	5	14	23	6	5	
1951 ...	13	18	10	4	7	21	7	4	
1952 ...	9	12	3	3	12	13	1	4	

Other Infective and Parasitic Diseases.—Deaths from syphilitic and parasymphilitic diseases numbered 110, of which 45 are attributable to aortic aneurysm and 49 to the nervous affections including locomotor ataxia and general paralysis of insane.

Other deaths in this group included 1 from erysipelas, 12 from tetanus, 41 from septicaemia and 6 deaths from dysentery. There were 12 deaths from acute poliomyelitis and polioencephalitis (24 in 1951), 40 from lethargic encephalitis and 34 from other diseases due to viruses including 3 from late effects of acute poliomyelitis. (Table 42.)

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1952 (Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855-1860 ...	—	87	—	—	—
1861-1870 ...	—	157	—	—	—
1871-1880 ...	—	210	—	—	—
1881-1890 ...	—	237	—	—	—
1891-1900 ...	—	203	—	—	—
1901-1910 ...	—	218	220	70	149*
1911-1920 ...	—	202	248	76	136*
1921-1930 ...	—	141	191	71	139*
1931-1940 ...	—	88	116	56	128*
1941-1950 ...	222	57	55	28	83‡
1950 ...	170	35	33	21	81†
1951 ...	149	36	28	15	70†
1952 ...	110	31	22	12	45†

NOTE.—The symbol—indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡ Excludes dissecting aneurysm unqualified in the year 1950.

Malignant Disease.—Deaths from this group of diseases numbered 10,119 equivalent to a death rate of 198 per 100,000. This is 6 more than the rate for the previous year and 9 above that for the preceding five years. (See note, page 22.)

The increase in the crude rate since 1931 is substantial and was accelerated during the recent war. The increase is attributable mainly to changes in the age constitution of the population. This was accentuated by the withdrawal to the Services during the war of a large number of young men and women, the remaining civilian population thus being loaded with an increased proportion of persons at ages wherein mortality from malignant disease is heavy.

The following table shows the crude rates and rates standardised to the 1931 (Scottish) population for each year since 1931. The crude rates increased appreciably during the pre-war years but the standardised rate varied within narrow limits and in 1939 was the same as in 1931. Since 1939 the rapid rise in the crude rate has been accompanied by an almost stationary standardised rate. Owing to the inclusion of Hodgkin's disease, leukaemia, aleukaemia and mycosis fungoides with the malignant neoplasms in the 1950 classification, the rates are not quite comparable with previous years.

DEATH-RATE PER 100,000 OF POPULATION FROM MALIGNANT DISEASE

Year	Crude	Standardised to Scotland 1931	Effect of Standardisation
1931	148	148	—
1932	153	151	— 2
1933	153	151	— 2
1934	153	149	— 4
1935	157	152	— 5
1936	159	151	— 8
1937	157	147	—10
1938	162	151	—11
1939	161	148	—13
1940	170	149	—21
1941	174	149	—25
1942	179	149	—30
1943	185	147	—38
1944	186	146	—40
1945	192	149	—43
1946	180	145	—35
1947	176	146	—30
1948	181	148	—33
1949	185	151	—34
(1950 (5th Revision)	188	151	—37)
(1950 (6th Revision)	194	157	—37)
1951	192	155	—37
1952	198	158	—40

From the following table which gives the separate sex rates, it will be observed that in males the crude rate increased rapidly between 1931 and 1945, but fell slightly in the following four years. There has been an upward trend since then, however, and the rate for 1952, which is an increase of 11 compared with 1951, is the highest rate yet recorded. In females, on the other hand, the crude rate rose more slowly and steadily and in 1949 reached the highest of the series if allowance is made for classification changes. The rate for 1952 is slightly more than the previous year. The trend, however, when correction is made for differences of age constitution throughout the period, is quite different. In males the standardised rate rose only slowly between 1931 and the outbreak of war, but since then the upward trend is rather more rapid. The rate for 1952 is the highest on record and is an increase of 7 compared with 1951. In females the trend from 1931 was, with interruptions, generally downwards to 1947, the rates in the last five years (1948-52) being rather above this low level in 1947. The rate for 1952 showed a slight decrease compared with the previous year.

DEATH-RATE FROM MALIGNANT DISEASE PER 100,000 OF POPULATION

Year	MALES		FEMALES	
	Crude	Standardised	Crude	Standardised
1931	140	150	155	147
1932	145	153	160	150
1933	147	155	159	147
1934	148	154	158	146
1935	152	158	162	148
1936	155	158	163	146
1937	151	152	163	144
1938	152	153	170	150
1939	156	155	165	143
1940	175	158	165	141
1941	184	159	166	140
1942	193	162	168	138
1943	199	160	173	137
1944	205	162	171	134
1945	209	163	178	138
1946	190	162	171	130
1947	183	165	170	130
1948	185	165	178	134
1949	188	167	183	137
(1950 (5th Revision) ...	194	171	182	136)
(1950 (6th Revision) ...	201	178	187	139)
1951	201	176	184	138
1952	212	183	185	137

In 48 per cent of the deaths from cancer the site was in some part of the digestive system, this including the stomach, intestines, liver and oesophagus. These deaths in all numbered 4,815 (2,435 males and 2,380 females) compared with 4,732 (2,352 males and 2,380 females) in 1951. The number of male deaths increased by 83 but the female deaths were exactly the same as last year.

Of individual sites within the group, for both males and females the greatest number of deaths are from cancer of the stomach, intestines, rectum, pancreas, liver and oesophagus. The number of male deaths from cancer of the stomach was 877 in 1931, and of female deaths 822. In 1952 they had increased to 982 and 831 respectively. In the case of males there was an upward trend in the number of deaths from cancer of the intestines from 1931 to 1945 since when there has been a slight decline. The females, however, have steadily increased since 1931. Male deaths from cancer of the rectum increased slowly from 220 in 1931 to 401 in 1946 but have since tended to decrease. The number in 1952 was 334. The female deaths from this cause have shown a steady increase from 170 in 1931 to 228 in 1952. Both male and female deaths from cancer of the liver and gall bladder have declined.

The digestive sites which show the most marked increase in number compared with 1931 are rectum, pancreas, stomach and intestines for males, and intestines, pancreas, oesophagus and rectum for females, in that order. The number of male deaths from cancer of the rectum has increased by 52 per cent since 1931 while the number of female deaths has increased by 34 per cent. For cancer of the pancreas the number of male deaths has increased by 116 per cent and the number of female deaths by 111 per cent. For cancer of the intestines the number of male deaths has increased by 16 per cent and the number of female deaths by 18 per cent. For cancer of the oesophagus the number of male deaths has increased by 31 per cent and the number of female deaths by 80 per cent. The only site for which deaths have decreased since 1931 is the liver and gall bladder. Male deaths fell by 49 per cent and female deaths by 30 per cent. The number of both male and female deaths from cancer of all digestive organs has increased by 18 per cent since 1931.

The location was in some part of the respiratory system in 1,664 cases (1,374 males and 290 females). In 1951 this group of cancer deaths numbered 1,556. Next in numerical order comes cancer of the breast, deaths from which numbered 831 as against 806 in 1951. The uterus was specified in 475 cases (452 in 1951). There was a steady increase in cancer of this site until 1942 since when there has been some improvement.

Deaths from cancer of the urinary organs numbered 365 (237 males and 128 females) and of the male genital organs 346, of which 304 were of the prostate. Cancer of the female genital organs, other than specified above, numbered 275 (270 in 1951).

Cancer of the buccal cavity and pharynx accounted for 295 deaths as compared with 244 in 1951. Of these 220 were of males and 75 of females. There has been since 1941 a marked and fairly steady decline in the number of male deaths from cancer of sites associated with the buccal cavity. The total for all these sites was 357 in 1941 compared with 220 in 1952, a decrease of 38 per cent.

Comparing 1951 and 1952, the number of male deaths decreased for sites associated with the breast and genital organs and increased for all other groups of sites. Decreases were recorded in the number of female deaths from cancer of the respiratory system and lymphatic and hæmatopoietic tissues.

The addition of neoplasms of lymphatic and hæmatopoietic tissues, most of which were classified outside the malignant group in the Fifth Revision, accounts for 463 deaths, 262 males and 201 females. About half these are found in the leukæmia and aleukæmia group, male deaths being 108 and female deaths 104.

Diabetes.—Deaths from this cause numbered 477, 142 males and 335 females. This number is 82 lower than in 1951, but the annual fluctuations in the past ten years have not been great. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias.—Deaths from this cause numbered 269 of which 92 were males and 177 were females. In 1951 the number was 345. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 167.

Other General Diseases.—In addition to the foregoing there were 303 deaths from asthma, a decrease of 67 compared with 1951, 29 deaths from thyrotoxicosis (36 in 1951) and from other diseases of thyroid 52 (51 in 1951).

Diseases of the Nervous System.—In this group there were 9,987 deaths, of which the majority (9,087) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral hæmorrhage (4,366) or cerebral embolism and thrombosis (4,024). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, multiple sclerosis, epilepsy and other cerebral paralysis. Non-meningococcal meningitis deaths numbered 72 compared with 59 in 1951.

The vascular lesions of the central nervous system show a heavier crude death rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System.—Deaths in this group numbered 22,518 of which 20,215 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about 1 per cent) and in the two following years there was a substantial diminution in deaths allocated here. Since then there has been an irregular increase. When comparing the change of classification between the fifth and sixth revision the experience of 1951 gave only an increase of $\frac{1}{2}$ per cent.

Of the total deaths from diseases of the heart the vast majority (17,307) are arteriosclerotic or degenerative. Of these 7,857 were ascribed to arteriosclerotic heart disease (including coronary thrombosis) and 8,970 to other forms of myocardial degeneration and 480 to chronic endocarditis not specified as rheumatic.

The number of deaths from angina pectoris and disease of the coronary arteries was 7,738 compared with 7,421 in 1951. These deaths, which in 1931 numbered only 823, have since then shown a progressive increase in numbers. There has been a tendency, no doubt accelerated by official practice, to certify deaths as due to coronary thrombosis which previously might have been recorded merely as angina pectoris. From 1931 to 1945 all certificates specifying the cause of death as angina pectoris were returned to the certifier to ask if coronary disease was actually present. In the majority of instances this was so. The result was that only 184 deaths were classified to angina pectoris in 1941, 123 in 1942, 94 in 1943, 37 in 1944 and 44 in 1945. Since 1945 angina has not been shown as a separate subheading in Scotland, deaths from this cause being classified to diseases of the coronary arteries. There is, however, no doubt about the marked increase in deaths from this cause since in 1941 there were 2,803 deaths registered as due to either angina or coronary disease while in 1952 there were no less than 7,738. Male deaths are much more frequent than females from this cause.

Deaths from chronic rheumatic heart disease numbered 878 compared with 900 in 1951. Acute rheumatic fever accounted for 44 deaths, a decrease of 5 from the previous year. Acute non rheumatic conditions of the heart were 157. Functional and other and unspecified diseases of the heart caused 982 deaths, hypertension accounting for 1,726 of which 891 were associated with heart disease.

Circulatory diseases apart from the heart are much less important. In 1952 there were 1,028 ascribed to general arteriosclerosis, compared with 824 in 1951. Deaths from pulmonary embolism and infarct numbered 117 which is the same as the previous year. This latter cause was, in the Fifth Revision, classified to the respiratory group. Other causes are much less frequent.

Diseases of the Respiratory System.—Deaths from these causes accounted for 4,856 deaths, compared with 6,400 in 1951. Of these the principal individual causes were bronchitis (2,025), bronchopneumonia (1,302) and lobar pneumonia (359). Deaths particularly from the two latter conditions have improved appreciably over recent years. Under the new list deaths from influenza are included under diseases of the respiratory system. They numbered 316 compared with 958 in 1951. In the month of March they accounted for 127 and in April 51.

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,113 compared with 2,299 in 1951. The principal conditions causing death under this heading are ulcer of stomach (278) and duodenum (361) and diarrhoea, between 4 weeks and under 2 years of age, (143). In the latter there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 118 and from hernia and intestinal obstruction 424.

Diseases of Genito-urinary system.—These collectively numbered 1,331 deaths compared with 1,451 in 1951. The numbers here have shown a slight but fairly steady decline during the past ten years. The principal components of the group are chronic nephritis (446) and diseases of the prostate (473). Deaths due to arteriosclerotic kidney, etc., which were classified to this group in the Fifth Revision are now classified to the hypertension group. The numbers are, therefore, not strictly comparable with previous years. Deaths from diseases of the prostate were 15 more than in 1951.

Diseases of Pregnancy and Childbirth.—These numbered only 92 and form a new low record. They are less than one-quarter of what were so registered ten years ago. The most prominent constituents are sepsis (including post abortive sepsis), hæmorrhage, accidents of childbirth and toxæmias. The total deaths represent a rate only fractionally above 1 per 1,000 total births. (Table K (1).)

In addition to the deaths classified as due to puerperal conditions there were 28 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K (2). The number in 1952 is 1 more than in 1951.

TABLE K (1).—Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1952.

	Births (Living Children)	Still- births	Deaths from all Puerperal Con- ditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Con- ditions	DEATH-RATE PER 1,000 LIVE BIRTHS			Death-rate (all Puer- peral conditions) per 1,000 Total Births (including Still-births)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
SCOTLAND ...	90,422	2,430	92	22	70	1·02	0·24	0·77	0·99
Counties of Cities ...	33,638	900	32	7	25	0·95	0·21	0·74	0·93
Large Burghs	15,423	443	15	4	11	0·97	0·26	0·71	0·95
Counties (ex Counties of Cities & Large Burghs) ...	41,361	1,087	45	11	34	1·09	0·27	0·82	1·06
Small Burghs	14,522	387	11	2	9	0·76	0·14	0·62	0·74
Landward ...	26,839	700	34	9	25	1·27	0·34	0·93	1·23

TABLE K (2).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1952

International Abbreviated List 'B'	CAUSE OF DEATH	All Ages	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
1	Tuberculosis of respiratory system	4	—	1	2	—	1	—	—
2	Tuberculosis, other forms... ..	2	—	1	—	—	1	—	—
18	Malignant neoplasms	2	—	2	—	—	—	—	—
19	Benign and unspecified neoplasms	1	—	—	—	—	1	—	—
21	Anæmias	1	—	1	—	—	—	—	—
46.1	Other general diseases	1	—	1	—	—	—	—	—
26	Arteriosclerotic and degenerative heart disease	3	—	—	—	1	—	1	1
27	Other diseases of heart	2	—	—	1	—	1	—	—
30	Influenza	1	—	—	1	—	—	—	—
31	Pneumonia	3	—	—	1	—	1	1	—
32	Bronchitis	1	—	1	—	—	—	—	—
35	Intestinal obstruction and hernia	1	—	—	1	—	—	—	—
36.2	Diarrhoea	2	—	—	—	2	—	—	—
45.1	Cause ill-defined and unknown ...	2	—	1	1	—	—	—	—
48.1	Other violence	2	—	—	—	1	—	1	—
	ALL CAUSES	28	—	8	7	4	5	3	1

Diseases of the Skin and Cellular Tissue.—There were 63 deaths from these causes compared with 70 in 1951 and 234 in 1941. There were over 300 deaths in this group in 1936 and 1937 and the general trend since that date has been steadily downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Movement.—These, too, are comparatively unimportant causes of death, 170 deaths being registered during the year.

Malformations.—There were 610 deaths from these compared with 602 in 1951. Congenital malformations of the heart were the most frequent (196) and were followed by spina bifida (152) and hydrocephalus (61) which accounted for most of the remaining conditions specified. The vast majority (79 per cent) of these deaths took place in the first year of life.

Table L shows these deaths distributed in age groups. Of the 610 who died from congenital malformations 480 died at ages under one year and of these 196 did not survive a week. The following table shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1948. The congenital malformations rate was 6.75 in 1952 compared with 6.64 in 1951. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend of the rates.

Internal changes in classification such as prematurity affect some of the rates comparing 1950, 1951 and 1952 with earlier years.

TABLE L.—Deaths from Congenital Malformations in 1952
(International Nos. Detailed Long List 750—759)

CAUSES OF DEATH	Persons	Males	Females	Under 1 day	1-6 days	1 week	2 weeks	3 to 4 weeks	1-2 months	3-5 months	6-8 months	9-11 months	1-4 years	5-9 years	10-14 years	15-24 years	25 years and over
Spina Bifida, Meningocele (751) ...	152	56	96	19	30	29	9	9	22	16	8	1	7	-	1	1	-
Congenital Hydrocephalus (752) ...	61	34	27	11	7	5	3	1	5	9	6	6	6	2	-	-	-
Congenital Heart Disease (754) ...	196	105	91	15	28	15	9	6	22	25	13	5	18	12	4	10	14
Congenital Pyloric Stenosis (756.0)	11	10	1	-	1	-	-	1	9	-	-	-	-	-	-	-	-
Other Congenital Defects (Residual) ...	190	94	96	42	43	8	1	3	11	16	9	2	11	4	2	3	35
TOTAL ...	610	299	311	87	109	57	22	20	69	66	36	14	42	18	7	14	49

	1936-40	1941-45	1946-50	1948	1949	1950	1951	1952
Congenital Malformations								
Do. (all ages) ...	6.87	7.28	6.58	6.44	6.34	6.62	6.64	6.75
Do. (under 1 year) ...	6.20	6.33	5.47	5.46	5.11	5.33	5.12	5.31
Hydrocephalus ...	0.70	0.74	0.64	0.50	0.68	0.59	0.76	0.67
Spina Bifida, Meningocele ...	1.89	1.93	1.38	1.36	1.48	1.32	1.24	1.68
Congenital Heart Disease ...	2.26	2.26	2.11	2.04	1.77	2.33	2.25	2.17
Congenital Pyloric Stenosis ...	2.02	2.34	0.48	0.57	0.43	0.29	0.13	0.12
Other Congenital Defects ...	1.97	1.97	1.97	1.99	2.09	2.26	2.10	2.10
Diseases of Early Infancy ...	30.61	27.74	20.24	18.90	17.55	19.45	18.99	18.20
Debility ...	7.09	5.22	1.93	1.90	1.26	1.09	1.20	0.84
Premature Birth ...	16.79	15.07	10.39	9.57	9.03	7.38	6.63	6.38
Injury at Birth ...	3.22	3.19	2.94	2.89	2.96	3.31	3.35	2.85
Asphyxia at Birth ...	2.99	2.90	2.90	2.87	3.69	3.57	4.56	4.56
Other specified causes ...	2.00	1.63	1.42	3.99	4.23	3.57	3.57	3.57
Total (all ages) ...	37.48	35.02	26.83	25.33	23.89	26.08	25.63	24.95

* Includes pneumonia of newborn and diarrhoea of newborn.

Diseases of Early Infancy.—Deaths from this group of causes totalled 1,646 compared with 1,721 in 1951, and there has been a steady improvement in mortality from such causes during recent years. The most important individual component of this group is prematurity, deaths from which numbered 577, or just over a third of the total. Asphyxia, birth injury, pneumonia of newborn and congenital debility are next in order of importance. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change, but the rate for 1952 (2.85) is 0.5 less than the previous year and is the lowest rate so far recorded.

Senility.—Only 1,025 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—These numbered 2,535, a slight decrease compared with the figure for 1951 which was 2,584. Of these 575 were transport accidents, 112 less than in 1951. The majority were motor vehicle accidents (451), a decrease of 65 on the number for the previous year. Of the remainder, 50 were from railway accidents, 32 from road transport fatalities (other than with motor vehicles), 23 in water transport accidents and 19 in air transport. For motor vehicles and other road transport accidents, male deaths greatly exceed those of females, and the heaviest mortality rates are found in pre-school and early school years and in older age-groups, 65 and over. The greatest number of deaths is for males of ages 15-34 years, and for females at 1-9 and 55-74 (Table 35.)

DEATHS FROM ROAD TRANSPORT ACCIDENTS

			All Ages	0-4	5-14	15-34	35-64	65 and over
MALES	1934-38 (average)	...	515	41	86	169	145	74
	1939-45	...	709	50	104	183	242	130
	1945	...	436	56	100	94	121	65
	1946	...	429	51	89	122	95	72
	1947	...	402	38	67	98	116	83
	1948	...	374	46	74	75	106	73
	1949	...	367	43	60	87	104	73
	1950	...	397	63	45	107	104	78
	1951	...	424	46	79	115	101	83
	1952	...	350	38	48	100	108	56
FEMALES	1934-38 (average)	...	162	21	37	25	42	37
	1939-45	...	188	22	43	29	50	44
	1945	...	135	18	33	21	33	30
	1946	...	163	23	35	19	39	47
	1947	...	162	21	40	23	36	42
	1948	...	164	25	37	24	28	50
	1949	...	150	23	32	19	40	36
	1950	...	133	15	32	14	33	39
	1951	...	141	19	33	18	30	41
	1952	...	133	22	14	27	35	35

Apart from transport accidents, accidental falls, crushing, etc., accidental drowning, accidental inhalation of poisonous vapours, suffocation and burns are important causes of the deaths classified as violent.

A full list of deaths by accidental poisoning, by suicidal poisoning and under anæsthetics will be found in Table 41.

A special tabulation has been made of all accidents classified from Nos. 870 to 936 of the 1948 International Statistical Classification. Table M (1) shows accidents at home and Table M (2) accidents elsewhere.

Of the total 1,646 fatal accidents in 1952 no less than 1,023, or 62 per cent occurred in the home, the proportion of accidental deaths among females (85 per cent) being very much greater than among males (44 per cent). The importance of domestic to total fatal accidents, too, differs widely according to age. Thus, among both male and female deaths in infancy, the vast majority are domestic in origin. In 1952 accidents to children of pre-school ages were much more frequent at home for both sexes. In the year 1951 it was observed that male deaths were more or less equal between those at home and those elsewhere. At school ages in both sexes non-domestic accidents predominate. In earlier adult life, 15-44 years, non-domestic accidents outnumber the domestic in males by a little more than 3 to 1 but in females of the same ages there is an excess of accidents at home. At 45-64 years non-domestic are still in excess of domestic among males but the relative excess is less than at earlier years, whereas among females at this period of life domestic are now appreciably more frequent than non-domestic. At ages over 65 years domestic accidents are decidedly more frequent than non-domestic even in males, while in elderly females domestic accidents are about 10 times as frequent as those originating outside the home. The nature of the accidents also differs widely in home and other fatal accidents. Nearly half of those occurring in the home are allocated to the group, falls, crushings, etc., the other two important groups being poisonings by gases and vapours and suffocation. The latter are predominantly among infants and pre-school children among whom burning accidents also stand out prominently. In accidents originating outside the home the most important are falls, crushings and drownings.

TABLE M (1).—Accidents at Home, 1952

Inter- national Long List Nos.	CAUSE OF DEATH	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
870-888	Accidental poisoning by solid and liquid substances { M. F.	22 24	2 —	3 4	1 —	— —	1 —	4 2	3 3	5 6	— 2	1 3	2 3	— —	— —
890-895	Accidental poisoning by gases and vapours ... { M. F.	85 91	— —	3 —	— 1	— —	5 5	12 3	10 7	17 13	10 16	15 17	11 25	2 4	— —
900-904	Accidental falls ... { M. F.	134 347	— —	2 1	1 —	— —	2 —	— 1	3 1	5 2	14 9	24 57	51 173	32 103	— —
910	Blow from falling object... { M. F.	1 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
916-918	Accident caused by fire, explosion, hot substance, radiation, etc. ... { M. F.	35 82	1 2	7 11	— 6	1 1	— 2	1 —	1 1	3 4	3 4	6 12	10 29	2 10	— —
919	Accidental injury by fire- arms ... { M. F.	8 —	— —	— —	— —	1 —	3 —	— —	1 —	2 —	— —	1 —	— —	— —	— —
921-925	Accidental mechanical suffocation ... { M. F.	100 71	83 63	5 2	1 1	— —	3 —	1 1	2 2	1 —	1 1	2 —	1 1	— —	— —
926	Lack of care of infants under 1 year of age ... { M. F.	4 1	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
929	Accidental drowning and submersion ... { M. F.	1 2	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —
913-914, 927, 936, }	Other and unspecified acci- dents ... { M. F.	9 5	— —	— 1	1 —	— —	3 —	— 2	2 —	— —	— 1	2 —	1 1	— —	— —
	TOTAL ... { M. F.	399 624	90 67	21 19	4 8	2 1	17 7	18 11	22 13	34 25	28 33	51 90	76 232	36 118	— —

TABLE M (2).—Accidents elsewhere than at Home, 1952

Inter- national Long List Nos.	CAUSE OF DEATH	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Not stated
870-888	Accidental poisoning by solid and liquid substances { M. F.	4 3	— —	1 —	— —	— —	— —	1 —	1 —	2 1	1 —	— —	— —	— —	— —
890-895	Accidental poisoning by gases and vapours ... { M. F.	11 8	— —	— —	— —	— —	1 —	2 —	2 —	4 3	— —	2 1	— 3	— 1	— —
900-904	Accidental falls ... { M. F.	118 49	— —	1 1	5 2	4 1	10 1	16 1	13 2	18 5	16 2	15 5	13 18	7 11	— —
910	Blow from falling object... { M. F.	86 1	— —	— —	1 1	— —	3 —	18 —	17 —	24 —	18 —	4 —	1 —	— —	— —
911	Accident caused by vehicle ... { M. F.	11 —	— —	— —	1 —	— —	1 —	1 —	3 —	2 —	2 —	— —	1 —	— —	— —
912	Accident caused by machinery ... { M. F.	35 —	— —	1 —	— —	— —	8 —	5 —	4 —	6 —	8 —	3 —	— —	— —	— —
916-918	Accident caused by fire, explosion, hot sub- stance, radiation, etc. { M. F.	18 3	— —	— —	6 —	1 —	2 1	1 1	2 —	5 —	1 —	— —	— 1	— —	— —
919	Accidental injury by fire- arms ... { M. F.	8 1	— —	— —	— —	1 —	2 1	1 —	1 —	1 —	1 —	1 —	— —	— —	— —
921-925	Accidental mechanical suffocation ... { M. F.	14 1	1 —	1 1	— —	— —	3 —	1 —	2 —	2 —	3 —	— —	1 —	— —	— —
926	Lack of care of infants under 1 year of age ... { M. F.	3 4	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
929	Accidental drowning and submersion (excluding water transport) ... { M. F.	161 38	— —	8 3	18 2	17 4	22 5	14 1	11 3	31 9	17 5	12 5	9 1	2 —	— —
913, 914, 928, 932, 933, 935, 936 }	Other and unspecified accidents { M. F.	44 2	— —	— —	1 —	2 1	11 —	9 —	6 1	3 —	5 —	4 —	2 —	1 —	— —
	TOTAL ... { M. F.	513 110	4 4	12 5	32 5	25 6	63 8	68 4	61 7	98 18	72 7	41 11	27 23	10 12	— —

The accompanying Table M (3) shows the death rates calculated by broad age groups for each sex. For home accidents it will be observed that although the male rate, irrespective of age, is appreciably less than the corresponding female rate, the male rates are higher in every individual age group except for ages 5-14 and 65 and over, where the female rates are nearly twice as high. For non-domestic accidents the total male rate is over five times that of the female rate, the difference being even greater in the age groups from 15 to 64.

TABLE M (3)—Death-rate per 100,000 from Accidental Deaths classified to Nos. 870 to 936 of the 1948 International List

		All ages	0-4	5-14	15-44	45-64	65 and over
Accidents at Home	MALE	16	48	1	5	11	74
	FEMALE	23	39	2	3	9	147
Accidents Elsewhere	MALE	21	7	14	18	31	36
	FEMALE	4	4	3	2	4	15
Total	MALE	37	55	15	24	43	110
	FEMALE	27	43	5	4	13	162

The following Table N shows accidents in coal mines and quarries analysed by age groups and cause.

TABLE N.—Accidents in Coal Mines and Quarries, 1952

International Long List Nos.	CAUSE OF DEATH	Total	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
890-895	Accidental poisoning by gases and vapours ...	4	—	—	2	1	—	1	—
910	Blow from falling object ...	34	1	9	5	11	6	2	—
911	Accident caused by vehicle	8	—	1	3	2	1	—	1
912	Accident caused by machinery ...	8	1	—	1	1	3	2	—
919	Accident caused by firearm	1	—	1	—	—	—	—	—
925	Accidental and mechanical suffocation ...	3	—	1	1	1	—	—	—
929	Accidental drowning and submersion ...	2	—	—	1	1	—	—	—
913, 936	Other and unspecified accidents ...	2	1	—	1	—	—	—	—
	TOTAL ...	62	3	12	14	17	10	5	1

Suicide.—Deaths from suicide numbered 281, 189 males and 92 females. This is equivalent to a death rate of 5 per 100,000 and is the same as that for 1951. These rates are the lowest for many years. (Tables 41 and 42.)

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause groups of death are, in descending order, heart disease, malignant neoplasms, vascular lesions of the central nervous system, violence, congenital causes, bronchitis, pneumonia and tuberculosis. These together account for 81 per cent of the total deaths in 1952.

TABLE O.—Relative Frequency of Causes of Death

CAUSES OF DEATH	1952		1951	
	Number	Per cent of total	Number	Per cent of total
Heart disease	20,215	32·86	21,502	32·69
Malignant neoplasms... ..	10,119	16·45	9,840	14·96
Vascular lesions of the central nervous system	9,087	14·77	9,122	13·87
Violence	2,535	4·12	2,584	3·93
Congenital malformations and diseases of early infancy ...	2,256	3·67	2,323	3·53
Bronchitis	2,025	3·29	2,488	3·78
Pneumonia (excluding pneumonia of newborn)... ..	1,881	3·06	2,297	3·49
Tuberculosis (all forms) ...	1,612	2·62	2,179	3·31
	49,730	80·85	52,335	79·56

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under one month) will be found on page 20 for years and combinations of years back to 1911, but Table 29 shows for 1952 a finer analysis by age with classification according to cause of death. Of the 3,181 children who died before reaching one year of age, 837 had died before they were a day old; 1,624 did not survive a week and no fewer than 1,958 had died before they were 4 weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 32). Compared with 1951, deaths from whooping cough decreased by 56, and from pneumonia and diarrhoea (both excluding newborn) by 23 and 58 respectively.

Of all deaths under one year of age numerically the most important are congenital malformations, asphyxia and atelectasis, pneumonia (excluding newborn) and birth injuries, in that order. (Table 29.)

Month of Registration.—Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 17). These deaths were at a maximum in December and at a minimum in July. The incidence of individual causes throughout the year generally conforms to this pattern. (Tables 30 and 63.)

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to in page 19. The rate among illegitimate children is 59 per cent above that for legitimate children—54 per 1,000 live births against 34 per 1,000 live births.

In Table 31 will be found for each large burgh and county the infant deaths classified by age periods under one year, with equivalent rates for individual ages under one year, and mortality among illegitimate infants. Many of these rates are based on small numbers and subject to large chance fluctuations. The neo-natal rates for Scotland as a whole have already been dealt with (see page 20) but in Table P there will be found for Scotland the death rates for certain age-groups within the first year of life for 1952 and previous years.

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922-1952

YEAR	MALES						FEMALES					
	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months
1922-25	103.7	42.6		16.0	16.6	28.5	80.0	32.7		11.8	12.6	23.0
1926-30	96.0	41.1		14.9	16.5	23.5	74.4	31.8		10.6	12.1	19.9
1931	93.2	27.5	12.6	13.9	15.9	23.3	69.9	21.7	9.6	9.9	10.4	18.4
1932	94.6	26.8	13.4	15.4	17.0	22.1	77.3	20.7	11.1	12.3	13.8	19.4
1933	89.3	28.8	12.0	14.8	14.2	19.5	72.4	23.3	10.9	10.0	11.4	16.7
1934	86.9	27.7	12.2	14.3	14.0	18.7	68.0	21.6	10.8	9.5	11.1	15.0
1935	86.9	28.8	14.6	13.2	13.6	16.7	66.2	20.7	12.8	9.1	10.1	13.6
1931-35	90.3	27.9	13.0	14.3	15.0	20.1	70.8	21.6	11.0	10.2	11.4	16.6
1936	92.2	28.4	14.1	15.9	15.2	18.7	71.9	21.3	11.2	10.7	13.0	15.8
1937	89.6	28.2	14.2	15.0	16.2	16.0	70.5	22.0	12.0	10.8	11.5	14.2
1938	76.6	26.6	11.4	13.4	12.2	13.0	62.1	21.9	10.0	8.9	9.1	12.1
1939	77.4	29.7	12.4	12.1	11.7	11.6	59.1	22.8	8.0	8.8	9.7	9.8
1940	90.3	29.5	13.1	15.0	15.7	17.0	65.7	21.2	10.4	10.5	11.8	11.8
1936-40	85.2	28.5	13.0	14.3	14.2	15.3	65.9	21.8	10.3	9.9	11.0	12.8
1941	93.3	29.0	16.0	17.4	17.0	14.0	71.6	22.5	12.2	12.6	10.9	13.4
1942	77.9	27.0	12.9	14.1	13.1	10.8	60.2	19.8	10.3	10.0	11.4	8.8
1943	73.0	25.3	11.8	13.3	12.3	10.3	57.0	18.7	9.8	9.1	10.0	9.4
1944	73.0	24.7	12.3	13.3	13.1	9.5	56.4	17.8	10.4	9.4	10.4	8.4
1945	64.7	23.6	9.0	12.4	11.5	8.2	47.3	17.5	6.6	8.9	8.2	6.0
1941-45	76.4	25.9	12.4	14.1	13.4	10.6	58.5	19.2	9.9	10.0	10.2	9.2
1946	60.0	25.1	8.1	10.0	9.5	7.3	47.3	19.4	7.0	7.2	7.8	5.9
1947	62.9	22.4	9.4	11.8	10.3	9.1	48.2	17.5	7.6	7.7	7.8	7.6
1948	51.3	21.6	6.9	8.9	8.1	5.8	37.7	15.5	5.9	5.9	5.8	4.6
1949	46.2	21.0	5.3	8.3	6.6	5.0	36.3	15.4	4.4	6.3	5.9	4.2
1950	43.0	21.0	4.6	6.5	6.4	4.5	33.8	16.2	4.0	5.3	4.4	3.9
1946-50	53.2	22.3	7.0	9.2	8.3	6.4	41.1	16.9	5.9	6.5	6.4	5.3
1951	42.2	20.4	4.8	6.9	6.2	3.8	32.4	15.5	3.6	5.1	4.6	3.6
1952	39.3	20.1	4.1	5.6	6.2	3.3	30.8	15.7	3.2	4.1	4.3	3.5

Death Rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars General, death-rates for Scotland and for England and Wales have been standardised according to population based upon the age and sex distribution of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the years 1950 to 1952. It is not possible, as in previous reports, to show a series of five years because of the difficulty of comparison arising from the introduction of the 1948 International Classification of Causes of Death. A new series was therefore begun with 1950. It will be observed that the standardised death-rates for Scotland are generally materially in excess of those for England and Wales.

CENTRAL CLYDESIDE CONURBATION

A description of the Clydeside Conurbation was given in the 1951 Report but for reference purposes the constitution of the Areas is again given. It is as follows:—

Dunbarton County (Part of)	Lanark County (Part of)	Renfrew County (Part of)
Clydebank Burgh	Glasgow City	Barrhead Burgh
Kirkintilloch Burgh	Airdrie Burgh	Johnstone Burgh
Milngavie Burgh	Coatbridge Burgh	Paisley Burgh
New Kilpatrick District of County	Hamilton Burgh	Renfrew Burgh
	Motherwell and Wishaw Burgh	Renfrew First District of County
	Rutherglen Burgh	Renfrew Second District of County
	Lanark Fifth District of County	
	Lanark Sixth District of County	
	Lanark Eighth District of County	
	Lanark Ninth District of County	

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year 1952. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

CENTRAL CLYDESIDE CONURBATION

	Registered	Transferred Out	Transferred In	Corrected for Transfer	Rate per 1,000 of estimated population
Births	32,602	1,710	2,217	33,109	18·8
Deaths	21,237	860	1,188	21,565	12·2
Deaths under 1 year	—	—	—	1,332	40·2 per 1,000 live births
Marriages	15,556	—	—	—	8·8
Still-births	988	59	36	965	28 per 1,000 total births (including still-births)

The population of Central Clydeside is estimated at 1,760,900 which is rather more than a third of the population of Scotland. The birth-rate of 18·8 is more favourable than that of the remainder of Scotland which is 17·1. The death-rate is 0·3 more, and the still-birth rate is 3 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 6·6 per 1,000 of the population against 5·2 in the remainder of Scotland. The excess of births over deaths in Scotland was 28,912, those in Central Clydeside accounting for no less than 11,544.

The infant mortality rate at 40·2 per 1,000 live births is much less favourable than that of the remainder of Scotland which is 32·3.

The accompanying table compares the rate per 100,000 from the principal groups of causes of death. Mortality from tuberculosis in the conurbation area is twice as high as that for the rest of Scotland. The only other outstanding excess is found in bronchitis where the male rate is fully twice that of the rest of Scotland. The female excess is not so marked.

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for respiratory tuberculosis, other forms of tuberculosis and bronchitis separately for the conurbation area, Glasgow and the remainder of the conurbation area.

	RATE PER 100,000 OF ESTIMATED POPULATION					
	Conurbation Area		Glasgow		Remainder of Conurbation Area	
	Males	Females	Males	Females	Males	Females
Respiratory tuberculosis	52	34	61	38	37	28
Other forms of tuberculosis	5	6	5	7	4	3
Bronchitis ...	81	39	92	45	64	28
Pneumonia (including newborn) ...	53	44	57	49	48	36
Principal epidemic diseases* ...	12	12	13	13	11	10

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

These show generally a reduction in the rates for the remainder of the conurbation area which are, however, still higher than those experienced in the rest of Scotland.

Diseases due to malignant neoplasms (females), the vascular lesions of the central nervous system (females) and heart disease (both sexes) show a higher mortality in the rest of Scotland. This is no doubt due to a higher age structure.

Little change is noted in the other diseases. The over-all death rate in the conurbation area for males is 1,342 compared with 1,256 in the rest of Scotland, and the female rates are 1,117 and 1,132 respectively.

Note. Conurbation Map.—The detached portions on the map belonging to the seventh district are now in the burgh of Motherwell and Wishaw as a result of the extension of the burgh boundaries on 16th May, 1952.

CERTAIN SPECIFIED CAUSES OF DEATH IN THE
CENTRAL CLYDESIDE CONURBATION AND THE REST OF SCOTLAND
WITH THEIR CORRESPONDING RATES PER 100,000 POPULATION—1952

	NUMBER				RATES PER 100,000 POPULATION			
	Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
	Males	Females	Males	Females	Males	Females	Males	Females
Tuberculosis — respiratory system	435	314	412	248	52	34	26	14
Tuberculosis — other forms	38	53	56	56	5	6	3	3
Syphilis	29	14	47	20	3	2	3	1
Principal epidemic diseases	100	110	89	124	12	12	6	7
Malignant neoplasms	1,899	1,621	3,273	3,326	226	176	205	190
Vascular lesions of central nervous system	1,353	1,629	2,506	3,599	161	177	157	205
Heart disease	3,444	3,172	6,927	6,672	409	345	433	381
Pneumonia (including new-born)	450	405	614	525	53	44	38	30
Bronchitis	684	355	607	379	81	39	38	22
Ulcer of stomach and duodenum	154	46	330	109	18	5	21	6
Diarrhoea (including new-born)	74	61	86	113	9	7	5	6
Nephritis	84	101	182	201	10	11	11	11
Congenital malformations and other diseases of early infancy	476	422	799	559	57	46	50	32
Transport accidents	130	55	305	85	15	6	19	5
Other accidental violence	326	221	604	528	39	24	38	30
Suicide	57	14	132	78	7	2	8	4
All other causes	1,565	1,674	3,134	3,220	186	182	196	184
All causes	11,298	10,267	20,103	19,842	1,342	1,117	1,256	1,132



APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1952 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1952.

The crude birth-rate for the year is 17·7 and is the same as the rate for 1951. If recent trends of birth and death rates are maintained, the number of births of females in 1952 was adequate, with a little to spare, to maintain the population against a natural decline. The net reproduction rate is 1·118, which is slightly higher than in 1951. The increase in this rate is due to the proportion of female births in 1952 being higher than usual. The year 1952 had also a more favourable mortality rate.

The crude birth-rates and the gross and net reproduction rates for each year from 1940 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·0	1·496	1·346
1948	19·4	1·317	1·208
1949	18·5	1·268	1·168
1950	17·9	1·233	1·150
1951	17·7	1·172	1·098
1952	17·7	1·184	1·118

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group, and the single ages which contributed the greatest number of children were 26 years, 25 years and 24 years (in that order). At age 33 the number was much smaller. The largest number of legitimate births was to mothers aged 26 years, 25 years and 24 years in that order and the largest number of illegitimate births was to mothers aged 20, 21, 19 and 22 in that order.

It will be observed from the following table that every year since 1940 the proportion of births to mothers in the age group 20-24 was greater, and since 1947 much greater, than in 1939.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20-24	25-29	30-34	20-24	25-29	30-34
1939	...	81,669	18,605	25,661	19,267	100	100
1940	...	81,248	19,086	26,068	18,619	103	97
1941	...	83,800	19,933	26,038	19,410	107	101
1942	...	84,187	20,827	25,396	19,459	112	101
1943	...	87,450	21,285	24,417	21,361	114	111
1944	...	88,308	21,614	23,402	22,062	116	115
1945	...	89,398	18,940	21,163	19,791	102	103
1946	...	97,465	22,228	29,070	24,450	119	127
1947	...	106,836	25,804	33,600	24,795	139	129
1948	...	94,568	24,117	30,001	20,255	130	105
1949	...	90,451	23,586	29,628	17,949	127	93
1950	...	87,693	23,168	27,964	18,193	125	94
1951	...	86,047	23,244	27,302	18,306	125	95
1952	...	86,116	23,616	27,078	18,808	127	98

Table 11 shows fertility by age of mother. The fertility rates for the fourteen years 1939 to 1952 are summarised below.

TABLE F (a).—Fertility Rates by Age of Mother
LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year		All Ages (16-49)	16-19	20-24	25-29	30-34	35-39	40-44
1939	...	119.8	525.7	336.6	220.0	140.5	82.7	25.8
1940	...	115.2	448.9	322.7	213.6	131.3	77.4	25.0
1941	...	116.4	376.6	300.8	211.1	134.9	82.6	27.7
1942	...	114.3	354.3	290.9	208.3	133.3	82.0	26.8
1943	...	117.9	357.8	283.4	209.6	146.9	90.6	30.2
1944	...	118.3	340.9	284.8	210.0	153.8	92.4	31.3
1945	...	105.2	322.7	246.9	192.9	139.1	82.4	27.6
1946	...	131.6	385.0	290.7	264.9	180.5	98.6	28.5
1947	...	142.9	481.6	330.5	288.6	188.4	100.5	29.5
1948	...	125.2	472.6	305.1	238.5	159.6	87.9	26.6
1949	...	119.7	536.3	306.3	221.6	148.1	83.7	23.6
1950	...	116.0	496.2	307.7	200.6	153.4	81.1	22.5
1951	...	109.9	507.1	317.0	206.3	128.2	72.2	21.1
1952	...	109.7	455.5	314.8	205.8	131.1	70.8	20.2

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year		All Ages (15-49)	15-19	20-24	25-29	30-34	35-39	40-44
1939	...	7.7	5.3	12.0	11.5	10.6	7.7	2.8
1940	...	7.7	4.7	12.5	12.0	10.7	7.6	3.1
1941	...	8.8	5.1	14.4	15.0	13.3	8.5	2.6
1942	...	10.0	5.2	16.3	18.6	15.3	9.9	3.4
1943	...	11.4	5.6	19.0	24.1	17.7	10.8	4.0
1944	...	12.1	5.2	19.8	29.7	20.1	11.6	3.6
1945	...	12.3	5.1	20.2	30.3	20.6	12.5	3.4
1946	...	11.5	5.1	18.0	29.3	19.0	11.9	3.6
1947	...	11.0	4.6	17.3	30.5	19.2	11.7	3.8
1948	...	10.3	4.7	14.9	29.3	20.8	11.1	3.8
1949	...	9.5	4.2	13.6	25.1	23.4	10.5	3.5
1950	...	9.0	4.0	12.4	24.2	22.0	10.7	3.5
1951	...	8.6	3.7	12.2	18.3	23.0	12.7	2.8
1952	...	8.3	3.7	11.8	16.6	19.7	13.5	3.3

On comparing the legitimate rates for 1951 and 1952, it will be observed that there is a decrease at all age groups with the exception of 30-34. The illegitimate fertility rates show a decrease in all age groups except 35-39 and 40-44 and in age group 15-19, which is the same as the previous year.

Table 12 shows the interval between marriage and the birth of the first child for all first children born in 1952 according to the age of mother.

The following table gives a summary for the years 1939 to 1952 of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Marriage

Year				All ages	Age of Mother			
					Under 20	20-24	25-29	30-34
1939	28.8	70.1	40.3	17.0	10.0
1940	24.9	61.3	34.8	14.6	9.2
1941	18.5	53.6	24.2	10.4	8.5
1942	17.0	52.3	21.2	9.5	7.4
1943	14.4	49.0	17.4	7.9	6.2
1944	14.3	51.1	17.0	7.8	6.2
1945	15.2	51.1	18.5	8.3	6.5
1946	13.4	51.4	17.2	7.8	6.1
1947	15.1	50.8	18.9	9.6	7.7
1948	19.1	56.6	23.7	11.6	8.4
1949	20.4	59.8	24.3	11.3	8.7
1950	20.2	60.0	24.6	10.0	8.1
1951	19.8	60.3	23.6	9.9	9.1
1952	19.2	59.4	22.5	9.3	8.6

The percentage of first births taking place within eight months of marriage is slightly lower than that for 1951. If these are added to the number of illegitimate births, the combined total is about 3,200 below that for 1939; and about 300 below that for last year.

In the Report for 1951 a summary of Table 13 was given for the year 1939, and 1943 to 1951 (Table F (c)). This table is now repeated for the years 1939, and 1944 to 1952.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1944	1945	1946	1947	1948	1949	1950	1951	1952
0	28,976	32,390	29,321	38,531	44,369	36,492	34,177	31,843	30,834	31,468
1	19,473	23,395	21,017	25,789	27,962	26,697	25,893	25,284	24,795	24,214
2	11,757	12,786	11,410	14,028	15,016	13,717	13,474	13,804	13,952	13,758
3	7,391	7,308	6,540	7,358	7,811	7,069	6,955	6,926	7,129	7,316
4	4,771	4,393	3,995	4,326	4,434	3,872	3,838	3,770	3,725	3,871
More than 4	9,301	8,036	7,106	7,413	7,244	6,668	5,979	5,886	5,478	5,356
Not stated	—	—	9	20	—	53	135	180	134	133
TOTAL	81,669	88,308	79,398	97,465	106,836	94,568	90,451	87,693	86,047	86,116

In 1952 there was a total increase of 69 legitimate births compared with 1951 and first births increased by 634. The total legitimate births increased by 0·1 per cent, first births increased by 2 per cent, second births decreased by 2 per cent and third births decreased by 1 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage increased steadily, from 35·5 in 1939 to 39·9 in 1942. In 1943 it was 38·7, in 1944 36·7 and it again increased steadily to 41·5 in 1947. From then the rate decreased from 38·6 in 1948 to 35·8 in 1951, but in 1952 the rate, 36·5, is an increase of 0·7 compared with the previous year.

Table 14 shows legitimate births by duration of marriage and number of previous children. It also indicates the trend of family size. The following table, covering the year 1939 and from 1941-52 relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born decreased from 1939 to 1942, and remained practically stationary until 1945. The average decreased substantially in 1946 and 1947, rose slightly in 1948 and since then has remained fairly steady. The figure for 1952 (2·44) is ·01 below that for 1951 and ·02 less than in 1946. The trend since 1939 has therefore been downward.

Duration of Marriage	Average number of children by present husband in family including still-born and dead													
	1939	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	
Under one year ...	1·03	1·02	1·03	1·03	1·03	1·03	1·04	1·03	1·03	1·03	1·03	1·03	1·03	
1 ...	1·29	1·19	1·17	1·16	1·17	1·18	1·15	1·17	1·23	1·23	1·24	1·27	1·22	
2 ...	1·77	1·73	1·58	1·55	1·55	1·60	1·55	1·56	1·69	1·71	1·73	1·71	1·69	
3 ...	2·14	2·08	2·00	1·88	1·85	1·85	1·79	1·82	1·96	2·01	2·06	2·04	2·03	
4 ...	2·48	2·42	2·35	2·23	2·12	2·09	1·95	2·00	2·22	2·25	2·30	2·33	2·35	
5 ...	2·77	2·71	2·64	2·53	2·48	2·34	2·13	2·17	2·38	2·49	2·53	2·56	2·60	
6 ...	3·17	3·05	2·94	2·81	2·74	2·71	2·39	2·39	2·54	2·65	2·76	2·78	2·83	
7 ...	3·50	3·41	3·25	3·06	3·00	3·01	2·76	2·67	2·74	2·81	2·94	3·00	2·99	
8 ...	3·83	3·67	3·59	3·38	3·29	3·27	3·09	3·06	3·02	3·02	3·08	3·20	3·28	
9 ...	4·10	4·12	3·86	3·72	3·58	3·57	3·40	3·34	3·40	3·37	3·26	3·35	3·44	
10-14 ...	5·06	4·87	4·77	4·61	4·51	4·41	4·27	4·22	4·32	4·29	4·18	4·13	4·06	
15-19 ...	6·93	6·65	6·50	6·33	6·13	6·07	6·02	5·98	6·08	6·15	6·13	5·97	5·90	
20-24 ...	8·94	8·50	8·29	8·21	7·98	7·84	7·94	7·93	7·93	7·78	7·91	7·90	7·81	
25 and over ...	10·68	11·15	10·29	10·37	9·92	9·15	10·00	9·07	9·62	9·54	9·53	9·69	9·54	
Total														
Present Husband...	2·79	2·68	2·60	2·60	2·61	2·59	2·46	2·37	2·43	2·42	2·45	2·45	2·44	

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless does not vary greatly from year to year but has tended to decrease since 1943. The number of deaths among divorced women is too small to give a reliable rate for individual years. The lower percentage of widows who die childless is due in part to the fact that the average age at death of widows is higher than among married women up to age 45 or 50. In 1952 13 per cent of the married women who died were under 45 years of age, whereas less than one per cent of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
Married	15.4	16.9	17.4	17.8	17.7	17.3	17.0	17.1	16.7	16.6	16.3	16.2	16.0
Widowed	13.8	14.4	14.5	14.7	14.6	14.3	14.3	14.5	14.6	14.2	14.3	14.0	13.7
Divorced	35.0	9.1	33.3	22.7	31.4	24.5	31.1	24.3	26.5	23.9	26.5	28.0	18.2
All women who had been married ...	14.6	15.5	15.9	16.2	16.1	15.7	15.6	15.7	15.6	15.3	15.2	15.0	14.7

Table 17 shows deaths from the principal causes by age-groups of women who had been married, and gives figures of those who had children and those who died childless. The purpose of the table is to see if there is any connection with certain diseases and infertility.

APPENDIX II

REGISTRATION OF STILL-BIRTHS

The total number of stillbirths registered during the year 1952 was 2,430 and with 90,422 live births registered during the same period these stillbirths are equivalent to a rate of 26·2 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, 26·9 in 1950 and 26·6 in 1951. There has been a continuous reduction in the rate since 1939, the first year in which still-births were registered in Scotland, and the rate for 1952 is the lowest so far recorded.

The geographical distribution of these live and stillbirths (together with neo-natal deaths among live born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For Local Authority aggregates the highest still-birth rate is recorded for large burghs, the lowest for landward areas, the value for the principal cities being intermediate. The neo-natal death rates show practically no difference in these aggregates. The slight decline in the still-birth rate compared with 1951 is found in the counties of cities and landward areas. The rate for the counties of cities was 26·1, and for large burghs 27·9, the corresponding rates for the previous year being 27·0 and 27·5. The aggregate rates for 1952, showing a definite urban excess, are in this respect in line with the general experience of preceding years.

As in previous years the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Airdrie (38), Greenock (34) and Ayr, Kilmarnock, Hamilton and Motherwell (32), the lowest in Rutherglen and Stirling (21), Perth (20) and Aberdeen, Arbroath and Port Glasgow (18). In the counties the highest rates were in Kinross (52), Banff (36) and Nairn (34), the lowest in Moray (14), Kincardine (7) and Sutherland (4). For the combined still-birth and neo-natal rate, the lowest rates were in the burghs of Rutherglen (31), Perth (29) and Stirling (26) and in the counties of Ross & Cromarty and Selkirk (30), Moray (23) and Kincardine (20). The heaviest were in the counties of Nairn (68), Kinross (67) and Argyll (65) and in the large burghs of Paisley (62), Hamilton (60) and Falkirk (57).

In Table SB (A) will be found the still-birth rates aggregated for the four geographical divisions of Scotland. The rate in the West Central group of counties is highest with that for the East Central second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for still-births and neo-natal deaths the higher rates are for the West Central and East Central county groups in that order and the lowest is again in the North). The rates for large burghs are heavier than those for county districts in the West Central Division.

TABLE SB (A).—Still-birth Rates per 1,000 Births (Live and Still) by Divisions, 1952

Division*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	22·1	19·4	23·1
East Central... ..	26·2	26·0	26·4
West Central	27·9	28·0	27·5
Southern	23·8	23·1	23·9
SCOTLAND	26·2	26·6	25·6

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Still-births and Neo-natal Deaths.—Table 18 shows the numbers and rates for still-births and neo-natal deaths (under 1 month of age) separately and combined for individual local authority areas and administrative and geographical aggregates thereof. For Scotland as a whole in 1952, out of every 1,000 born alive or dead after the 28th week of pregnancy, 47·3 died before or within one month of birth. This figure compares with 49·1 in 1949-1951 and with 77·3 in 1939. The rates for individual years since the beginning of still-birth registrations are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL.

Year	Still-Births	Neo-natal Deaths*	Total
1939	42·2	35·0	77·3
1940	42·1	35·7	77·8
1941	39·6	38·4	77·9
1942	38·2	33·7	71·9
1943	35·6	31·7	67·3
1944	32·5	31·7	64·2
1945	32·8	27·6	60·4
1946	32·3	28·9	61·2
1947	30·5	27·7	58·2
1948	28·7	24·4	53·1
1949	27·1	22·5	49·7
1950	26·9	22·4	49·3
1951	26·6	21·7	48·3
1952	26·2	21·1	47·3

* These neo-natal rates, being based on Total Births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the still-birth rate rather more regularly than the neo-natal rate but each is now rather less than two-thirds of the rate registered 13 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate still-births classified according to age of mother, and legitimate still-births according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 26·2 per 1,000 total births, this rate being at its lowest when the mother was aged 20-24 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years that the younger the mother in general, the less risk there is of stillbirth, the exception being that youngest mothers (under 20 years) show rather a heavier rate than mothers of 20-24. For every age group under 40 years the illegitimate still-birth rates are higher than the corresponding legitimate rates except for age-group 25-29 where the two rates are the same. They are based on small numbers, but exhibit a similar

general trend as the legitimate rates, viz., a fairly steady increase with increasing age of mother after 20.

Table SB (B) has been prepared from the distribution of still-births by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous is for every age of the mother appreciably higher than for multiparous births.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of still-birth varies widely, being least in the case of a second birth and thereafter increasing with increase in the number of previous children born to the mother.

TABLE SB (B).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), 1952

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	22	24	10
20—	20	22	16
25—	23	30	19
30—	27	39	24
35—	37	48	36
40 and over	54	79	51
ALL AGES	26	28	24

To examine separately the influence of parity and of age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the still-birth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The still-birth rate for first births is above the average rate for each maternal age group.

TABLE SB (C).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1952

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	28	24	22	30	39	48	79
1-3	21	10	16	19	23	31	40
4-6	35	—	12	22	30	45	51
7-9	50	—	—	54	32	42	81
10 and over ...	69	—	—	—	—	64	65
TOTAL	26	22	20	23	27	37	54

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate still-births.—Of the 2,430 still-births, 154 or 6·3 per cent were illegitimate, this being an appreciably greater proportion than among living births, 4·8 per cent of which were illegitimate. The still-birth rate was 34·5 per 1,000 total illegitimate births but it varied with age of mother, being 29 for young unmarried women under 20 years and 28 at ages 20-24, the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 25·7 per 1,000 and this better experience is apparent, with negligible exception, when individual age groups are contrasted.

The percentage of illegitimate still-births and live births are compared for individual years as follows:

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8

Multiple Births.—In page 11 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when still-born children are included it is found that there were 107 additional cases of the birth of twins in 85 of which one was still-born (the others being included among the single births) and in 22 of which both were still-born. In addition to the 11 cases of living triplets there were 2 cases in which one child was still-born (the other two children ranking as twin births). There was also 1 case of quadruplets of which two were stillborn (the other two children ranking as twin births) (see page 73).

Adding the number of still-births to the living births, it is found that the total number of children born was 92,852 of whom 90,422 were live born and 2,430 still-born, the total number of confinements being 91,546. Of these confinements 90,255 resulted in a single birth, 1,277 in a twin birth, 13 in a triplet birth and 1 in a quadruplet birth. Of the 2,554 twin children 129 were still-born—a rate of 51 per 1,000 twin children compared with 26 for all children and 25 for single births. The total confinements according to plurality or otherwise are summarised below.

The percentage of mothers who gave birth to two or more children was 1·41 compared with 1·42 in 1951. In Table 2 rates will be found from 1855 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1·27 and 1·45.

TABLE SB (D).—Multiple Births, 1952

Number of children born	Confinements	Living born Children	Still-born Children
1 living	87,958	87,958	—
1 still-born	2,297	—	2,297
2 living	1,170	2,340	—
1 living, 1 still-born ...	85	85	85
2 still-born	22	—	44
3 living	11	33	—
2 living, 1 still-born ...	2	4	2
2 living, 2 still-born ...	1	2	2
TOTAL	91,546	90,422	2,430

Certification.—In the great majority of the 2,430 still-births registered, the cause of death was certified by a medical practitioner (2,400) and in only 28 by a certified midwife. There was 1 case of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and only one case in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 98·8 and 1·2 respectively. In 1951 the corresponding figures were 98·4 and 1·4 and in 1939, 94·4 and 5·3 respectively.

Principal Causes of Still-birth.—The causes of still-birth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. Of the 2,430 still-births, 519 were attributed to foetal defects, 366 to ill-defined causes, 366 to difficult labour, 353 to antepartum hæmorrhage and 199 to toxæmias of pregnancy. The order of importance of these several groups is as in recent past experience.

In group 1 (acute and chronic diseases of mother) only 77 cases are included, of which the chief individual components are diseases of the circulatory system (24) and diabetes (13). Deaths from toxæmia, of which 87 per cent were eclampsia, numbered 199 compared with 256 in 1951 and 218 in 1950. Foetal deaths attributed to difficulties at birth numbered 366, of which 72 were certified as birth injury alone and a further 6 as birth injury associated with immaturity. Of the remainder the most frequently-stated causes were malposition of foetus (135 cases of which 16 were also stated to be immature), abnormality of forces of labour (79, with 11 stated as immature) and disproportion (40, with 11 immature). (The individual causes within this group are not readily comparable with these in the list in use in previous years.) Antepartum hæmorrhage leading to still-birth is preponderantly accidental hæmorrhage, less than one-fifth of this whole group being ascribed to placenta prævia. Of still-births ascribed to congenital defect, the most important individual defects were anencephalus (261) and hydrocephalus (133) these accounting jointly for nearly four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 447 deaths, roughly equal numbers being found for prolapse and torsion of cord and for placental infarct. Ill-defined and unknown causes still constitute 15 per cent of still-births (16 per cent in 1951), but compare favourably with the figure of 33 per cent at the outset of registration of still-births in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For acute and chronic disease of mother, and antepartum hæmorrhage the rates rise steadily with age of mother. Generally for the remaining groups, the rates in the first age group (under 20 years) are rather higher than at 20-24 years, but thereafter, as in other groups, these rates also progressively increase with advance of maternal age.

TABLE SB (E).—Still-births per 1,000 Births (Live and Still) by Age and Disease Groups, 1952

Age of mother	All causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	23	—	1·9	2·4	4·5	7·1	2·9	—	4·5
20—	20	0·5	1·5	3·1	3·1	5·1	2·9	0·5	3·3
25—	23	0·6	1·7	3·2	4·1	5·3	3·4	1·1	3·2
30—	27	0·9	2·5	3·6	5·0	5·6	4·7	1·5	3·4
35—	39	1·1	3·4	5·9	7·8	6·3	6·2	2·1	6·0
40 and over	57	4·0	4·8	9·4	13·1	7·7	6·0	1·1	10·5
ALL AGES	26	0·8	2·1	3·8	4·8	5·6	3·9	1·1	3·9

Sex Ratios.—The ratio of male to female still-births for groups of causes is given below.

	1952	1951
Acute and chronic disease in mother	... 1·08	2·43
Toxæmias	... 1·21	1·27
Antepartum hæmorrhage	... 1·22	1·37
Other placental and cord conditions	... 1·25	1·24
Fœtal defects	... 0·58	0·54
Difficult labour	... 1·27	1·45
Other defined causes...	... 0·98	0·95
Ill-defined or unknown causes	... 1·36	1·06
ALL CAUSES	... 1·06	1·09

For 1952 the ratio of male : female still-birth was 1·06, the corresponding ratio for live births being 1·05. This ratio throughout the years from 1939 has fluctuated between 1·06 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is (as is general in previous years) more pronounced for the cause groups, difficulties at birth; other placental and cord conditions and antepartum hæmorrhage; but for foetal defects there is a decided female excess.

Causes of Still-birth by Parity.—Table SB (F) shows the still-birth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to foetal defects, toxæmias and difficult labour and, in less degree, to ill-defined and unknown causes. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage and other defined causes.

TABLE SB (F).—Still-birth Rates per 1,000 Births (Live and Still) among Married Mothers, 1952

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·7	0·9	0·7
Toxæmias	2·2	3·3	1·6
Antepartum hæmorrhage	3·8	3·1	4·2
Other placental and cord conditions	4·7	4·7	4·8
Fœtal defects	5·5	6·7	4·8
Difficult labour	3·9	4·7	3·4
Other defined causes...	1·1	0·4	1·5
Ill-defined or unknown causes	3·8	4·5	3·4
ALL CAUSES	25·7	28·2	24·4

Illegitimate Still-birth by Cause.—The number of illegitimate still-births analysed by cause is shown in the last column of Table 22. There were in all 154 still-births from unmarried mothers, the rate being 34·5 per 1,000 compared with 25·7 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in acute and chronic disease in mother, and ill-defined and unknown causes.

Month of Registration.—Still-births are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 22 in July and 32 in December. In previous Reports the quarterly rates showed no marked or regular seasonal fluctuation either for all or for individual cause groups of still-births, but for 1952 the rates in the winter appear to be higher than in the summer. (Table SB (G).)

Still-births by Cause and Local Authority Area.—In Table 24 the still-births in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47. While detailed geography of individual causes will not result until a longer experience becomes available, the table will be published annually as offering opportunity for study of individual causes or groups of causes in different combinations or types of Local Authority area.

TABLE SB (G).—Still-birth Rates per 1,000 Births (Live and Still), 1952

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Ante-partum hæmorrhage	Other Placental and Cord Conditions	Fœtal Defects	Difficult Labour	Other Defined Causes	Ill-defined or Unknown Causes
1st Quarter	29	1·2	2·4	3·7	4·6	6·5	4·5	0·9	4·8
2nd Quarter	25	0·8	1·8	4·1	3·9	4·6	3·9	1·0	4·6
3rd Quarter	24	0·6	1·9	3·6	5·8	4·9	3·4	1·1	2·6
4th Quarter	27	0·7	2·4	3·8	5·1	6·4	3·9	1·4	3·7
YEAR	26	0·8	2·1	3·8	4·8	5·6	3·9	1·1	3·9

APPENDIX III

BIRTHS, STILL-BIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS OF FATHER, 1952

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILL-BIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS OF FATHER, 1952

Social Class	NUMBERS				RATES			
	Live Births	Still-births	Deaths		Still-births per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 1 month	Aged 1-11 months				
SCOTLAND								
I.	3,187	65	41	17	20·0	12·9	5·3	18·2
II.	9,766	241	178	64	24·1	18·2	6·6	24·8
III.	49,947	1,304	1,089	633	25·4	21·8	12·7	34·5
IV.	15,932	460	369	253	28·1	23·2	15·9	39·0
V.	11,590	360	281	256	30·1	24·2	22·1	46·3
TOTAL	90,422	2,430	1,958	1,223	26·2	21·7	13·5	35·2
COUNTIES OF CITIES								
I.	1,267	34	14	7	26·1	11·0	5·5	16·6
II.	3,011	82	54	21	26·5	17·9	7·0	24·9
III.	19,678	497	422	250	24·6	21·4	12·7	34·1
IV.	4,708	132	125	92	27·3	26·6	19·5	46·1
V.	4,974	155	125	113	30·2	25·1	22·7	47·8
TOTAL	33,638	900	740	483	26·1	22·0	14·4	36·4
LARGE BURGHS								
I.	436	9	5	1	20·2	11·5	2·3	13·8
II.	1,288	31	25	6	23·5	19·4	4·7	24·1
III.	8,994	249	198	130	26·9	22·0	14·5	36·5
IV.	2,231	75	50	45	32·5	22·4	20·2	42·6
V.	2,474	79	66	50	30·9	26·7	20·2	46·9
TOTAL	15,423	443	344	232	27·9	22·3	15·0	37·3
COUNTIES (Ex Co.s OF CITIES & LARGE BURGHS)								
I.	1,484	22	22	9	14·6	14·8	6·1	20·9
II.	5,467	128	99	37	22·9	18·1	6·8	24·9
III.	21,275	558	469	253	25·6	22·0	11·9	33·9
IV.	8,993	253	194	116	27·4	21·6	12·9	34·5
V.	4,142	126	90	93	29·5	21·7	22·5	44·2
TOTAL	41,361	1,087	874	508	25·6	21·1	12·3	33·4

Numbers and rates are shown in the foregoing table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1952 confirms the conclusions to which that of previous years had pointed, viz., that Social class has a much more marked effect on Infant Mortality than on the incidence of still-births, and that it is more important in post-natal than in neo-natal deaths. These conclusions are borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

Comparing the Scottish rates for 1951 with those for 1952 it is found that the fall in the Infant Mortality rate from 37·4 to 35·2 was shared by all classes with the exception of Class II. Classes IV and V benefited to the greatest extent. The post-natal mortality rate fell from 15·1 in 1951 to 13·5 in 1952, a fall which affected all classes except Class I where the rate was 1·5 higher than the previous year. The neo-natal rate fell from 22·3 in 1951 to 21·7 in 1952, the fall affecting all classes except Class II.

Age and Parity Distribution of Births in Different Social Classes.—

Since age of mother and previous parity each have an influence on the outcome as regards still-birth frequency and since explanation of the differences of still-birth rates in the social classes is of importance, it has been decided to incorporate in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude still-birth rates. Tables 27 and 28 show total births and still-births separately thus subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in class I compared with classes IV or V and the progressive and regular change in this respect with descent in the social scale. Such differences of distribution would tend to produce favourable rates in classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude still-birth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier still-birth rates in the upper classes. Moreover, for specific previous parities, the tendency is for the average age to be higher in classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the still-birth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude still-birth rates did not give a distorted view of social class differences of mortality in this period of life.

Causes of Still-births in Different Social Classes.—The relative importance of the several broad cause groups of foetal death have already been noted. In Table 25 the registered causes of still-births are shown (in detail in respect of legitimate still-births only) for each of the five social classes.

The percentage social class distribution of total legitimate births, live and still, in Scotland is as follows: Class I 3·6, Class II 11·0, Class III 55·8, Class IV 16·7 and Class V 12·9 per cent. From these figures and those in Table 25,

the following condensed table of numbers and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total still-birth rates are attributable.

	NO. OF STILL-BIRTHS			RATE PER 10,000 BIRTHS		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	7	39	20	5	8	8
Toxæmia ...	27	108	57	21	22	22
Antepartum hæmorrhage ...	49	170	117	38	34	45
Other placental and cord conditions ...	55	226	138	43	46	53
Fœtal defects ...	54	273	161	42	55	62
Difficult labour ...	45	185	112	35	38	43
Other defined causes ...	7	60	31	5	12	12
Ill-defined and unknown ...	47	177	111	36	36	42
ALL CAUSES ...	291	1238	747	226	251	285

While the rates for the five social classes increase progressively from Class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus relatively, the greatest divergences between the two extreme pairs of social class are in fœtal defects where the rate for Class IV and V exceeds that for I and II by nearly 48 per cent, and in other placental and cord conditions and in difficult labour where the excess in each case is 23 per cent. These same cause groups account for the greater part (a little over half) of the absolute difference between the extremes of social class and in that same order. There is also a heavier rate for ante-partum hæmorrhage and ill-defined and unknown causes which are 18 and 17 per cent higher, but there is no appreciable difference in the rate for toxæmia. In spite of these differences there is a general similarity in the broad pattern of causes of still-births in all the social classes. Fœtal defects, other placental and cord conditions and difficulty in delivery are the more important causes. Ante-partum hæmorrhage and ill-defined and unknown causes are also prominent in all classes.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26. For any one year the number of deaths for a given cause in individual social classes is often small (especially in classes I and II) so that several of the cause rates must be unreliable. Similar information is being published annually, so that soon a very useful body of reliable information will be built up.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of Classes IV and V is 80 per cent higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of

life is also clear. Thus, for the neo-natal causes as a whole, and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal	171	235	252
Other causes	55	104	155

Relatively and absolutely the difference in infant mortality between the extremes of social class is greater for the later death rate of infancy, neo-natal causes being 47 per cent higher in Classes IV and V than in I and II, other causes being nearly three times as high, and of the total absolute difference between the rate for class extremes, a smaller contribution to this is made by the earlier causes (81 as compared with 100 per 10,000 for other causes).

For individual diseases or groups, mortality in infancy is consistently heavier in Classes IV and V, relatively least for birth injury, pneumonia of newborn and other infantile diseases (with excess varying from 20 per cent in the first to 43 per cent in the last named), relatively greatest in diarrhœa, convulsions, suffocation and bronchitis and pneumonia. The greatest contributions to the absolute difference in the total rate, are made, however, by bronchitis and pneumonia, congenital malformations and other infantile diseases, which jointly contribute nearly two-thirds of the divergence of 181 per 10,000 births in the rates for all causes.

INFANT MORTALITY RATES (PER 10,000) BY CAUSE IN SOCIAL CLASS

	I and II	III	IV and V
Principal epidemic disease	2	6	6
Tuberculosis	2	2	5
Meningitis	2	2	6
Convulsions	2	4	11
Bronchitis and pneumonia	20	40	66
Other respiratory diseases	5	4	3
Diarrhœa	3	15	18
Other digestive diseases	4	5	4
Congenital malformations	27	54	61
Birth injury, etc.	61	75	73
Pneumonia of newborn	8	14	11
Diarrhœa of newborn	3	1	4
Other infantile diseases	72	91	103
Suffocation	6	14	21
Other violence	—	1	2
Other causes	10	12	13
ALL CAUSES	226	339	407

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1951

A preliminary statement regarding the marriages registered in Scotland during the year 1951 was incorporated in the Ninety-seventh Annual Report, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Ninety-seventh Annual Report it was stated that the number of marriages registered in Scotland in 1951 was 41,383, but after complete examination of the registers the corrected number is found to be 41,361. This is 902 more than the number in 1950, and is the first increase since the war. The number of marriages decreased steadily during the period 1945-50 from 48,642 in 1945, 45,785 in 1946, 44,360 in 1947, 43,718 in 1948, 41,708 in 1949 to 40,459 in 1950. The greatest number of marriages ever registered in any one year in Scotland was in 1940, when the total was 53,522.

The marriages in 1951 represent a rate of 8.09 per 1,000 population as against 7.82 in 1950.

Ecclesiastical, Civil and Irregular Marriages.—Of the 41,361 marriages registered 34,429 or 83.24 per cent were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 6,928 or 16.75 per cent were civil marriages under the Act of 1939, and 4 or 0.01 per cent were irregular. Percentages in 1950 were 82.08, 17.90 and 0.02.

Civil marriages accounted for 23.9 per cent of marriages in the cities, 17.6 in the large burghs and 7.8 per cent in the counties, as against 25.5, 18.8 and 8.6 respectively in 1950. This percentage ranged in the cities and large burghs from 36.4 in Dunfermline, 31.4 in Perth and 30.4 in Edinburgh to 7.6 in Airdrie, 5.7 in Coatbridge, and 4.4 in Port Glasgow. In Glasgow it was 20.5 and in Aberdeen 25.9. In the counties it ranged from 18.3 in Selkirk, 15.1 in Moray and 14.9 in Kinross to 4.6 in Ayr, 3.4 in Kincardine and 2.7 in Stirling.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1951, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	24,259	22,496	828	843	92	92·7	3·4	3·5	0·4	70·5
United Free Church	422	324	80	16	2	76·8	19·0	3·8	0·5	1·2
Free Church ...	270	161	102	5	2	59·6	37·8	1·9	0·7	0·8
Roman Catholic Church ...	6,062	522	5,336	140	64	8·6	88·0	2·3	1·1	17·6
Scottish Episcopal Church ...	1,122	558	472	76	16	49·7	42·1	6·8	1·4	3·3
Congregational Church ...	1,006	703	247	51	5	69·9	24·6	5·1	0·5	2·9
Baptist Church ...	420	246	154	16	4	58·6	36·7	3·8	1·0	1·2
Methodist Church ...	333	190	119	22	2	57·1	35·7	6·6	0·6	1·0
Jews ...	70	1	69	—	—	1·4	98·6	—	—	0·2
All other Ecclesiastical Marriages ...	465	206	234	24	1	44·3	50·3	5·2	0·2	1·4
All Ecclesiastical Marriages...	34,429	25,407	7,641	1,193	188	73·8	22·2	3·5	0·5	100·0

All the 4 irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

Method of Publication.—Of the 34,429 ecclesiastical marriages (i.e., those with a religious ceremony) 73·8 per cent were solemnised after proclamation of banns, 22·2 per cent after publication of notice, 3·5 per cent after proclamation of banns for one party and publication of notice for the other, while 0·5 per cent were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 67·6, 28·1, 3·6 and 0·6 while in the counties they were 82·7, 13·7, 3·2 and 0·4.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (92·7 per cent of all Church of Scotland marriages). In the United Free Church 76·8 per cent of the marriages celebrated were preceded by banns and in the Congregational Church 69·9 per cent. On the other hand 88·0 per cent of Roman Catholic marriages and 98·6 per cent of Jewish marriages were preceded by publication of notice.

Of the 6,928 civil marriages registered 6,473 were preceded by publication of notice at the office of the Registrar, while 455 were after Sheriff's licence under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49 and 50.)

Church of Celebration.—Of the 34,429 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 24,259 or 70·5 per cent, those according to the forms of the Roman Catholic Church 6,062 or 17·6 per cent and of the Scottish Episcopal Church 1,122 or 3·3 per cent. (Tables Q and S.)

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1951

	Number				Percentage of Total Marriages			
	SCOTLAND	Counties of Cities	Large Burghs	Other Districts	SCOTLAND	Counties of Cities	Large Burghs	Other Districts
Ecclesiastical Marriages								
Church of Scotland ...	24,259	8,990	4,174	11,095	58·7	49·6	52·7	72·4
United Free Church ...	422	142	101	179	1·0	0·8	1·3	1·2
Free Church ...	270	72	59	139	0·7	0·4	0·7	0·9
Roman Catholic Church	6,062	2,967	1,388	1,707	14·7	16·4	17·5	11·1
Scottish Episcopal Church ...	1,122	536	233	353	2·7	3·0	2·9	2·3
Congregational Church ...	1,006	473	239	294	2·4	2·6	3·0	1·9
Baptist Church ...	420	173	90	157	1·0	1·0	1·1	1·0
Methodist Church ...	333	156	123	54	0·8	0·9	1·6	0·4
Jews ...	70	52	—	18	0·2	0·3	—	0·1
All other Ecclesiastical Marriages ...	465	217	113	135	1·1	1·2	1·4	0·9
Irregular Marriages ...	4	1	2	1	0·0	0·0	0·0	0·0
Civil Marriages	6,928	4,338	1,391	1,199	16·8	23·9	17·6	7·8
TOTAL MARRIAGES	41,361	18,117	7,913	15,331	100·0	100·0	100·0	100·0

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1950 the percentage of marriages celebrated according to the forms of the Church of Scotland, Roman Catholic Church and the Scottish Episcopal Church show small increases, but there is a decrease of 1·15 in the percentage of civil marriages. The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 58·7 per cent of all marriages in Scotland. The proportion was 49·6 in the cities, 52·7 in the large burghs and 72·4 in the counties. In individual large burghs the percentage was 72·1 in Arbroath, 63·6 in Ayr and 62·8 in Rutherglen. In the counties it was highest in Kincardine (90·9), Aberdeen (85·2) and Kircudbright (82·9). Roman Catholic marriages made up 14·7 per cent of all Scottish marriages, the percentage being 16·4 in the cities, 17·5 in the large burghs and 11·1 in the counties. It was 43·1 in Port Glasgow, 37·0 in Dumbarton and 33·7 in Greenock. In the counties it was 24·6 in Lanark, 23·9 in Dunbarton and 19·5 in Renfrew. (Table 51.)

Conjugal Condition of those marrying.—Of the 41,361 males marrying during the year, 37,906 or 91·6 per cent were bachelors, 2,098 or 5·1 per cent were widowers, and 1,357 or 3·3 per cent had been divorced. Of the same number of females, 38,503 or 93·1 per cent were spinsters, 1,520 or 3·7 per cent were widows, and 1,338 or 3·2 per cent had been divorced. Compared with the previous year there is a decrease in the percentage of widowers, widows and divorced persons and an increase in the percentage of bachelors and spinsters.

The following Table shows the marriages registered during 1951, arranged according to the conjugal condition of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	36,199	760	947	37,906
Widowers	1,309	609	180	2,098
Divorced men	995	151	211	1,357
All men	38,503	1,520	1,338	41,361

From the above it will be seen that of the bachelors who married during the year 95 per cent married spinsters and 2 per cent married widows, while

TABLE S.—Marriages in Scotland in 1951 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	24,259	15. Original Secession Church...	23
2. Roman Catholic Church ...	6,062	16. Churches of Christ ...	16
3. Scottish Episcopal Church	1,122	17. Church of God ...	12
4. Congregational Church ...	1,006	18. Spiritualists...	12
5. United Free Church ...	422	19. Foursquare Gospel Church	10
6. Baptist Church ...	420	20. Other Religious Forms ...	98
7. Methodist Church ...	333		
8. Free Church ...	270	All Religious Forms ...	34,429
9. Christian Brethren ...	131	Irregular Marriages ...	4
10. Jews ...	70	Civil Marriages ...	6,928
11. Free Presbyterian Church...	59		
12. Salvation Army ...	54	All Marriages ...	41,361
13. Unitarian Church ...	25		
14. Church of the Nazarene ...	25		

of widowers 62 per cent married spinsters and 29 per cent married widows. Of divorced men 73 per cent married spinsters, 11 per cent married widows and 16 per cent married divorced women. Some 94 per cent of the spinsters marrying during 1951 married bachelors, of the widows 50 per cent married bachelors and 40 per cent married widowers, and of the divorced women who remarried 71 per cent married bachelors, 13 per cent married widowers and 16 per cent married men who had also been divorced. These proportions do not differ materially from those observed in 1950. The number of cases in which both parties had been divorced rose from 42 in 1942 to 264 in 1947. The numbers fell to 254 in 1948 and to 228 in 1949 but further increased in 1950 to 267. In 1951, however, the number again showed a decrease to 211. (Tables 52, 54 A and 54 B.)

The table below shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed. In 1940 the percentage of widows remarrying had fallen to 2·5, as against an average of 4·8 for the decennium 1921-30. From 1941 to 1947 the trend was upward but each year from 1948 the rate has continued to decrease. The rate for 1951 (3·7) shows a further decline of 0·4 compared with that for 1950. The percentage of persons marrying who had been divorced was appreciably larger in 1947 than in any year since marriages of divorced persons were separately tabulated in 1933, but the rates for 1948 and 1949 showed a slight decrease. The rates for 1950, however, showed a small increase compared with the previous two years, but the rates for 1951 again show a decrease.

ALL MARRIAGES		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced *	
1855-1860	100.0	84.3	11.2	—	90.1	5.4	—	4.5
1861-1870	100.0	87.3	11.5	—	93.6	5.2	—	1.2
1871-1880	100.0	87.8	12.0	—	93.5	6.3	—	0.2
1881-1890	100.0	88.6	11.4	—	94.2	5.8	—	0.0
1891-1900	100.0	90.1	9.9	—	94.6	5.3	—	0.0
1901-1910	100.0	91.4	8.5	—	95.0	4.9	—	0.0
1911-1920	100.0	91.7	8.3	—	93.4	6.6	—	0.0
1921-1930	100.0	92.6	7.4	—	95.2	4.8	—	0.0
1931-1940	100.0	93.4	5.9	0.7	96.3	3.0	0.7	0.0
1941-1950	100.0	91.7	5.7	2.6	93.3	4.3	2.4	0.0
1941	100.0	93.6	5.3	1.1	95.8	3.2	1.0	0.0
1942	100.0	93.6	5.3	1.1	95.4	3.5	1.1	0.0
1943	100.0	91.9	6.3	1.7	94.2	4.3	1.5	0.0
1944	100.0	91.5	6.5	2.0	93.5	4.6	1.9	0.0
1945	100.0	92.5	5.5	2.0	93.8	4.2	2.0	0.0
1946	100.0	90.7	6.1	3.1	92.1	5.3	2.7	0.0
1947	100.0	90.2	5.7	4.1	91.2	5.3	3.5	0.0
1948	100.0	90.9	5.4	3.7	92.0	4.6	3.3	0.0
1949	100.0	90.8	5.5	3.7	92.4	4.2	3.4	0.0
1950	100.0	90.8	5.3	3.9	92.4	4.1	3.6	0.0
1951	100.0	91.6	5.1	3.3	93.1	3.7	3.2	0.0

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

The following table shows the number of divorces notified in each year since 1933 and some detail regarding marriages of divorced persons. From 1934 until 1940 the annual number of divorced men and women who remarried was roughly equal, but in every year since with the exception of 1942 and 1945 there has been a substantial excess of males.

Year			Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
				Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41.6	51.8
1934	468	240	238	47.1	46.7
1935	498	258	244	55.1	52.1
1933-35						47.8	50.1
1936	642	274	288	55.0	57.8
1937	649	346	347	53.9	54.0
1938	788	387	362	59.6	55.8
1936-38						56.3	55.7
1939	884	480	460	60.9	58.4
1940	780	513	500	58.0	56.6
1941	762	531	471	68.1	60.4
1939-41						62.2	58.4
1942	1,017	505	507	66.3	66.5
1943	1,312	660	585	64.9	57.5
1944	1,731	757	707	57.7	53.9
1942-44						62.2	58.2
1945	2,223	959	956	55.4	55.2
1946	2,924	1,442	1,217	64.9	54.7
1947	2,513	1,798	1,557	61.5	53.2
1945-47						61.0	54.2
1948	2,047	1,607	1,464	63.9	58.3
1949	2,438	1,553	1,415	75.9	69.1
1950	2,196	1,558	1,446	63.9	59.3
1948-50						67.4	61.8
1951	1,944	1,357	1,338	61.8	60.9

* Including nullities

Ages of those Marrying.—The average age of all men marrying in 1951 was 28·6 and of all women 25·7. Among men this age was 29·7 in 1938 and 28·9 in 1950 and among women 26·7 in 1938 and 25·9 in 1950. In the counties of cities the average was 29·0 for men and 26·1 for women, in the large burghs it was 28·4 and 25·6 and in the counties 28·4 and 25·3. (Tables 53, 54, 54A and 54B.)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—				Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	26·7	37·4	32·8	27·1
Widowers marrying	47·5	56·2	48·2	50·1
Divorced men marrying	36·9	42·8	38·9	37·9
All men marrying	27·7	45·5	35·8	28·6

Average ages of—				Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	24·1	37·8	30·2	24·7
Widows marrying	37·8	50·8	40·9	43·3
Divorced women marrying	32·4	39·8	35·4	33·8
All women marrying	24·6	41·8	32·2	25·7

These do not show any marked differences compared with 1950. The average age of widowers marrying has increased slightly. The average age of widowed and divorced persons who married in 1951 is a little higher than in 1950.

For all marriages the average age of the bridegrooms was 2·9 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, 2·8 in 1945 and 3·0 since 1946. In the case of bachelors and spinsters this excess was 2·6 (2·8 in 1950), of widowers and spinsters 9·7 (8·9) and of widowers marrying widows 5·4 (5·6). In cases where either party had been divorced the average age of the bridegrooms was always higher than that of the brides.

The youngest bridegrooms of the year were 1 bachelor aged 16 and 81 aged 17 who all married spinsters. The youngest brides were 174 spinsters aged 16. Of these 171 married bachelors and 3 married widowers. There were 737 brides aged 17 all spinsters. (Tables 55-59B).

The oldest man who married during the year was a widower aged 85 who married a widow aged 72. The oldest bride was a spinster aged 83 who married a bachelor aged 76. (Tables 55-59B.)

In the counties of cities and large burghs the average age at marriage among males ranged from 30·2 in Inverness, 29·5 in Edinburgh and 29·3 in Rutherglen to 27·5 in Greenock, 27·3 in Dumbarton and 26·7 in Port Glasgow. In the counties it ranged from 31·9 in Inverness, 31·6 in Sutherland and Zetland and 30·9 in Peebles to 27·8 in Lanark, 27·7 in Ayr and West Lothian and 27·5 in Clackmannan and Fife. Among females the average age in the counties of cities and large burghs ranged from 26·8 in Inverness, 26·7 in Rutherglen and 26·5 in Edinburgh to 24·8 in Greenock, 24·5 in Dumbarton and 24·2 in Port Glasgow. In the counties the range was from 28·0 in Sutherland, 27·8 in Zetland and 27·3 in Inverness to 24·6 in Banff and Kirkcudbright, 24·5 in Moray and 24·1 in Kinross and Orkney.

The following table shows in age groups the number of persons married in each year from 1938 to 1951. Compared with 1950 all the male age groups show an increase with the exception of the 30-34 and 35-44 age-groups. The largest increase was in the group 20-24. The age-group 20-24 showed the

largest increase in the number of females married, and all other female groups showed increases compared with 1950 except age-groups 25-29 and 35-44.

AGE AT MARRIAGE, 1938-51

	Year	All Ages	Under 20	20-24	25-29	30-34	35-44	45 and over
MALES	1938 ...	38,716	812	10,028	14,292	7,215	4,205	2,164
	1939 ...	46,236	1,237	12,478	16,996	8,419	4,782	2,324
	1940 ...	53,522	1,376	15,456	19,694	9,226	5,412	2,358
	1941 ...	47,620	1,654	14,682	15,747	7,883	5,134	2,520
	1942 ...	47,402	1,856	16,611	14,323	6,997	5,164	2,451
	1943 ...	38,177	1,661	14,048	10,228	5,442	4,458	2,340
	1944 ...	37,017	1,582	14,412	9,443	5,031	4,220	2,329
	1945 ...	48,642	1,658	17,691	14,775	6,872	4,992	2,654
	1946 ...	45,785	1,216	14,309	14,901	7,239	5,348	2,772
	1947 ...	44,360	1,013	14,264	14,881	6,685	4,911	2,606
	1948 ...	43,718	977	14,848	14,774	5,861	4,716	2,542
	1949 ...	41,708	993	14,834	13,857	5,251	4,288	2,485
	1950 ...	40,459	1,005	14,646	13,055	5,288	4,129	2,336
	1951 ...	41,361	1,078	15,727	13,152	5,272	3,755	2,377
	1951 per cent of 1938	106.8	132.8	156.8	92.0	73.1	89.3	109.8
	Year	All Ages	Under 20	20-24	25-29	30-34	35-44	45 and over
FEMALES	1938 ...	38,716	4,846	14,219	10,927	4,804	2,819	1,101
	1939 ...	46,236	6,327	16,925	13,197	5,365	3,260	1,162
	1940 ...	53,522	7,040	21,161	14,526	5,886	3,666	1,243
	1941 ...	47,620	6,694	19,559	11,652	4,956	3,460	1,299
	1942 ...	47,402	7,040	21,183	9,889	4,466	3,526	1,298
	1943 ...	38,177	6,180	16,729	7,216	3,686	3,087	1,279
	1944 ...	37,017	5,816	16,759	6,729	3,412	2,988	1,313
	1945 ...	48,642	6,827	22,139	10,154	4,486	3,589	1,447
	1946 ...	45,785	5,728	19,414	10,698	4,715	3,667	1,563
	1947 ...	44,360	5,560	19,221	10,370	4,191	3,521	1,497
	1948 ...	43,718	5,755	19,420	10,027	3,668	3,339	1,509
	1949 ...	41,708	5,945	18,741	9,387	3,154	3,061	1,420
	1950 ...	40,459	5,833	18,604	8,660	3,100	2,818	1,444
	1951 ...	41,361	5,981	19,607	8,590	3,120	2,605	1,458
	1951 per cent of 1938	106.8	123.4	137.9	78.6	64.9	92.4	132.4

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th March, 1952, with reference to the qualifying date, the 1st December, 1951.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There was one bye-election held on the basis of the March, 1952, register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the number of local government electors in the burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1952.

APPENDIX VI

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1952

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations (pages 403 to 407).

General.—The outstanding features of the year are indicated in the course of the Report. The most notable were:—

1. Snow and severe frosts in January.
2. A mild spring followed by a rather cool summer, and prolonged cold in the late months.
3. Excessive rain and general cloudiness in northern districts as a result of frequent northerly winds. This contrasted with comparatively dry sunny weather in the south.
4. The destructive gales on January 14th/15th and December 16th/17th.

Gales.—Winds rose to gale force on 126 days, the lowest annual frequency since 1947. The worst gale of the year struck North Scotland on January 14th/15th. In Orkney, where wind speed in gusts was estimated at 130 miles per hour, immense damage was done to property. Gusts rose to 108 miles per hour at Stornoway and to 103 at Lerwick. The North experienced another fierce gale on December 16th/17th. For a period of four hours in the afternoon of the 17th, the mean speed of the wind at Stornoway never fell below 60 miles per hour. In this storm, gusts attained 92 and 78 miles per hour at Stornoway and Millport.

Temperature.—Mean temperature in 1952 was about one degree below average. January and the last four months were bitterly cold whereas March, April and May had mean values appreciably in excess of the normal.

The year opened with the fourth coldest January of this century. It was marked by severe frosts and heavy snowfalls. The harsh weather gave way to mildness about the middle of February, and March was rather mild despite two short cold periods in which snow fell in many areas. Mean temperature was 3 degrees above average in April, and in May just failed to equal the "record" for this century set up in May 1911. There were only brief summer-like spells in June, but there was an improvement in July, especially in the first week when shade readings rose to 80 degrees in places. August, however, was disappointing. Temperature on the whole was moderate, but fell to uncommonly low levels on the 26th.

Then began a run of four exceptionally cold months. September was the coldest in Scotland for 34 years and, though October had a few mild spells, it too was much colder than usual. November was Scotland's coldest for 27 years, the frosts in the second half of the month being almost as severe as in November, 1919, and November, 1947. Skating and curling were enjoyed on the ponds in East Scotland, and sea lochs were frozen in the West. An exceedingly cold December followed. Temperature, in places, remained below freezing all day on both the 14th and 15th and intense frosts occurred at night.

The lowest air and ground temperatures in 1952 were registered on January 28th. At Glentress, near Peebles, screen temperature fell to 2°F. (30 degrees of frost) while 38 degrees of ground frost was registered at Glenmore Lodge, near Aviemore.

The thermometer attained its highest—82°F. on July 1st, 5th or 6th—at Colmonell, West Freugh, Kinloss, Fort Augustus and Achnashellach.

Rainfall.—Precipitation exceeded average in the North and Northwest, but practically the whole country below a line drawn from Aberdeen to Skye was appreciably drier than usual. The shortage in Central Scotland and parts of the Southwest was in the region of 20-25 per cent.

Except in East and Central districts, total precipitation was above average in January. In contrast, there was a marked deficiency practically everywhere in February, which was the driest in Scotland for 18 years. March was drier than usual along the Tweed, and a dry April followed. In Wick it was the driest April since 1894. Double the normal fell in Shetland in May, but over the remainder of the country rainfall was comparatively light. June, on the other hand, was very unsettled and wet, the only dry areas being the Moray Coast and the Tweed Valley.

In July a shortage occurred in most places, the valley of the Tweed having its sixth successive dry month. Rain was persistent and heavy at times in August, especially in Shetland which had more rain than in any August for 40 years. It rained frequently in September, but Fife and Angus were favoured with less than half the average fall. October, too, was rather wet, but dry areas occurred in the East and South. Easterly winds brought an excess to eastern districts in November and resulted in a well-marked deficiency in the West and Northwest. Totals of precipitation varied a good deal in December, largely on account of the heavy snowfalls about the middle of the month.

Snow.—There was more snow than in 1951. The ground was snow-covered throughout January, and it lay well into February on the hills. Appreciable amounts fell at the end of March and early in April. The depth was 4 inches at Glenlivet on April 2nd. On September 18th, many of the high peaks were covered, while showers were frequent in the North in October. Drifts 6-12 feet deep were seen in the corries of the Cairngorms. A good deal occurred during the last ten days of November, especially around the 23rd when the depth reached 4-6 inches in parts of Aberdeenshire. A blizzard raged in the North on December 15th isolating farms and villages for a time. Reports of severe drifting came from Orkney and Shetland.

Thunder.—The frequency of thunder was well below the monthly averages in February, March, June and September, and this deficiency was largely responsible for the low annual number of "days with thunder". It occurred on 77 days in all, 20 fewer than average. The most widespread storms occurred on August 2nd, 4th and 12th.

Flooding.—Some flooding occurred as a result of heavy thundery rains in East Scotland on April 21st, while floods followed heavy rains during the thunderstorms on August 2nd, 4th and 12th, and again on August 15th on Deeside and in Fife. Local flooding was reported on September 23rd-26th when amounts at places in the West exceeded 3 inches in 24 hours. Equally intense falls occurred in the West Highlands on October 28th.

Sunshine.—As in 1951, there was more than the normal sunshine over the greater part of Scotland, and only in Northern districts were records below normal. The sunniest places in 1952 were Leuchars (1,661 hours), Prestwick Airport (1,609), Prestwick Town (1,573) and Arbroath (1,564).

East Scotland had the most sunshine in January and February—which were both sunnier than usual—but West Scotland was the favoured area in March. April on the whole, was sunny, especially on the 17th and in the last week when daily durations reached 13 hours in places. May was sunny in the West but North Sea cloud restricted bright sunshine in the North and East. Records in June were poor for a summer month; July, however, was sunny practically everywhere. It was the sunniest July at Renfrew, Glasgow and Perth for many years.

Cloudy skies predominated in August, and only Clyde counties and the Western Isles were favoured in September. Though sunshine was about average in October, many long-standing "records" were broken in the West in November. In December, the North and Northwest were exceedingly dull, but it was a good month in the South especially in Angus, Fife and the South-east.

Fog.—Fog was reported on 190 days, rather less than in 1951. The frequency exceeded the average in each of the months from June to September and also in November, the latter month having it on 20 days in all. At the end of November and beginning of December, thick fog blanketed the Clyde basin halting all sea and air traffic in the area.

Aurora.—The aurora borealis was seen on 103 nights, which is about the normal annual frequency in Scotland. Each of the first four months had considerably more than the average. It was observed on 17 nights in March, the most in this month since 1941.

(For Statistical Tables see pages 403 to 407)

APPENDIX VII

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1952

Area	Nature of Alteration	Population at Census, 1951 (Preliminary)					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
I. BURGHS							
Ballater	Extension within Civil Parish of Glenmuick, Tullick and Glen-gairn	1,301	552	749	1,313	557	756
Greenock	Extension within Civil Parishes of Inverkip and Greenock	76,299	36,929	39,370	77,181	37,352	39,829
Stevenston	New Burgh created within Civil Parish of Stevenston	—	—	—	9,332	4,523	4,809
North Berwick	Extension within Civil Parish of North Berwick	4,001	1,687	2,314	4,224	1,788	2,436
Nairn	Extension within Civil Parish of Nairn	4,700	2,138	2,562	4,773	2,168	2,605
Motherwell and Wishaw	Extension within Civil Parishes of Bothwell, Cambusnethan and Dalziel	68,137	33,168	34,969	68,789	33,475	35,314
Newport	Extension within Civil Parish of Forgan	3,273	1,321	1,952	3,366	1,353	2,013
Bo'ness	Extension within Civil Parish of Bo'ness and Carriden	9,949	4,887	5,062	9,967	4,896	5,071
Aberdeen	Extension within Civil Parish of Newhills	182,714	83,636	99,078	182,768	83,664	99,104
Musselburgh	Extension within Civil Parish of Inveresk	17,012	8,188	8,824	17,067	8,215	8,852
II. LANDWARD AREAS							
Aberdeen County	Extension of Burghs of Aberdeen and Ballater	103,410	50,951	52,459	103,344	50,918	52,426
Renfrew County	Extension of Burgh of Greenock	78,205	36,221	41,984	77,323	35,798	41,525
Ayr County	Creation of New Burgh of Stevenston	132,407	65,506	66,901	123,075	60,983	62,092
East Lothian County	Extension of Burgh of North Berwick	26,911	13,778	13,133	26,688	13,677	13,011
Nairn County	Extension of Burgh of Nairn	4,019	1,926	2,093	3,946	1,896	2,050
Lanark County	Extension of Burgh of Motherwell and Wishaw	304,356	148,356	156,000	303,704	148,049	155,655
Fife County	Extension of Burgh of Newport	108,660	54,570	54,090	108,567	54,538	54,029
West Lothian County	Extension of Burgh of Bo'ness	49,887	25,063	24,824	49,869	25,054	24,815
Midlothian County	Extension of Burgh of Musselburgh	57,815	29,513	28,302	57,760	29,486	28,274
III. COUNTIES		None					
IV. CIVIL PARISHES		None					
V. REGISTRATION DISTRICTS							
625(2) Holytown	Those portions of the Burgh of Airdrie situated in Registration Districts of Holytown and Old Monkland transferred to Registration District of New Monkland	21,389	10,534	10,855	21,385	10,531	10,854
652(3) Old Monkland Eastern		2,659	1,337	1,322	2,648	1,331	1,317
651 New Monkland		41,979	20,546	21,433	41,994	20,555	21,439
567(2) Gourock	The area within Civil Parish of Inverkip affected by extension of Greenock Burgh transferred from Registration District of Gourock to Registration District of Greenock	9,810	4,506	5,304	9,004	4,117	4,887
564 Greenock		76,396	36,977	39,419	77,202	37,366	39,836
669(1) Livingston	An area in Registration District of Livingston transferred to Registration District of Uphall	1,854	906	948	1,447	707	740
672 Uphall		13,166	6,426	6,740	13,573	6,625	6,948
282(1) St. Mary and St. Peter, Dundee	United with Registration District of St. Clement, Dundee, under name of "Dundee West", Registration District 282(2)	29,301	13,036	16,265	—	—	—
282(2) St. Clement, Dundee		24,465	11,192	13,273	—	—	—
282(2) Dundee West		—	—	—	53,766	24,228	29,538
282(3) St. Andrew, Dundee	United with Registration District of Mains and Strathmartine and part of burghal portion of Registration District of Murroes (no population) under the name "Dundee East", 282(1)	56,803	26,118	30,685	—	—	—
307 Mains and Strathmartine		23,072	11,124	11,948	—	—	—
282(1) Dundee East		—	—	—	79,875	37,242	42,633
282(4) Lochee	Number of Registration District changed to 282(3)	—	—	—	—	—	—
282(5) Broughty Ferry, Dundee	United with the portion of Dundee burgh in Registration District of Monifieth and part of burghal portion in Murroes Registration District under the name "Broughty Ferry" (282(4))	12,521	5,543	6,978	—	—	—
310 Monifieth	Registration District under the name "Broughty Ferry" (282(4))	4,462	1,980	2,482	4,293	1,902	2,391
313 Murroes		747	372	375	721	358	363
282(4) Broughty Ferry		—	—	—	12,716	5,635	7,081

APPENDIX VIII

RE-REGISTRATION OF BIRTHS

REGISTRATION OF BIRTHS, ETC. (SCOTLAND) AMENDMENT ACT, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

<i>Year</i>	<i>No.</i>
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742
1943	687
1944	737
1945	719
1946	729
1947	717
1948	648
1949	534
1950	552
1951	507
1952	507

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following table shows the number of adoptions recorded in each year:—

<i>Year</i>	<i>No.</i>	<i>Year</i>	<i>No.</i>
1930	3	1942	1,563
1931	347	1943	1,747
1932	492	1944	1,681
1933	437	1945	1,876
1934	602	1946	2,292
1935	683	1947	1,890
1936	704	1948	2,073
1937	820	1949	1,764
1938	812	1950	1,289
1939	1,100	1951	1,562
1940	1,424	1952	1,523
1941	1,222		

RECORDS IN GENERAL REGISTRY OFFICE

These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to have extracts from these registers, or to make search themselves in them, on payment of the prescribed fee. The earlier census records are also accessible for search or extract; so too the pre-1855 Church of Scotland records, so far as available, of births, baptisms, proclamations of banns, etc.

The following table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

YEAR	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7
1951	103,436	77,816	25,620	28,595	3,927	18	4
1952	88,436	63,624	24,812	27,030	3,863	13	10

Among the 63,624 official searches made in 1952, 29,327 related to claims for family allowances, and 31,241 to claims for contributory, non-contributory and service pensions.

APPENDIX IX

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each county of city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1948 to 1952.

The table has been compiled from statements received from Town Clerks and County Clerks.

TABLES

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Still-births, Deaths and Marriages registered in each year, 1855-1952

YEAR	Estimated Mid-Year Popula- tion	LIVE-BIRTHS				STILL- BIRTHS	MULTIPLE BIRTHS*		MARRIAGES	DEATHS			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	†16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,413
1855-60	3,018,000	102,462	52,555	49,807	8,953	—	1,282	†16	20,645	62,644	31,139	31,505	12,250
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,099
1861-65	3,127,000	109,764	56,336	53,428	10,742	—	1,298	13	22,073	69,265	34,380	34,885	13,166
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	†13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	—	1,407	15	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,166
1866-70	3,276,000	114,394	58,676	55,718	11,270	—	1,393	†13	22,832	71,974	35,823	36,151	13,971
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,320
1871-75	3,441,000	120,376	61,964	58,412	10,941	—	1,416	13	25,754	77,988	38,961	39,027	15,374
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,523
1876-80	3,629,000	126,086	64,648	61,438	10,711	—	1,430	14	24,956	74,801	37,463	37,338	14,921
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,200
1881-85	3,799,000	126,409	64,805	61,604	10,453	—	1,417	14	26,176	74,396	37,041	37,355	14,864
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,877
1886-90	3,944,000	123,977	63,674	60,303	9,973	—	1,378	13	25,702	74,380	36,729	37,591	14,943
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,874
1891-95	4,122,000	125,800	64,558	61,242	9,326	—	1,420	13	27,962	78,350	38,797	39,553	15,896
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,888
1896-1900	4,345,000	130,209	66,554	63,655	8,870	—	1,465	16	31,771	78,021	39,070	38,951	16,857

* Live births only prior to 1939

† Including one case of quadruplets

TABLE 1—continued

YEAR	Estimated Mid-Year Population	LIVE-BIRTHS				STILL- BIRTHS	MULTIPLE BIRTHS*		MARRIAGES	DEATHS			
		Total	Males	Fem.	Illegit.		Total	Twins		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,004
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	†13	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,275
1901-05	4,536,000	132,399	67,505	64,834	8,609	—	1,599	†17	31,838	77,313	38,716	38,597	15,881
1906	4,621,466	132,005	67,461	64,944	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,539	8,791	—	1,676	†14	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,856
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,436
1906-10	4,680,000	128,987	65,814	63,176	9,125	—	1,609	†14	31,811	75,534	37,596	37,938	14,501
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	9,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	4,748,000	120,654	61,607	59,047	8,698	—	1,538	15	33,857	74,466	37,253	37,213	13,604
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	†14	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565
1916-20	4,820,000	109,750	56,269	53,481	8,315	—	1,491	†10	37,437	72,365	36,455	35,910	10,869
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	4,879,600	112,245	57,516	54,729	7,606	—	1,459	10	34,720	67,652	33,843	33,809	10,299
1926	4,864,300	102,449	52,362	50,087	7,046	—	1,279	†12	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	4,845,100	96,674	49,479	47,255	7,059	—	1,228	11	32,605	66,017	33,106	32,911	8,260
1931	4,842,980	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,000	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	89,328	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	4,905,000	87,906	45,739	43,567	6,195	—	1,076	12	34,986	64,839	32,498	32,341	7,212
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940†	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	—	87,734	44,945	42,789	5,397	—	1,116	8	42,941	67,166	34,259	32,907	6,650
1941†	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942†	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943†	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944†	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,823	31,280	6,237
1945†	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	4,711,900	91,593	47,055	44,538	6,964	3,393	1,253	13	43,772	66,302	34,230	32,072	6,202
1946†	4,900,800	104,413	53,855	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,138,700	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,169,200	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
1949	5,175,000	95,674	49,183	46,491	5,223	2,666	1,341	17	41,708	63,488	31,851	31,637	3,961
1950	5,174,500	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	—	101,222	52,146	49,076	5,819	3,047	1,416	17	43,206	63,854	32,281	31,573	4,789
1951	5,113,900	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,114,200	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,163	61,510	31,401	30,109	3,181

* Live Births only prior to 1939

† Mean civilian population for year

‡ Including one case of quadruplets
(two cases in 1944)

TABLE 2.—Birth-, Still-birth-, Death-, and Marriage-rates in Scotland, 1855-1952

YEAR	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth- rate (Living Children)	Mar- riage- rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31.346	6.608	20.820	21.62	20.03	10.53	7.88	1049	—	125.2	—
1856	33.988	6.923	19.537	20.65	18.50	14.45	8.54	1053	1.27	118.4	—
1857	34.331	7.094	20.551	21.61	19.58	13.78	8.58	1057	1.29	117.9	—
1858	34.356	6.492	20.986	22.02	20.05	13.37	8.99	1066	1.25	121.3	—
1859	35.026	6.969	20.288	21.20	19.40	14.74	9.12	1052	1.28	108.2	—
1860	35.578	6.948	22.316	23.21	21.50	13.26	9.22	1062	1.22	127.0	—
1855-60	34.104	6.839	20.750	21.72	19.84	13.36	8.74	1057	1.26	119.6	—
1861	34.863	6.808	20.310	21.25	19.46	14.55	9.28	1042	1.20	110.9	—
1862	34.561	6.648	21.690	22.60	20.87	12.87	9.69	1066	1.23	117.3	—
1863	34.968	7.160	22.860	24.02	21.81	12.11	10.01	1058	1.18	120.0	—
1864	35.594	7.200	23.579	24.70	22.56	12.02	9.97	1044	1.21	126.2	—
1865	35.496	7.412	22.255	23.25	21.35	13.24	9.96	1061	1.23	124.7	—
1861-65	35.096	7.046	22.139	23.16	21.21	12.96	9.79	1054	1.21	119.9	—
1866	35.354	7.367	22.191	23.13	21.34	13.16	10.27	1055	1.23	122.4	—
1867	35.063	6.970	21.284	22.26	20.40	13.78	9.78	1054	1.22	118.6	—
1868	35.267	6.673	21.193	22.22	20.25	14.07	9.83	1052	1.28	117.7	—
1869	34.288	6.698	22.951	24.04	21.96	11.34	9.76	1059	1.27	129.3	—
1870	34.582	7.149	22.227	23.17	21.37	12.36	9.63	1044	1.22	122.8	—
1866-70	34.911	6.971	21.969	22.96	21.06	12.94	9.85	1053	1.24	122.1	—
1871	34.470	7.130	22.177	22.90	21.51	12.29	9.54	1070	1.15	130.3	—
1872	34.882	7.531	22.261	23.33	21.00	12.62	9.20	1066	1.19	123.9	—
1873	34.786	7.773	22.361	23.72	21.11	12.43	9.13	1055	1.20	124.9	—
1874	35.573	7.588	23.211	24.44	22.08	12.36	8.88	1058	1.25	124.9	—
1875	35.160	7.390	23.264	23.94	22.63	11.90	8.73	1055	1.22	132.1	—
1871-75	34.974	7.482	22.655	23.67	21.67	12.32	9.09	1061	1.20	127.2	—
1876	35.621	7.482	20.869	21.96	19.86	14.75	8.72	1050	1.19	121.2	—
1877	35.326	7.191	20.595	21.57	19.69	14.73	8.33	1054	1.15	114.9	—
1878	34.940	6.713	21.165	22.02	20.37	12.78	8.39	1059	1.10	123.0	—
1879	34.288	6.414	20.002	20.58	19.47	14.29	8.53	1048	1.18	107.9	—
1880	33.613	6.612	20.454	21.33	19.64	13.16	8.50	1049	1.17	124.6	—
1876-80	34.758	6.882	20.617	21.49	19.81	13.94	8.49	1052	1.16	118.3	—
1881	33.712	6.948	19.325	20.02	18.68	14.39	8.31	1053	1.15	112.5	—
1882	33.458	7.053	19.357	19.98	18.77	14.10	8.36	1046	1.14	118.0	—
1883	32.761	7.073	20.240	20.90	19.61	12.52	8.13	1054	1.13	119.0	—
1884	33.745	6.821	19.639	20.32	18.97	14.11	8.08	1057	1.16	117.9	—
1885	32.700	6.562	19.347	19.83	18.87	13.35	8.47	1049	1.15	120.5	—
1881-85	33.275	6.891	19.582	20.21	18.98	13.69	8.27	1052	1.15	117.6	—
1886	32.918	6.310	18.954	19.46	18.50	13.96	8.21	1063	1.06	115.7	—
1887	31.785	6.355	19.044	19.44	18.63	12.74	8.34	1054	1.10	122.2	—
1888	31.257	6.417	18.048	18.32	17.75	13.21	8.09	1050	1.14	113.1	—
1889	30.902	6.630	18.433	18.88	17.96	12.47	7.96	1064	1.18	121.3	—
1890	30.358	6.862	19.736	20.26	19.25	10.62	7.60	1048	1.19	130.6	—
1886-90	31.444	6.515	18.843	19.26	18.42	12.60	8.04	1056	1.13	120.5	—
1891	31.214	6.929	20.706	21.11	20.33	10.51	7.66	1058	1.11	127.9	—
1892	30.656	7.029	18.521	19.01	18.06	12.14	7.40	1060	1.20	117.5	—
1893	30.837	6.585	19.328	19.87	18.82	11.51	7.45	1047	1.18	136.0	—
1894	29.856	6.627	17.071	17.45	16.72	12.79	7.29	1055	1.19	116.7	—
1895	30.049	6.752	19.444	19.95	18.96	10.61	7.28	1050	1.08	133.4	—
1891-95	30.522	6.784	19.014	19.48	18.58	11.51	7.41	1054	1.15	126.4	—
1896	30.364	7.115	16.614	17.14	16.12	13.75	7.27	1052	1.19	115.5	—
1897	29.977	7.222	18.409	18.96	17.89	11.57	7.04	1044	1.09	137.9	—
1898	30.120	7.391	18.045	18.67	17.46	12.08	6.78	1043	1.13	134.2	—
1899	29.776	7.511	18.128	18.72	17.57	11.65	6.49	1044	1.14	131.0	—
1900	29.615	7.312	18.548	19.15	17.98	11.07	6.49	1045	1.20	128.5	—
1896-1900	29.970	7.310	17.949	18.53	17.40	12.02	6.81	1046	1.15	129.5	—
1901	29.513	7.007	17.885	18.47	17.33	11.63	6.32	1051	1.19	129.4	—
1902	29.346	7.080	17.292	17.89	16.73	12.05	6.28	1040	1.26	113.4	—
1903	29.440	7.133	16.757	17.31	16.24	12.68	6.21	1040	1.23	117.5	—
1904	29.054	7.071	17.086	17.53	16.67	11.97	6.79	1046	1.24	123.1	—
1905	28.613	6.809	16.229	16.68	15.81	12.38	6.91	1032	1.26	116.2	—
1901-05	29.193	7.020	17.050	17.58	16.56	12.14	6.50	1042	1.24	119.9	—

TABLE 2—continued

YEAR	Rates per 1,000 of Population						Illegit. Births Per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth- rate (Living Children)	Mar- riage- rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1906	28-563	7-171	16-366	16-82	15-94	12-20	7-05	1045	1-18	115-0	—
1907	27-705	7-160	16-621	16-94	16-32	11-08	6-82	1047	1-33	109-7	—
1908	28-071	6-754	16-633	17-11	16-18	11-44	6-94	1035	1-30	121-0	—
1909	27-324	6-394	15-849	16-24	15-48	11-48	7-28	1044	1-29	107-7	—
1910	26-180	6-521	15-251	15-68	14-84	10-93	7-29	1037	1-26	108-3	—
1906-10	27-569	6-800	16-144	16-56	15-75	11-43	7-07	1042	1-27	112-4	—
1911	25-647	6-702	15-098	15-55	14-67	10-55	7-55	1045	1-30	112-5	—
1912	25-899	6-856	15-258	15-68	14-86	10-64	7-32	1051	1-27	105-5	—
1913	25-489	7-122	15-454	15-90	15-04	10-04	7-09	1041	1-30	109-6	—
1914	26-107	7-379	15-495	15-93	15-08	10-61	7-16	1033	1-35	110-6	—
1915	23-933	7-595	17-111	17-77	16-49	6-82	6-90	1047	1-30	126-5	—
1911-15	25-415	7-131	15-683	16-17	15-23	9-73	7-21	1043	1-30	112-8	—
1916	22-930	6-553	14-733	15-37	14-13	8-20	7-09	1056	1-31	97-1	—
1917	20-257	6-324	14-445	15-24	13-71	5-81	7-49	1054	1-33	107-5	—
1918	20-480	7-175	16-286	16-96	15-67	4-19	7-97	1045	1-41	99-8	—
1919	22-047	9-141	15-591	16-20	15-02	6-46	7-93	1064	1-53	101-6	—
1920	28-070	9-611	14-016	14-81	13-28	14-05	7-47	1043	1-36	92-0	—
1916-20	22-757	7-761	15-014	15-72	14-36	7-74	7-58	1052	1-39	99-0	—
1921	25-233	8-037	13-561	14-09	13-07	11-67	7-11	1049	1-32	90-3	—
1922	23-496	7-018	14-885	15-37	14-43	8-61	6-85	1046	1-33	101-4	—
1923	22-892	7-201	12-946	13-47	12-46	9-95	6-68	1051	1-36	78-9	—
1924	21-986	6-649	14-470	15-10	13-89	7-52	6-63	1057	1-34	97-7	—
1925	21-396	6-668	13-459	14-15	12-82	7-94	6-56	1054	1-28	90-6	—
1921-25	23-001	7-114	13-864	14-44	13-34	9-14	6-78	1051	1-33	91-8	—
1926	21-061	6-423	13-112	13-73	12-55	7-95	6-88	1045	1-28	83-1	—
1927	19-919	6-707	13-564	14-22	12-96	6-35	7-22	1041	1-31	88-7	—
1928	19-971	6-796	13-463	14-01	12-96	6-51	7-39	1050	1-28	85-7	—
1929	19-220	6-822	14-675	15-27	14-12	4-54	7-71	1059	1-27	86-8	—
1930	19-583	6-900	13-314	14-01	12-67	6-27	7-35	1034	1-37	83-0	—
1926-30	19-951	6-730	13-626	14-25	13-05	6-32	7-30	1046	1-30	85-4	—
1931	19-042	6-742	13-262	13-86	12-71	5-78	7-22	1038	1-24	81-8	—
1932	18-636	6-790	13-525	13-94	13-14	5-11	7-09	1049	1-25	86-2	—
1933	17-618	6-962	13-201	13-79	12-66	4-42	6-89	1072	1-26	81-1	—
1934	18-004	7-485	12-918	13-51	12-37	5-09	6-89	1046	1-20	77-7	—
1935	17-754	7-670	13-191	13-76	12-66	4-56	6-57	1047	1-23	76-8	—
1931-35	18-207	7-133	13-219	13-77	12-71	4-99	6-94	1050	1-23	80-8	—
1936	17-906	7-631	13-440	14-16	12-77	4-47	6-46	1039	1-20	82-3	—
1937	17-645	7-703	13-853	14-59	13-17	3-79	6-15	1053	1-20	80-3	—
1938	17-749	7-754	12-608	13-22	12-04	5-14	6-15	1053	1-21	69-5	—
1939	17-359	9-235	12-865	13-68	12-11	4-49	6-03	1058	1-39	68-5	42-2
1940*	17-124	10-609	14-863	16-59	13-40	2-26	5-95	1049	1-36	78-3	42-1
1936-40	17-557	8-586	13-526	14-45	12-70	4-03	6-15	1050	1-27	75-8	—
1941*	17-501	9-284	14-741	16-75	13-11	2-76	6-63	1056	1-33	82-7	39-6
1942*	17-632	9-215	13-343	15-24	11-81	4-29	7-18	1048	1-27	69-3	38-2
1943*	18-355	7-402	13-977	15-93	12-43	4-38	7-63	1049	1-36	65-2	35-6
1944*	18-485	7-134	13-574	15-65	11-95	4-91	7-94	1067	1-39	65-0	32-5
1945*	16-855	9-432	13-200	15-11	11-70	3-65	8-66	1062	1-42	56-2	32-8
1941-45	17-766	8-493	13-767	15-14	12-20	4-00	7-61	1056	1-35	67-7	35-7
1946*	20-334	8-917	13-074	14-14	12-15	7-26	6-65	1065	1-40	53-8	32-3
1947	22-019	8-633	12-883	13-62	12-20	9-14	5-58	1052	1-38	55-8	30-5
1948	19-412	8-457	11-797	12-33	11-30	7-62	5-76	1070	1-35	44-7	28-7
1949	18-488	8-059	12-268	12-71	11-86	6-22	5-46	1058	1-39	41-4	27-1
1950	17-882	7-819	12-368	12-86	11-91	5-51	5-23	1070	1-45	38-6	26-9
1946-50	19-622	8-376	12-378	12-94	11-85	7-24	5-75	1063	1-39	47-3	29-2
1951	17-724	8-088	12-862	13-55	12-24	4-86	5-07	1063	1-42	37-4	26-6
1952	17-681	8-049	12-027	12-86	11-27	5-65	4-76	1048	1-41	35-2	26-2

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Still-births not available prior to 1939

TABLE 3.—Births, Still-births, Deaths and Marriages in Scotland, 1942-1952

	Numbers							Rates						
	Live Births		Still-births	Mar-riages	Deaths			Per 1,000 of Esti-mated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mor-tality-rate per 1,000 Live Births	Still-births per 1,000 Total Births incl. Still-births
	Total	Illegi-timate			All Ages	Under One Year	Under Four Weeks	Births (living child-ren)	Mar-riages	Deaths				
1st Quarter, 1942	21,886	1,544	970	12,710	19,444	1,960	—	17.3	10.0	16.3	7.1	90	—	42
2nd " "	24,144	1,775	931	12,209	16,298	1,544	—	18.8	9.5	13.4	7.4	64	—	37
3rd " "	22,588	1,691	835	11,888	13,783	1,322	—	17.4	9.2	11.2	7.5	59	—	36
4th " "	22,085	1,506	866	10,595	15,438	1,457	—	17.0	8.2	12.6	6.8	66	—	38
Year 1942*	90,703	6,516	3,602	47,402	64,963	6,283	†3,179	17.6	9.2	13.3	7.2	69	†35	38
1st Quarter, 1943	23,274	1,647	940	9,267	17,746	1,756	844	18.3	7.3	15.1	7.1	75	36	39
2nd " "	25,435	1,897	886	9,697	15,874	1,479	821	19.8	7.5	13.3	7.5	58	32	34
3rd " "	23,317	1,900	825	10,203	14,243	1,283	644	17.9	7.8	11.8	8.1	55	28	34
4th " "	22,643	1,775	843	9,010	18,870	1,656	807	17.4	6.9	15.8	7.8	73	36	36
Year 1943*	94,669	7,219	3,494	38,177	66,733	6,174	3,116	18.4	7.4	14.0	7.6	65	33	36
1st Quarter, 1944	23,226	1,828	816	9,020	17,988	1,756	892	18.0	7.0	15.2	7.9	76	38	34
2nd " "	25,612	2,050	874	9,243	15,288	1,462	838	19.9	7.2	12.9	8.0	57	33	34
3rd " "	23,400	1,862	751	9,847	14,745	1,510	694	17.9	7.5	12.3	8.0	65	30	31
4th " "	23,682	1,872	780	8,907	16,582	1,509	722	18.2	6.8	13.9	7.9	64	30	32
Year 1944*	95,920	7,612	3,221	37,017	64,603	6,237	3,146	18.5	7.1	13.6	7.9	65	33	32
1st Quarter, 1945	21,642	1,911	746	9,747	18,674	1,465	658	17.0	7.6	16.0	8.8	68	30	33
2nd " "	22,577	1,971	774	12,362	15,364	1,234	681	17.6	9.6	13.0	8.7	55	30	33
3rd " "	21,342	1,896	671	13,622	13,082	979	533	16.4	10.5	10.9	8.9	46	25	30
4th " "	21,363	1,748	758	12,911	15,535	1,211	606	16.4	10.0	12.9	8.2	57	28	34
Year 1945*	86,924	7,526	2,949	48,642	62,655	4,889	2,478	16.9	9.4	13.2	8.7	56	29	33
1st Quarter, 1946	22,910	1,818	810	9,971	19,741	1,579	759	18.1	7.9	16.3	7.9	69	33	34
2nd " "	25,851	1,887	864	11,466	15,185	1,221	710	20.2	9.0	12.2	7.3	47	27	32
3rd " "	27,033	1,746	854	12,839	13,594	1,222	725	20.9	9.9	10.8	6.5	45	27	31
4th " "	28,619	1,497	955	11,509	16,085	1,599	925	22.1	8.9	12.7	5.2	56	32	32
Year 1946*	104,413	6,948	3,483	45,785	64,605	5,621	3,119	20.3	8.9	13.1	6.7	54	30	32
1st Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24.1	7.5	16.8	5.3	63	33	32
2nd " "	30,366	1,700	913	11,241	15,653	1,609	854	23.7	8.8	12.2	5.6	53	28	29
3rd " "	27,028	1,651	853	12,747	13,447	1,353	709	20.8	9.8	10.4	6.1	50	26	31
4th " "	25,274	1,345	779	10,875	15,902	1,432	660	19.5	8.4	12.3	5.3	57	26	30
Year 1947	113,147	6,311	3,563	44,360	66,200	6,309	3,229	22.0	8.6	12.9	5.6	56	29	31
1st Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	19.8	7.8	13.1	5.6	51	26	29
2nd " "	26,561	1,642	775	10,490	14,698	1,144	680	20.7	8.2	11.4	6.2	43	26	28
3rd " "	24,389	1,392	711	13,509	13,652	972	592	18.7	10.4	10.5	5.7	40	24	28
4th " "	24,070	1,325	720	9,760	15,804	1,067	596	18.5	7.5	12.2	5.5	44	25	29
Year 1948	100,344	5,776	2,966	43,718	60,979	4,486	2,521	19.4	8.5	11.8	5.8	45	25	29
1st Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19.0	8.4	15.1	5.7	51	26	28
2nd " "	25,424	1,442	710	9,209	15,274	913	545	19.7	7.1	11.8	5.7	36	21	27
3rd " "	23,324	1,274	642	12,786	13,119	823	496	17.9	9.8	10.1	5.5	35	21	27
4th " "	22,696	1,126	607	9,075	15,873	1,000	544	17.4	7.0	12.2	5.0	44	24	26
Year 1949	95,674	5,223	2,666	41,708	63,488	3,961	2,217	18.5	8.1	12.3	5.5	41	23	27
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18.5	8.7	14.7	5.0	46	25	28
2nd " "	24,646	1,359	659	8,680	14,986	841	521	19.1	6.7	11.6	5.5	34	21	26
3rd " "	22,498	1,195	627	11,847	13,341	737	487	17.3	9.1	10.2	5.3	33	22	27
4th " "	21,844	1,098	598	8,821	17,022	911	543	16.8	6.8	13.1	5.0	42	25	27
Year 1950	92,530	4,837	2,557	40,459	63,996	3,569	2,131	17.9	7.8	12.4	5.2	39	23	27
1st Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18.8	9.2	17.8	5.1	46	25	27
2nd " "	24,310	1,289	658	8,958	15,442	850	530	19.1	7.0	12.1	5.3	35	22	26
3rd " "	21,932	1,126	575	12,048	13,104	698	461	17.0	9.3	10.2	5.1	32	21	26
4th " "	20,772	982	589	8,795	14,804	755	445	16.1	6.8	11.5	4.7	36	21	28
Year 1951	90,639	4,592	2,479	41,361	65,778	3,391	2,019	17.7	8.1	12.9	5.1	37	22	27
1st Quarter, 1952	22,892	1,069	677	12,423	18,394	872	516	18.0	9.8	14.5	4.7	38	23	29
2nd " "	23,531	1,126	598	8,158	14,270	801	518	18.5	6.4	11.2	4.8	34	22	25
3rd " "	22,161	1,126	541	11,896	12,813	663	459	17.3	9.3	10.0	5.1	30	21	24
4th " "	21,838	985	614	8,686	16,033	845	465	17.0	6.8	12.5	4.5	39	21	27
Year 1952	90,422	4,306	2,430	41,163	61,510	3,181	1,958	17.7	8.0	12.0	4.8	35	22	26

* Death-rates from 1942 to 1946 are based on civilian population and civilian deaths

†Numbers and rates not available for individual quarters

COUNTIES, COUNTIES OF CITIES AND LARGE BURGH	Estimated Population 1952	RATES PER 1,000 OF POPULATION											Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 (Total Births Live and Still)		
		Birth- rate	Marriage- rate	DEATH-RATE								Total Violence				Road Transport Accidents	Illegitimate Births per cent of Live Births
				Crude (Corrected for Transfers)	Standardised Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic* Diseases†	Malignant Neoplasms	Bronchitis and Pneumonia	Violence						
SCOTLAND ...	5,114,178	17.7	8.0	12.0	12.0	0.32	0.28	0.08	1.98	0.79	0.50	0.09	4.8	35	22	26	
COUNTIES OF CITIES	1,923,359	17.5	9.4	12.6	13.4	0.43	0.38	0.10	2.21	1.03	0.51	0.09	5.1	36	22	26	
LARGE BURGH ...	836,599	18.4	9.2	11.5	12.3	0.35	0.31	0.07	1.82	0.79	0.47	0.09	3.9	37	22	28	
COUNTIES (EX. COUN- TIES OF CITIES AND LARGE BURGH)	2,354,220	17.6	6.5	11.8	11.0	0.21	0.18	0.07	1.84	0.58	0.49	0.10	4.8	33	21	26	
SMALL BURGH ...	837,822	17.3	8.8	12.6	11.5	0.20	0.17	0.06	2.01	0.58	0.45	0.08	4.5	33	Not avail- able	26	
LANDWARD ...	1,516,398	17.7	5.3	11.3	10.6	0.22	0.18	0.08	1.74	0.59	0.52	0.11	4.9	33		25	
ABERDEEN COUNTY...	326,682	17.0	8.6	11.6	10.8	0.18	0.16	0.03	2.07	0.59	0.54	0.10	6.6	30	20	21	
Aberdeen C. of C.	183,626	16.5	10.5	11.7	11.8	0.22	0.20	0.03	2.28	0.69	0.56	0.09	5.7	30	18	18	
Remainder of Co.	143,056	17.7	6.1	11.5	10.0	0.13	0.10	0.03	1.81	0.47	0.52	0.10	7.6	30	22	25	
ANGUS COUNTY ...	275,843	17.1	8.4	12.5	11.6	0.24	0.21	0.08	2.34	0.84	0.59	0.07	6.0	30	20	24	
Dundee C. of C. ...	177,868	17.7	9.4	12.3	12.3	0.25	0.22	0.11	2.36	0.88	0.60	0.07	6.5	31	20	24	
Arbroath Burgh ...	19,540	16.9	8.5	12.9	10.7	0.46	0.41	—	2.30	1.02	0.67	0.10	3.9	24	21	18	
Remainder of Co.	78,435	15.9	6.2	12.6	10.4	0.17	0.13	0.01	2.29	0.70	0.55	0.06	5.2	31	20	26	
ARGYLL COUNTY ...	61,487	15.5	5.5	15.7	11.6	0.20	0.20	0.11	2.36	0.63	0.50	0.07	5.6	46	36	31	
AYR COUNTY ...	321,977	17.4	7.7	11.2	11.5	0.22	0.17	0.06	1.73	0.57	0.40	0.09	4.4	31	20	27	
Ayr Burgh ...	43,247	16.0	9.4	11.1	11.5	0.30	0.23	0.07	1.71	0.53	0.37	0.02	4.0	30	23	32	
Kilmarnock Burgh ...	42,125	18.1	7.6	11.6	12.5	0.21	0.17	0.05	1.71	0.74	0.40	0.07	5.8	35	25	32	
Remainder of Co.	236,605	17.6	7.4	11.2	11.4	0.21	0.16	0.06	1.73	0.55	0.41	0.10	4.2	30	19	25	
BANFF COUNTY ...	49,515	17.3	7.2	11.9	10.6	0.14	0.10	0.08	1.82	0.71	0.59	0.16	8.5	31	19	36	
BERWICK COUNTY ...	24,574	14.3	5.4	15.0	12.8	0.08	0.08	0.04	2.77	0.45	0.53	0.24	6.6	37	34	20	
BUTE COUNTY ...	18,624	12.1	5.3	16.3	11.6	0.27	0.27	0.16	2.26	0.86	0.48	—	6.2	31	18	26	

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 4.—continued

COUNTIES, COUNTIES OF CITIES AND LARGE BURGH	Estimated Population 1952	RATES PER 1,000 OF POPULATION												Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 (Total Births Live and Still)	
		Birth- rate	Marriage- rate	DEATH-RATE							Illegitimate Births per cent of Live Births						
				Crude (Corrected for Transfers)	Standardised Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Measliants Neoplasms	Bronchitis and Pneumonia							Total Violence
CAITHNESS COUNTY...	22,926	17.9	6.2	13.4	10.0	0.31	0.22	0.09	1.74	0.44	0.44	0.44	0.04	51	39	21	
CLACKMANNAN Co. ...	38,181	18.5	7.8	11.6	11.5	0.18	0.18	0.16	1.49	0.68	0.68	0.42	0.05	50	27	17	
DUMFRIES COUNTY ...	87,290	16.9	7.8	11.3	10.3	0.15	0.14	0.03	1.80	0.49	0.49	0.50	0.11	28	18	29	
Dumfries Burgh ...	26,599	17.5	11.5	10.7	10.5	0.26	0.23	—	1.69	0.60	0.60	0.30	0.08	37	26	23	
Remainder of Co.	60,691	16.6	6.2	11.6	10.2	0.10	0.10	0.05	1.85	0.44	0.44	0.59	0.13	24	14	32	
DUNBARTON COUNTY	165,357	20.0	6.9	11.0	11.8	0.35	0.32	0.05	1.76	0.56	0.56	0.44	0.06	37	25	27	
Clydebank Burgh†	45,439	22.5	8.1	9.7	—	0.37	0.35	0.04	1.54	0.66	0.66	0.37	0.04	37	22	27	
Dumbarton Burgh	23,886	20.8	7.0	10.8	11.3	0.46	0.46	0.08	1.47	0.59	0.59	0.46	0.04	48	30	26	
Remainder of Co.	96,032	18.6	6.3	11.6	11.5	0.31	0.27	0.05	1.94	0.50	0.50	0.47	0.07	33	25	28	
EAST LOTHIAN Co. ...	51,789	17.3	6.6	10.4	10.3	0.21	0.12	—	1.74	0.52	0.52	0.39	0.12	38	25	24	
FIFE COUNTY ...	311,047	17.9	7.7	11.2	11.2	0.19	0.18	0.05	1.84	0.53	0.53	0.52	0.08	33	22	27	
Dunfermline Burgh	45,215	15.8	9.3	10.4	10.6	0.18	0.15	0.04	1.73	0.62	0.62	0.42	0.07	24	18	31	
Kirkcaldy Burgh...	49,424	16.4	9.2	11.9	12.0	0.30	0.28	—	2.35	0.49	0.49	0.67	0.10	38	23	30	
Remainder of Co.	216,408	18.7	7.0	11.2	11.2	0.17	0.16	0.06	1.74	0.52	0.52	0.50	0.08	34	22	25	
INVERNESS COUNTY...	85,968	17.2	7.4	11.7	9.0	0.22	0.20	0.06	2.01	0.47	0.47	0.54	0.15	26	16	24	
Inverness Burgh ...	27,906	18.7	15.6	11.6	10.1	0.29	0.25	0.07	1.90	0.57	0.57	0.47	0.18	29	15	24	
Remainder of Co.	58,062	16.4	3.4	11.7	8.6	0.19	0.17	0.05	2.07	0.41	0.41	0.57	0.14	25	17	24	
KINCARDINE COUNTY	27,792	15.9	6.3	11.3	9.2	0.04	—	0.07	1.91	0.32	0.32	0.50	0.07	29	14	7	
KINROSS COUNTY ...	7,513	17.0	7.1	13.7	11.2	—	—	—	2.40	0.80	0.80	0.27	0.13	31	16	52	
KIRKCUDBRIGHT Co.	30,220	16.6	5.9	11.7	9.7	0.20	0.20	0.07	1.82	0.26	0.26	0.23	—	44	32	21	
LANARK COUNTY ...	1,613,358	19.0	8.9	12.3	13.9	0.48	0.43	0.12	2.00	1.11	1.11	0.46	0.10	40	23	28	
Glasgow C. of C. ...	1,086,791	18.7	9.5	12.7	14.3	0.55	0.49	0.13	2.12	1.21	1.21	0.49	0.10	41	24	27	
Airdrie Burgh ...	31,309	19.5	9.1	10.1	11.6	0.22	0.19	0.10	1.57	0.80	0.80	0.29	0.10	38	18	38	
Coatbridge Burgh	48,921	23.6	7.6	10.9	12.3	0.31	0.29	0.04	1.57	1.25	1.25	0.39	0.06	41	22	25	
Hamilton Burgh ...	41,074	20.7	9.8	11.8	13.4	0.54	0.44	0.02	1.68	0.90	0.90	0.44	0.12	55	29	32	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	

Midlothian County	69,088	18.6	8.9	11.3	13.4	0.30	0.28	0.06	1.77	0.87	0.35	0.07	2.1	31	19	32
Edinburgh C. of C.	24,732	16.7	10.8	14.1	15.5	0.44	0.40	0.24	2.06	1.29	0.40	0.04	2.2	27	10	21
Edinburgh C. of C.	311,443	19.1	7.0	11.5	13.1	0.32	0.28	0.12	1.77	0.85	0.43	0.11	3.6	39	21	28
Edinburgh C. of C.	575,445	15.8	8.7	12.1	12.1	0.28	0.24	0.06	2.21	0.76	0.49	0.06	5.1	29	19	27
Edinburgh C. of C.	475,074	15.0	8.9	12.6	12.5	0.30	0.26	0.06	2.35	0.81	0.51	0.07	5.5	29	19	27
Edinburgh C. of C.	100,371	19.5	7.4	9.8	10.3	0.19	0.15	0.07	1.52	0.54	0.43	0.05	3.8	31	21	29
MORAY COUNTY	49,578	18.9	7.2	10.0	8.3	0.06	0.06	0.05	1.69	0.18	0.56	0.14	6.8	18	10	14
NAIRN COUNTY	8,695	16.2	6.4	13.6	10.3	—	—	0.12	1.73	0.12	0.81	0.58	6.4	50	35	34
ORKNEY COUNTY	21,229	17.1	4.9	14.3	9.6	0.24	0.19	—	2.54	0.57	0.75	0.05	3.8	33	25	19
PEEBLES COUNTY	14,666	14.7	7.8	13.9	11.7	0.07	0.07	0.07	2.32	0.48	0.89	0.20	3.7	33	23	32
PERTH COUNTY	127,634	15.3	7.5	12.7	10.7	0.16	0.13	0.04	2.03	0.46	0.66	0.14	5.7	24	14	18
Perth Burgh	40,394	16.6	12.2	12.6	11.8	0.25	0.25	0.02	1.91	0.45	0.74	0.15	5.2	21	9	20
Perth Burgh	87,240	14.8	5.3	12.8	10.3	0.13	0.08	0.05	2.09	0.47	0.62	0.14	5.9	26	16	17
RENFREW COUNTY	328,078	17.4	7.5	11.8	12.6	0.43	0.39	0.14	1.80	0.77	0.48	0.10	3.4	40	25	29
Greenock Burgh	77,048	18.6	8.3	11.6	12.5	0.43	0.36	0.16	1.74	0.90	0.53	0.12	5.0	36	13	34
Paisley Burgh	94,477	17.0	8.5	11.9	12.9	0.52	0.49	0.08	1.93	0.85	0.54	0.13	3.2	46	35	28
Pt. Glasgow Burgh	22,172	24.9	6.9	11.3	12.7	0.77	0.72	0.18	1.40	0.68	0.50	0.05	3.4	60	34	18
Remainder of Co.	134,381	15.8	6.5	11.8	12.4	0.31	0.28	0.16	1.81	0.67	0.41	0.08	2.6	33	22	31
ROSS AND CROMARTY COUNTY	60,258	16.9	4.4	14.6	10.3	0.33	0.27	0.03	1.88	0.80	0.70	0.13	5.9	24	11	19
ROXBURGH COUNTY	45,564	15.0	5.4	13.8	12.3	0.20	0.13	—	1.98	0.42	0.59	0.09	5.1	35	23	19
SELKIRK COUNTY	21,310	15.2	8.5	14.3	12.6	0.09	0.09	0.09	2.21	0.66	0.47	0.09	1.9	25	12	18
STIRLING COUNTY	188,239	17.6	7.6	11.1	11.9	0.22	0.19	0.05	1.83	0.83	0.50	0.10	3.9	36	21	28
Falkirk Burgh	37,179	15.3	9.5	12.6	13.9	0.22	0.16	—	2.23	1.24	0.35	0.03	4.2	51	35	22
Stirling Burgh	26,824	17.1	10.5	12.0	12.0	0.19	0.15	0.07	2.35	0.75	0.86	0.15	6.6	17	4	21
Remainder of Co.	124,236	18.4	6.4	10.4	11.2	0.23	0.21	0.06	1.59	0.72	0.47	0.11	3.2	36	21	30
SUTHERLAND COUNTY	13,519	16.6	3.9	15.8	10.1	0.15	0.15	0.07	2.22	0.37	0.67	0.15	6.3	40	27	4
WEST LOTHIAN Co. ...	89,652	19.6	7.6	9.9	11.3	0.20	0.20	0.02	1.57	0.55	0.59	0.13	3.0	34	20	27
WIGTOWN COUNTY	31,110	20.2	7.1	12.0	10.6	0.06	0.06	0.16	1.83	0.51	0.39	0.10	10.8	38	25	22
ZETLAND COUNTY	19,058	14.7	5.6	16.0	10.4	0.31	—	0.47	2.05	0.26	0.47	0.05	3.2	25	21	28

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

† On account of evacuation the 1931 age distribution is unsuitable for use as a standardising factor.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1952

SMALL BURGHS	Estimated Popula- tion 1952	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
ABERDEEN COUNTY—											
Ballater	1,204	15·8	16·6	26·6	19·9	—	—	—	5·3	—	95
Ellon	1,473	12·9	30·5	8·8	6·4	—	—	—	15·8	—	50
Fraserburgh ...	10,355	21·1	8·4	10·6	11·5	0·10	0·10	0·10	2·8	28	27
Huntly	4,083	14·0	13·5	12·5	9·3	0·24	0·24	—	3·5	—	—
Inverurie	4,935	14·0	9·9	14·2	12·3	0·20	—	—	7·2	72	14
Kintore	865	20·8	8·1	8·1	6·0	—	—	—	16·7	—	—
Oldmeldrum ...	1,107	20·8	22·6	16·3	10·8	—	—	—	21·7	87	—
Peterhead	12,711	17·7	8·5	11·9	12·0	0·16	—	—	8·4	62	34
Rosehearty	1,206	24·9	3·3	19·1	14·3	0·83	0·83	—	3·3	100	32
Turriff	2,971	18·2	14·8	11·4	8·6	—	—	—	3·7	56	36
ANGUS COUNTY—											
Brechin	7,381	15·6	9·1	13·8	10·1	0·41	0·27	—	10·4	26	25
Carnoustie	5,239	15·1	5·9	17·4	12·4	0·19	0·19	—	2·5	13	—
Forfar	10,020	15·0	10·8	14·8	12·4	0·10	0·10	—	4·0	27	—
Kirriemuir	3,656	13·1	6·0	10·7	7·0	—	—	—	2·1	42	59
Monifieth	3,418	17·0	7·3	13·5	11·7	—	—	—	1·7	34	17
Montrose	10,874	15·1	9·5	16·7	12·8	0·09	0·09	0·09	4·3	37	47
ARGYLL COUNTY—											
Campbeltown ...	7,244	21·8	9·1	11·0	9·7	—	—	—	5·1	38	54
Dunoon	9,667	13·9	6·1	20·2	13·8	0·52	0·52	—	4·5	90	36
Inveraray	507	23·7	19·7	11·8	9·1	—	—	—	—	167	—
Lochgilphead ...	1,228	15·5	8·1	24·4	17·4	—	—	—	—	53	—
Oban	6,065	14·7	10·9	12·5	11·2	—	—	0·16	3·4	45	33
Tobermory	718	18·1	4·2	9·7	6·6	—	—	—	7·7	—	—
AYR COUNTY—											
Ardrrossan	8,899	19·8	6·3	9·9	10·8	0·45	0·45	0·22	5·1	17	43
Cumnock and Holmhead	4,697	24·3	17·2	9·6	9·1	—	—	—	2·6	53	26
Darvel	3,240	9·9	4·9	11·4	11·0	0·62	0·62	—	—	—	30
Galston	4,644	18·1	11·2	11·8	12·6	0·43	0·43	—	6·0	—	34
Girvan	5,885	17·2	9·9	14·8	12·8	—	—	—	1·0	59	—
Irvine	14,907	18·4	9·1	9·7	10·6	0·20	0·20	—	4·7	22	21
Kilwinning	6,746	22·7	8·6	10·1	11·2	—	—	—	5·9	—	32
Largs	8,009	11·7	7·7	19·5	13·7	0·12	0·12	—	4·3	11	21
Maybole	4,798	18·1	6·9	11·0	10·8	0·42	0·21	0·21	9·2	23	44
Newmilns and Greenholm	4,105	18·0	4·9	13·4	12·7	0·24	—	—	2·7	14	26
Prestwick	11,255	16·1	9·2	14·5	12·0	0·18	0·18	0·18	3·3	33	5
Saltcoats	13,251	20·6	7·4	11·4	11·5	0·30	0·23	0·30	3·3	26	32
Stevenston†	9,405	18·5	8·1	8·9	—	0·21	0·11	—	2·9	29	39
Stewarton	3,233	17·3	4·0	12·1	11·2	—	—	—	—	18	67
Troon	9,873	14·9	5·6	10·4	10·3	0·20	0·20	0·10	3·4	7	13
BANFF COUNTY—											
Aberchirder	767	24·8	10·4	9·1	6·3	—	—	—	15·8	—	—
Aberlour	1,099	17·3	8·2	10·9	11·1	—	—	—	—	—	50
Banff	3,254	18·7	13·2	11·1	8·9	0·31	0·31	—	13·1	66	47
Buckie	7,783	16·3	8·7	9·6	9·7	0·26	0·13	—	7·1	24	38
Cullen	1,576	11·4	6·3	14·0	11·6	—	—	—	11·1	—	—
Dufftown	1,422	22·5	7·7	14·1	9·6	—	—	—	9·4	63	—
Findochty	1,453	20·6	5·5	16·5	18·8	—	—	—	3·3	—	32
Keith	4,332	18·0	8·3	12·2	10·3	—	—	—	14·1	51	71
Macduff	3,274	15·6	10·1	14·1	11·5	—	—	0·61	3·9	39	56
Portknockie	1,424	13·3	3·5	12·6	12·6	—	—	—	10·5	—	50
Portsoy	1,739	13·8	9·8	16·7	12·6	0·58	0·58	—	4·2	42	—
BERWICK COUNTY—											
Coldstream	1,281	9·4	7·8	21·1	16·0	—	—	—	33·3	83	—
Duns	2,012	21·4	11·9	15·9	11·8	—	—	—	7·0	47	65
Eyemouth	2,233	9·4	4·9	13·9	13·4	—	—	—	4·8	—	—
Lauder	621	17·7	4·8	20·9	15·1	—	—	—	—	—	—
BUTE COUNTY—											
Millport	1,793	10·6	3·9	23·4	17·6	—	—	—	5·3	53	—
Rothsay	10,070	12·6	6·8	15·1	10·8	0·40	0·40	0·10	7·9	47	8
CAITHNESS COUNTY—											
Thurso	3,308	16·6	10·6	12·4	10·1	0·30	0·30	—	10·9	18	52
Wick	7,257	19·3	10·1	12·1	10·7	0·41	0·28	—	9·3	86	14
CLACKMANNAN COUNTY—											
Alloa	13,466	16·6	10·7	12·0	12·7	0·07	0·07	0·15	6·7	45	22
Alva	4,108	16·8	6·8	11·9	10·3	0·24	0·24	0·24	1·4	58	14
Dollar	1,573	15·9	8·3	11·4	8·6	0·64	0·64	—	—	40	—
Tillicoultry	3,856	19·2	10·1	15·0	13·2	0·52	0·52	0·26	6·8	81	—

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

† No standardising factor available.

TABLE 5.—continued

SMALL BURGHS	Estimated Popula- tion 1952	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
DUMFRIES COUNTY—											
Annan ...	4,742	18.8	9.1	13.9	12.8	0.21	0.21	—	9.0	—	33
Langholm ...	2,419	7.4	5.4	17.4	12.9	—	—	—	16.7	56	—
Lochmaben ...	1,144	20.1	20.1	7.0	5.4	—	—	—	—	—	—
Lockerbie ...	2,639	17.1	8.3	20.1	17.9	—	—	—	8.9	89	63
Moffat ...	2,125	13.6	5.6	16.5	12.3	—	—	—	3.4	—	33
Sanquhar ...	2,457	19.1	7.3	8.5	8.1	—	—	—	2.1	43	41
DUNBARTON COUNTY											
Cove & Kilcreggan	848	14.2	8.3	28.3	19.0	—	—	—	—	83	—
Helensburgh ...	8,623	16.9	8.3	19.0	16.5	0.81	0.81	0.23	7.5	21	20
Kirkintilloch ...	15,057	18.5	7.8	9.5	10.4	0.07	0.07	—	2.2	32	41
Milngavie ...	7,906	20.5	5.3	14.8	14.2	0.13	0.13	—	1.2	25	18
EAST LOTHIAN Co.—											
Cockenzie and Port Seton ...	3,222	17.1	5.3	11.2	12.7	0.31	—	—	3.6	36	18
Dunbar ...	4,050	16.3	9.4	8.9	7.5	—	—	—	6.1	15	43
East Linton ...	973	10.3	2.1	13.4	8.8	—	—	—	—	—	—
Haddington ...	4,537	18.1	11.9	11.5	10.1	—	—	—	2.4	37	12
North Berwick ...	3,847	11.2	4.9	15.1	12.4	0.26	0.26	—	9.3	23	—
Prestonpans ...	3,016	25.2	15.6	10.9	12.2	0.33	0.33	—	3.9	66	38
Tranent ...	5,718	18.5	11.0	8.2	9.5	0.35	0.17	—	1.9	47	28
FIFE COUNTY—											
Auchtermuchty Buckhaven and Methil ...	1,354	17.7	9.6	14.8	10.0	0.74	0.74	—	—	—	—
Burntisland ...	20,683	19.8	9.3	11.0	13.1	0.29	0.24	—	4.6	27	38
Cowdenbeath ...	5,811	13.1	6.0	10.5	9.8	—	—	—	7.9	39	38
Crail ...	13,508	18.1	9.8	11.7	14.0	0.30	0.30	—	3.3	33	12
Culross ...	1,199	16.7	4.2	16.7	9.9	—	—	—	—	—	—
Cupar ...	592	23.6	25.3	5.1	4.3	—	—	—	7.1	—	—
Elie and Earlsferry	5,657	16.6	11.8	12.7	10.0	0.18	0.18	—	5.3	11	—
Falkland ...	969	10.3	3.1	20.6	13.1	—	—	—	10.0	—	—
Inverkeithing ...	1,057	13.2	6.6	18.9	13.7	—	—	—	—	71	67
Kilrenny, Anstruther Easter & Anstruther Wester ...	3,834	22.2	10.4	10.4	10.6	—	—	—	2.4	35	23
Kinghorn ...	3,026	10.6	8.6	20.5	15.7	0.33	0.33	—	—	—	—
Ladybank ...	2,347	16.2	7.2	11.5	10.9	—	—	—	2.6	26	26
Leslie ...	1,155	20.8	5.2	11.3	8.7	—	—	—	4.2	—	—
Leven ...	2,700	17.0	7.4	13.7	12.6	—	—	—	2.2	43	42
Lochgelly ...	9,028	17.6	9.3	12.0	11.8	0.22	0.22	0.11	3.1	57	36
Markinch ...	9,308	19.3	10.5	10.3	12.2	0.11	0.11	—	2.8	33	32
Newburgh ...	2,329	19.3	12.5	13.7	13.3	—	—	—	—	22	—
Newport ...	2,470	16.6	6.9	12.6	9.8	0.40	0.40	—	2.4	—	47
Pittenweem ...	3,391	15.0	5.9	14.7	10.3	0.29	0.29	—	3.9	39	—
St. Andrews ...	1,633	12.2	5.5	17.1	13.8	0.61	0.61	0.61	—	50	—
St. Monance ...	9,690	14.0	8.7	13.6	12.1	0.31	0.31	0.10	7.4	15	22
Tayport ...	1,525	13.8	5.9	15.7	13.3	—	—	—	4.8	95	—
INVERNESS COUNTY—											
Fort William ...	3,297	16.7	8.2	13.6	11.3	0.30	0.30	—	7.3	—	35
Kingussie ...	2,761	20.6	16.3	9.4	9.5	—	—	—	3.5	18	17
KINCARDINE Co.—											
Banchory ...	1,063	15.1	14.1	14.1	11.3	—	—	—	—	63	—
Inverervie ...	1,940	17.0	18.0	17.0	12.1	—	—	—	3.0	—	—
Laurencekirk ...	901	10.0	17.8	14.4	11.6	—	—	1.11	—	—	—
Stonehaven ...	1,442	18.0	13.9	13.2	7.7	—	—	—	11.5	38	—
KINROSS COUNTY—											
Kinross ...	4,442	14.0	8.1	12.6	8.6	—	—	—	8.1	32	16
KIRKCUDBRIGHT Co.—											
Castle Douglas ...	2,526	18.6	12.7	14.3	12.5	—	—	—	2.1	43	60
Dalbeattie ...	3,300	10.9	9.1	14.2	12.3	0.30	0.30	0.30	—	83	27
Gatehouse ...	3,258	19.0	7.1	13.5	11.1	0.31	0.31	—	4.8	48	16
Kirkcudbright ...	902	23.3	5.5	16.6	10.1	—	—	—	4.8	143	—
New Galloway ...	2,505	18.8	12.8	16.4	12.9	0.40	0.40	—	2.1	85	21
LANARK COUNTY—											
Biggar ...	288	34.7	3.5	20.8	14.8	—	—	—	10.0	100	—
Linark ...	3,300	10.9	9.1	14.2	12.3	0.30	0.30	0.30	—	83	27
Linark ...	7,959	17.7	11.8	12.2	11.2	0.13	—	0.13	3.5	64	28
MIDLOTHIAN Co.—											
Bonnyrigg and Lasswade ...	5,567	18.5	6.8	12.0	11.5	0.18	0.18	—	2.9	39	37
Dalkeith ...	8,944	21.7	10.1	9.6	9.6	—	—	—	2.6	5	30
Loanhead ...	4,974	19.5	6.8	9.9	11.3	0.40	0.20	0.20	4.1	31	30
Musselburgh ...	17,383	15.0	10.5	9.4	10.4	0.23	0.17	0.06	3.4	19	33
Penicuik ...	5,159	23.3	7.9	9.1	8.2	0.19	0.19	—	4.2	83	16

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 5.—continued

SMALL BURGHS	Estimated Popula- tion 1952	RATES PER 1,000 OF POPULATION							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*			
MORAY COUNTY—											
Burghead ...	1,394	27.3	2.2	9.3	7.7	0.72	0.72	—	—	—	—
Elgin ...	10,852	17.8	16.9	10.8	9.3	—	—	0.09	6.2	31	25
Forres ...	4,833	22.8	8.7	12.6	9.7	—	—	—	10.0	18	18
Grantown-on-Spey	1,525	14.4	9.8	15.1	12.1	—	—	—	9.1	—	—
Lossiemouth and Branderburgh...	5,008	23.8	7.0	11.4	10.7	—	—	—	7.6	8	—
Rothies ...	1,248	17.6	8.8	6.4	4.9	—	—	0.80	4.5	—	43
NAIRN COUNTY—											
Nairn ...	4,814	17.4	9.8	14.7	10.9	—	—	0.21	4.8	60	12
ORKNEY COUNTY—											
Kirkwall ...	4,480	19.0	8.5	11.8	8.3	—	—	—	3.5	35	12
Stromness ...	1,545	13.6	6.5	12.9	9.3	—	—	—	4.8	—	45
PEEBLES COUNTY—											
Innerleithen ...	2,393	13.0	8.4	13.4	11.0	—	—	—	—	32	31
Peebles ...	5,846	13.2	10.8	17.6	14.5	—	—	—	3.9	52	25
PERTH COUNTY—											
Aberfeldy ...	1,500	15.3	10.0	13.3	9.7	—	—	—	8.7	—	—
Abernethy ...	891	11.6	20.3	10.1	6.6	—	—	—	—	125	—
Alyth ...	2,070	11.6	5.8	15.0	9.7	—	—	—	4.2	—	40
Auchtermarder ...	2,430	12.8	10.3	15.2	10.8	—	—	—	9.7	65	—
Blaigowrie ...	5,444	16.3	8.3	17.1	11.9	0.18	0.18	—	9.0	34	11
Callander ...	1,654	13.3	10.3	21.2	17.3	0.60	—	—	6.1	45	—
Coupar Angus ...	2,222	14.0	4.5	12.6	9.2	—	—	0.45	6.5	65	—
Crief ...	5,521	9.8	6.9	14.5	11.3	0.54	0.36	—	3.7	19	—
Doune ...	852	20.0	16.4	16.4	13.4	2.35	1.17	—	5.9	—	56
Dunblane ...	2,875	11.5	9.7	16.7	12.0	—	—	—	9.1	30	—
Pitlochry†	2,274	20.2	6.2	13.6	—	—	—	—	8.7	—	21
RENFREW COUNTY—											
Barthead ...	13,305	19.4	7.3	12.3	13.7	0.45	0.38	0.30	1.9	43	15
Gourock ...	9,266	14.2	7.7	12.2	11.9	0.32	0.32	0.22	2.3	45	29
Johnstone ...	16,196	20.1	8.6	10.0	10.9	0.49	0.49	0.12	5.5	46	36
Renfrew ...	17,728	17.2	6.4	10.9	12.8	0.11	0.06	—	1.3	39	26
ROSS AND CROMARTY COUNTY—											
Cromarty ...	751	16.0	1.3	10.7	7.2	1.33	1.33	—	25.0	83	77
Dingwall ...	3,453	19.7	10.4	11.3	9.0	0.58	0.29	0.29	8.8	29	29
Fortrose ...	868	9.2	2.3	13.8	8.0	—	—	—	—	—	—
Invergordon ...	1,544	19.4	8.4	14.2	12.5	—	—	—	6.7	33	—
Stornoway ...	5,127	14.6	7.4	13.3	10.8	0.20	0.20	—	2.7	40	38
Tain ...	1,643	17.0	11.6	15.8	10.9	0.61	0.61	—	—	—	—
ROXBURGH COUNTY—											
Hawick ...	16,805	14.9	5.5	13.5	13.0	0.24	0.12	—	2.4	32	20
Jedburgh ...	4,125	18.7	6.5	14.8	14.6	0.24	0.24	—	6.5	39	38
Kelso ...	4,110	14.6	7.3	13.9	10.9	0.24	0.24	—	11.7	—	16
Melrose ...	2,171	8.8	5.5	19.8	14.3	—	—	—	5.3	—	—
SELKIRK COUNTY—											
Galashiels ...	12,307	15.4	9.3	15.3	13.6	0.16	0.16	0.08	2.6	21	16
Selkirk ...	5,837	14.9	9.3	13.0	10.8	—	—	0.17	1.1	46	11
STIRLING COUNTY—											
Bridge-of-Allan ...	3,185	15.1	5.0	11.3	8.8	0.31	0.31	—	2.1	21	20
Denny and Dunipace ...	6,840	20.0	7.0	8.3	9.7	0.29	0.29	0.44	0.7	29	68
Grangemouth ...	15,647	18.2	6.6	10.3	11.6	0.19	0.19	—	3.2	39	31
Kilsyth ...	10,067	18.4	8.6	10.7	12.6	—	—	—	1.1	22	31
SUTHERLAND Co.—											
Dornoch ...	886	19.2	4.5	7.9	6.4	—	—	—	—	—	—
WEST LOTHIAN Co.—											
Armadale ...	5,956	22.5	11.2	7.9	9.7	0.17	0.17	—	3.7	7	15
Bathgate... ..	11,524	19.1	9.1	11.4	13.5	0.35	0.35	0.09	1.8	32	35
Bo'ness ...	10,057	19.9	8.9	10.9	12.8	0.10	0.10	—	2.0	15	34
Linlithgow ...	3,961	22.0	8.6	14.1	14.1	0.50	0.50	—	2.3	57	—
Queensferry ...	2,549	23.9	6.7	11.0	11.7	—	—	—	3.3	33	32
Whitburn ...	5,303	22.8	7.9	9.6	11.1	—	—	—	1.7	33	16
WIGTOWN COUNTY—											
Newton-Stewart	2,050	19.5	12.2	14.1	11.7	—	—	0.49	10.0	50	—
Stranraer ...	8,789	18.3	10.4	13.0	11.9	0.11	0.11	0.11	8.7	37	30
Whithorn ...	1,077	19.5	10.2	16.7	11.8	—	—	—	19.0	48	—
Wigtown ...	1,371	21.9	8.0	16.0	12.1	—	—	—	10.0	—	—
ZETLAND COUNTY—											
Lerwick ...	5,649	15.6	10.4	12.9	9.9	—	—	0.18	4.5	11	43

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

† No standardising factor available.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1952

COUNTY LANDWARD AREAS	Estimated Popula- tion 1952	RATES PER 1,000 OF POPULATION								Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage- rate	DEATH-RATE								
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respira- tory System	Principal Epidemic Diseases*				
Aberdeen	102,146	17.6	4.2	11.1	9.5	0.13	0.12	0.03	8.1	24	24	
Angus	37,847	16.8	3.4	10.1	9.1	0.18	0.13	—	5.7	33	28	
Argyll	36,058	14.6	3.4	15.8	11.3	0.19	0.19	0.17	6.7	36	24	
Ayr	123,658	17.3	6.7	10.6	11.2	0.20	0.14	0.04	4.5	37	22	
Banff	21,392	17.8	5.1	11.5	10.4	0.14	0.09	0.09	8.1	29	31	
Berwick	18,427	14.3	4.6	14.4	12.4	0.11	0.11	0.05	5.7	38	15	
Bute	6,761	11.8	3.5	16.3	11.4	0.15	0.15	0.30	3.8	—	59	
Caithness	12,361	17.4	2.8	14.4	9.9	0.24	0.16	0.16	7.4	37	18	
Clackmannan	15,178	20.7	4.7	10.2	10.7	0.13	0.13	0.13	4.5	45	19	
Dumfries	45,165	16.8	5.4	10.5	9.4	0.11	0.11	0.07	7.0	22	31	
Dunbarton	63,598	18.6	5.8	10.5	10.6	0.33	0.27	0.05	3.6	35	27	
East Lothian	26,426	17.4	3.9	10.1	10.5	0.23	0.11	—	4.4	37	23	
Fife	109,845	20.1	5.0	9.9	10.3	0.13	0.11	0.10	5.4	38	26	
Inverness	54,238	16.2	2.5	11.7	8.5	0.20	0.18	0.06	5.8	25	24	
Kincardine	19,067	16.3	3.6	10.2	9.0	0.05	—	0.05	4.8	32	6	
Kinross	4,987	16.2	4.2	13.4	10.6	—	—	—	6.2	25	47	
Kirkcudbright	19,967	16.4	4.4	10.1	8.5	0.15	0.15	0.05	7.0	24	24	
Lanark	302,055	19.1	6.8	11.5	13.2	0.33	0.29	0.12	3.6	39	28	
Midlothian	58,344	20.2	6.2	9.8	10.3	0.19	0.15	0.09	4.1	32	28	
Moray	24,718	17.6	2.7	8.8	7.3	0.08	0.08	0.04	6.7	18	11	
Nairn	3,881	14.7	2.3	12.1	9.4	—	—	—	8.8	35	66	
Orkney	15,204	17.0	3.7	15.1	10.0	0.33	0.26	—	3.9	35	19	
Peebles	6,427	16.6	4.8	10.7	9.2	0.16	0.16	0.16	4.7	19	36	
Perth	59,707	15.2	3.9	11.6	9.7	0.07	0.05	0.05	5.3	24	19	
Renfrew	77,886	14.2	5.8	12.2	12.3	0.28	0.26	0.17	2.3	24	34	
Ross and Cromarty	46,872	17.0	3.3	15.0	10.4	0.32	0.26	0.02	5.9	21	17	
Roxburgh	18,353	15.1	4.7	13.0	11.3	0.16	0.11	—	5.8	47	14	
Selkirk	3,166	15.2	4.4	12.6	11.7	—	—	—	—	—	40	
Stirling	88,497	18.4	6.1	10.6	11.3	0.25	0.23	0.06	3.8	39	27	
Sutherland	12,633	16.4	3.9	16.4	10.4	0.16	0.16	0.08	6.8	43	5	
West Lothian	50,302	18.6	6.4	9.2	10.4	0.20	0.20	0.02	3.5	39	28	
Wigtown	17,823	21.2	4.6	10.7	9.7	0.06	0.06	0.17	11.4	40	23	
Zetland	13,409	14.4	3.5	17.3	10.8	0.45	—	0.60	2.6	31	20	

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1952. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

COUNTIES, COUNTIES OF CITIES AND LARGE BURGHS	POPULATION* (Enumerated at Census of)		REGISTERED BIRTHS, STILL-BIRTHS, DEATHS AND MARRIAGES, 1952					
	1951 (Pre- liminary)	1931	LIVE BIRTHS		Still- births	DEATHS		Mar- riages
			Total	Illegi- timate		Total	From Uncer- tified Causes	
SCOTLAND	5,095,969	4,842,980	90,422	4,306	2,430	61,510	36	41,163
COUNTIES OF CITIES	1,916,426	1,879,436	37,116	2,142	1,091	26,218	—	18,118
LARGE BURGHS	829,981	774,671	18,878	690	499	9,953	1	7,713
COUNTIES (ex. Counties of Cities and Large Burghs)	2,349,562	2,188,873	34,428	1,474	840	25,339	35	15,332
SMALL BURGHS	831,450	752,892	13,173	628	255	8,806	6	7,352
LANDWARD	1,518,112	1,435,981	21,255	846	585	16,533	29	7,980
COUNTIES (ex. Counties of Cities and Large Burghs)								
Aberdeen	144,749	143,611	2,157	153	40	1,354	4	874
Angus	78,034	75,310	1,036	60	13	1,050	—	486
Argyll	63,270	63,050	839	41	20	906	3	337
Ayr	236,053	207,631	3,936	163	122	2,464	1	1,749
Banff	50,135	54,907	848	63	23	518	—	357
Berwick	25,060	26,612	234	11	7	256	—	133
Bute	19,285	18,823	216	13	5	287	—	99
Caithness	22,705	25,656	373	30	7	298	—	143
Clackmannan	37,528	31,948	261	15	3	349	—	296
Dumfries	59,336	77,926	376	22	6	634	—	377
Dunbarton	95,935	58,016	1,327	50	41	1,020	—	606
East Lothian	52,240	47,338	596	25	8	452	4	344
Fife	213,108	196,565	2,617	122	61	1,938	—	1,508
Inverness	56,809	58,558	427	11	3	643	7	197
Kincardine	27,879	26,780	160	10	2	244	—	715
Kinross	7,418	7,454	69	2	1	99	—	53
Kirkcudbright	30,742	30,341	225	12	2	269	—	178
Lanark	313,184	293,518	6,021	185	195	3,837	1	2,170
Midlothian	98,976	87,286	1,059	25	16	756	—	745
Moray	48,211	40,806	887	53	12	453	—	355
Nairn	8,719	8,294	131	5	4	101	—	56
Orkney	21,258	22,077	358	10	6	291	—	105
Peebles	15,226	15,051	183	8	6	152	1	114
Perth	87,606	85,733	652	33	12	1,057	—	466
Renfrew	132,155	100,769	2,022	40	76	1,243	—	869
Ross and Cromarty	60,503	62,799	917	51	22	800	9	283
Roxburgh	45,562	45,788	549	18	8	558	—	247
Selkirk	21,724	22,608	409	13	7	449	—	182
Stirling	122,944	105,334	3,133	121	51	1,171	—	792
Sutherland	13,664	16,101	173	10	—	194	1	53
West Lothian	88,576	81,431	1,454	43	45	867	—	677
Wigtown	31,625	29,331	509	49	8	334	2	220
Zetland	19,343	21,421	274	7	8	295	2	106
COUNTIES OF CITIES								
Glasgow	1,089,555	1,093,337	20,872	1,128	635	14,676	—	10,281
Edinburgh	466,770	439,010	8,939	508	265	6,641	—	4,240
Aberdeen	182,768	169,910	3,664	225	97	2,609	—	1,929
Dundee	177,333	177,179	3,641	281	94	2,292	—	1,668
LARGE BURGHS								
Falsburgh	93,704	88,384	1,665	51	30	1,278	—	840
Greenock	77,181	79,012	1,513	70	50	986	—	607
Kirkcaldy	68,789	66,559	1,271	25	36	594	—	618
Motherwell and Wishaw	49,037	44,745	1,396	44	45	602	—	453
Coatbridge	47,538	43,513	521	16	11	381	—	373
Dunfermline	44,710	35,058	1,408	47	42	525	—	419
Clydebank	44,625	47,033	359	10	6	331	—	366
Ayr	43,011	38,905	665	18	8	527	—	405
Kilmarnock	42,120	38,681	1,002	44	22	503	—	322
Perth	40,466	35,060	1,086	43	26	617	—	494
Hamilton	40,173	38,112	976	27	19	358	—	403
Falkirk	37,528	36,566	995	24	33	596	—	355
Airdrie	30,661	27,442	682	12	15	243	—	284
Inverness	28,115	23,550	1,124	73	32	507	1	435
Stirling	26,960	24,547	1,179	50	43	505	—	281
Dumfries	26,320	23,031	1,461	95	52	469	—	305
Rutherglen	24,225	25,182	107	5	1	221	—	266
Dumbarton	23,703	21,764	829	16	16	300	—	167
Port Glasgow	21,612	19,826	290	9	6	179	—	154
Arbroath	19,503	17,701	349	11	6	231	—	166

* Adjusted for alterations of boundary.

**TABLE 8.—Birth-rate among Married and Unmarried Women in
Scotland in 1952**

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
SCOTLAND ...	1,120,700	650,700	470,000	90,422	86,116	4,306	80.7	132.3	9.2
COUNTIES OF CITIES	438,300	250,200	188,100	33,638	31,909	1,729	76.7	127.5	9.2
LARGE BURGHs ...	188,200	112,800	75,400	15,423	14,817	606	81.9	131.4	8.0
COUNTIES (excluding Counties of Cities & Large Burghs) ...	494,200	287,700	206,500	41,361	39,390	1,971	83.7	136.9	9.5
SMALL BURGHs ...	185,700	106,500	79,200	14,522	13,867	655	78.2	130.2	8.3
LANDWARD ...	308,500	181,100	127,300	26,839	25,523	1,316	87.0	140.9	10.3
ABERDEEN COUNTY Aberdeen C. of C. Remainder of Co.	43,000 29,900	24,800 17,400	18,100 12,600	3,025 2,528	2,853 2,336	172 192	70.4 84.4	114.9 134.4	9.5 15.3
ANGUS COUNTY— Dundee C. of C. Arbroath Burgh... Remainder of Co.	40,000 4,300 16,600	23,300 2,700 9,500	16,600 1,700 7,000	3,145 330 1,249	2,940 317 1,184	205 13 65	78.7 76.1 75.3	126.0 118.2 124.1	12.3 7.9 9.2
ARGYLL COUNTY ...	11,800	6,400	5,400	951	898	53	80.6	139.2	9.9
AYR COUNTY— Ayr Burgh Kilmarnock Burgh Remainder of Co.	10,000 9,700 52,300	5,700 6,000 31,200	4,300 3,700 21,100	694 763 4,158	666 719 3,983	28 44 175	69.5 78.8 79.5	117.0 120.3 127.7	6.5 11.9 8.3
BANFF COUNTY ...	10,100	5,600	4,500	859	786	73	84.7	140.2	16.1
BERWICK COUNTY ...	4,800	2,900	1,900	351	328	23	72.6	111.7	12.1
BUTE COUNTY ...	3,500	2,000	1,600	226	212	14	63.8	107.7	8.9
CAITHNESS COUNTY	4,600	2,600	2,000	410	375	35	89.5	144.2	17.7
CLACKMANNAN Co.	8,500	5,400	3,100	706	671	35	83.4	123.9	11.5
DUMFRIES COUNTY— Dumfries Burgh... Remainder of Co.	6,100 12,500	3,600 7,300	2,500 5,200	465 1,008	433 938	32 70	76.3 80.6	119.6 128.7	12.9 13.4
DUNBARTON Co.— Clydebank Burgh Dumbarton Burgh Remainder of Co.	10,700 5,400 20,700	6,800 3,100 12,100	3,900 2,300 8,500	1,024 496 1,783	994 477 1,721	30 19 62	96.1 92.3 86.3	146.3 153.3 141.9	7.8 8.4 7.3
EAST LoTHIAN Co.	11,100	6,800	4,300	897	860	37	80.9	126.1	8.7
FIFE COUNTY— Dunfermline Burgh Kirkcaldy Burgh Remainder of Co.	10,700 11,300 46,100	6,500 6,700 28,900	4,200 4,600 17,200	716 810 4,049	690 785 3,857	26 25 192	67.0 71.6 87.8	106.2 117.0 133.3	6.2 5.4 11.2
INVERNESS COUNTY— Inverness Burgh Remainder of Co.	6,300 10,000	3,300 5,000	3,000 5,100	523 954	489 901	34 53	83.1 95.0	147.9 181.9	11.4 10.4

TABLE 8.—continued

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un- married Women and Widows aged 15-44	Total	Legiti- mate	Illegiti- mate	Total per 1,000 Women aged 15-44	Legiti- mate Births per 1,000 Married Women aged 16-44	Illegiti- mate Births per 1,000 Un- married Women aged 15-44
KINCARDINE Co.—	5,400	3,100	2,400	441	417	24	81·2	136·5	10·1
KINROSS COUNTY ...	1,500	800	700	128	122	6	83·0	144·2	8·6
KIRKCUDBRIGHT Co.	6,200	3,500	2,700	503	474	29	81·1	136·8	10·6
LANARK COUNTY—									
Glasgow C. of C.	249,100	141,400	107,700	20,339	19,378	961	81·6	137·0	8·9
Airdrie Burgh ...	6,900	4,300	2,600	612	596	16	88·8	138·5	6·2
Coatbridge Burgh	10,100	6,500	3,600	1,154	1,112	42	113·9	170·6	11·7
Hamilton Burgh	8,900	5,600	3,300	852	822	30	95·6	146·3	9·1
Motherwell and									
Wishaw Burgh	14,800	9,500	5,400	1,288	1,261	27	86·9	133·4	5·0
Rutherglen Burgh	5,600	3,100	2,500	412	403	9	73·4	129·8	3·6
Remainder of Co.	66,100	40,500	25,600	5,933	5,719	214	89·8	141·3	8·4
MIDLOTHIAN Co.—									
Edinburgh C. of C.	106,300	60,700	45,600	7,129	6,738	391	67·1	111·1	8·6
Remainder of Co.	21,200	13,100	8,000	1,956	1,881	75	92·4	143·2	9·3
MORAY COUNTY ...	10,000	5,600	4,400	938	874	64	93·4	156·0	14·4
NAIRN COUNTY ...	1,700	900	800	141	132	9	82·1	152·1	10·6
ORKNEY COUNTY ...	4,000	2,200	1,800	364	350	14	91·5	162·7	7·7
Peebles County ...	3,200	1,700	1,500	215	207	8	66·4	119·8	5·3
PERTH COUNTY—									
Perth Burgh ...	9,400	5,100	4,300	671	636	35	71·1	124·2	8·1
Remainder of Co.	17,800	9,300	8,500	1,288	1,212	76	72·5	130·2	9·0
RENFREW COUNTY—									
Greenock Burgh	16,600	10,200	6,400	1,434	1,362	72	86·5	133·5	11·3
Paisley Burgh ...	22,300	12,400	9,900	1,602	1,551	51	71·9	124·7	5·2
Port Glasgow ...	4,700	2,900	1,800	552	533	19	118·3	184·4	10·7
Remainder of Co.	30,800	16,400	14,400	2,126	2,071	55	69·1	126·5	3·8
ROSS AND CROMARTY Co.	11,000	5,100	5,900	1,018	958	60	92·1	186·6	10·1
ROXBURGH COUNTY	10,100	5,300	4,800	683	648	35	67·6	122·8	7·3
SELKIRK COUNTY ...	4,800	2,600	2,200	324	318	6	67·9	124·2	2·7
STIRLING COUNTY—									
Falkirk Burgh ...	8,400	5,200	3,200	567	543	24	67·7	104·5	7·5
Stirling Burgh ...	6,100	3,500	2,600	458	428	30	75·3	121·3	11·8
Remainder of Co.	26,400	15,900	10,500	2,280	2,206	74	86·4	138·6	7·1
SUTHERLAND COUNTY	2,400	1,200	1,300	224	210	14	92·4	179·5	11·2
WEST Lothian Co.	18,600	12,000	6,600	1,760	1,708	52	94·6	142·6	7·8
WIGTOWN COUNTY	6,500	3,700	2,900	629	561	68	96·2	152·4	23·8
ZETLAND COUNTY ...	3,800	1,700	2,000	281	272	9	74·4	157·4	4·4

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1952

Ages	All Births	Males	Females	LEGITIMATE			ILLEGITIMATE		
				Total	Males	Females	Total	Males	Females
13	2	2	—	—	—	—	2	2	—
14	3	1	2	—	—	—	3	1	2
15	17	11	6	—	—	—	17	11	6
16	103	50	53	47	19	28	56	31	25
17	420	215	205	300	148	152	120	67	53
18	1,082	560	522	881	456	425	201	104	97
19	2,058	1,069	989	1,794	937	857	264	132	132
Under 20	3,685	1,908	1,777	3,022	1,560	1,462	663	348	315
20	3,436	1,753	1,683	3,135	1,599	1,536	301	154	147
21	4,817	2,542	2,275	4,532	2,390	2,142	285	152	133
22	5,165	2,661	2,504	4,903	2,520	2,383	262	141	121
23	5,695	2,887	2,808	5,454	2,768	2,686	241	119	122
24	5,821	2,992	2,829	5,592	2,883	2,709	229	109	120
20-24	24,934	12,835	12,099	23,616	12,160	11,456	1,318	675	643
25	5,992	3,110	2,882	5,756	2,993	2,763	236	117	119
26	6,230	3,192	3,038	6,009	3,072	2,937	221	120	101
27	5,375	2,707	2,668	5,183	2,611	2,572	192	96	96
28	5,477	2,804	2,673	5,276	2,712	2,564	201	92	109
29	5,012	2,577	2,435	4,854	2,494	2,360	158	83	75
25-29	28,086	14,390	13,696	27,078	13,882	13,196	1,008	508	500
30	4,907	2,514	2,393	4,692	2,397	2,295	215	117	98
31	4,712	2,429	2,283	4,567	2,355	2,212	145	74	71
32	4,378	2,229	2,149	4,229	2,150	2,079	149	79	70
33	2,908	1,468	1,440	2,803	1,408	1,395	105	60	45
34	2,610	1,325	1,285	2,517	1,276	1,241	93	49	44
30-34	19,515	9,965	9,550	18,808	9,586	9,222	707	379	328
35	2,511	1,282	1,229	2,402	1,220	1,182	109	62	47
36	2,422	1,206	1,216	2,330	1,155	1,175	92	51	41
37	2,148	1,078	1,070	2,065	1,031	1,034	83	47	36
38	2,056	1,036	1,020	1,989	999	990	67	37	30
39	1,595	819	776	1,523	777	746	72	42	30
35-39	10,732	5,421	5,311	10,309	5,182	5,127	423	239	184
40	1,157	590	567	1,098	562	536	59	28	31
41	775	380	395	750	368	382	25	12	13
42	636	323	313	601	305	296	35	18	17
43	356	187	169	334	178	156	22	9	13
44	216	112	104	203	104	99	13	8	5
40-44	3,140	1,592	1,548	2,986	1,517	1,469	154	75	79
45	91	35	56	89	35	54	2	—	2
46	47	29	18	43	28	15	4	1	3
47	22	9	13	21	9	12	1	—	1
48	10	6	4	10	6	4	—	—	—
49	—	—	—	—	—	—	—	—	—
45-49	170	79	91	163	78	85	7	1	6
50-54*	1	—	1	1	—	1	—	—	—
Not stated	159	78	81	133	68	65	26	10	16
Total	90,422	46,268	44,154	86,116	44,033	42,083	4,306	2,235	2,071

Age 51*

TABLE 10.—Births by Age of Mother and Duration of Marriage, Scotland, 1952

DURATION OF MARRIAGE (Years)	AGE OF MOTHER																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Under one year	13,000	—	47	270	693	1,170	1,552	1,641	1,409	1,458	920	2,537	892	324	75	1	—	11
1	12,280	—	—	30	156	460	959	1,447	1,522	1,211	1,216	3,564	1,169	446	88	2	—	10
2	9,292	—	—	—	32	137	458	815	955	1,001	1,000	3,309	1,124	350	100	1	—	10
3	8,433	—	—	—	—	27	130	466	601	855	1,010	3,549	1,296	399	84	2	—	14
4	7,273	—	—	—	—	—	36	137	280	553	694	3,594	1,420	457	90	2	1	9
5	6,245	—	—	—	—	—	—	26	105	267	438	3,136	1,669	504	88	3	—	9
6	5,254	—	—	—	—	—	—	—	31	87	226	2,603	1,695	502	98	4	—	8
7	3,792	—	—	—	—	—	—	—	—	22	72	1,848	1,332	423	88	1	—	6
8	2,861	—	—	—	—	—	—	—	—	—	16	1,221	1,188	378	53	1	—	4
9	2,790	—	—	—	—	—	—	—	—	—	—	871	1,341	491	77	1	—	9
10-14	10,593	—	—	—	—	—	—	—	—	—	—	846	5,331	3,649	705	32	—	30
15-19	3,388	—	—	—	—	—	—	—	—	—	—	—	350	2,187	810	31	—	10
20-24	860	—	—	—	—	—	—	—	—	—	—	—	—	199	601	57	—	3
25 and over	54	—	—	—	—	—	—	—	—	—	—	—	—	—	29	25	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
All Legitimate Births	86,116	—	47	300	881	1,794	3,135	4,532	4,903	5,454	5,592	27,078	18,808	10,309	2,986	163	1	133
Male ...	44,033	—	19	148	456	937	1,599	2,390	2,520	2,768	2,883	13,882	9,586	5,182	1,517	78	—	68
Female ...	42,083	—	28	152	425	857	1,536	2,142	2,383	2,686	2,709	13,196	9,222	5,127	1,469	85	1	65
All Illegitimate Births	4,306	22	56	120	201	264	301	285	262	241	229	1,008	707	423	154	7	—	26
Male ...	2,235	14	31	67	104	132	154	152	141	119	109	508	379	239	75	1	—	10
Female ...	2,071	8	25	53	97	132	147	133	121	122	120	500	328	184	79	6	—	16
All Births	90,422	22	103	420	1,082	2,058	3,436	4,817	5,165	5,695	5,821	28,086	19,515	10,732	3,140	170	1	159
Male ...	46,268	14	50	215	560	1,069	1,753	2,542	2,661	2,887	2,992	14,390	9,965	5,421	1,592	79	—	78
Female ...	44,154	8	53	205	522	989	1,683	2,275	2,504	2,808	2,829	13,696	9,550	5,311	1,548	91	1	81

TABLE 11.—Fertility by Age of Mother, Scotland, 1952

	AGE OF MOTHER									Not stated
	All Ages	15-19*	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	
Births, 1952:—										
Total	90,422	3,685*	24,934	28,086	19,515	10,732	3,140	170	1	159
Legitimate	86,116	3,022	23,616	27,078	18,808	10,309	2,986	163	1	133
Illegitimate	4,306	663*	1,318	1,008	707	423	154	7	—	26
Rates per annum per 1,000 females:—										
All Births	69.2†	19.6	133.0	145.9	108.7	60.6	16.2	0.9	—	—
Legitimate Births (per 1,000 married females)	109.7†	455.5	314.8	205.8	131.1	70.8	20.2	1.2	—	—
Illegitimate Births (per 1,000 unmarried females, including widowed and divorced)	8.3†	3.7	11.8	16.6	19.7	13.5	3.3	0.1	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 2 aged 13 and 3 aged 14.

TABLE 12.—Interval between Present Marriage and Birth of First Child, Scotland, 1952

DURATION OF MARRIAGE	AGE OF MOTHER																
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Months. Under One 1 2 3 4 5 3-5 6 7 8 6-8 9 10 11 9-11 12-14 15-17 18-20 21-23	122	3	5	14	13	9	9	7	14	1	31	8	4	4	—	—	—
	196	3	10	13	26	18	22	15	29	12	27	14	3	4	—	—	—
	337	5	14	32	32	43	32	34	26	18	54	25	19	3	—	—	—
	655	11	29	59	71	70	63	56	69	31	112	47	26	11	—	—	—
	524	4	28	53	70	63	62	41	60	25	69	22	22	5	—	—	—
	848	8	35	64	103	130	116	74	108	29	109	51	16	5	—	—	—
	1,209	10	57	105	172	187	154	113	117	66	155	48	21	4	—	—	—
	2,581	22	120	222	345	380	332	228	285	120	333	121	50	14	—	—	—
	1,536	5	45	129	207	232	204	159	149	80	210	86	27	2	1	—	—
	1,276	4	28	105	154	190	178	133	104	55	205	78	33	9	—	—	—
	805	2	22	59	86	92	133	93	71	59	123	48	12	5	—	—	—
	3,617	11	95	293	447	514	515	385	324	194	538	212	72	16	1	—	—
	1,437	1	9	36	82	126	176	186	166	121	380	114	32	8	—	—	—
Years. Under One 1 2 3 4 5 6 7 8 9 10 11 9-11 12-14 15-17 18-20 21-23	2,413	2	8	42	125	248	289	290	287	239	609	197	63	14	—	—	—
	1,943	—	6	39	87	193	247	248	209	195	496	157	58	8	—	—	—
	5,793	3	23	117	294	567	712	724	662	555	1,485	468	153	30	—	—	—
	4,015	—	11	54	163	336	482	503	460	374	1,134	347	129	21	1	—	—
	2,402	—	5	22	72	160	275	311	238	242	718	244	94	21	—	—	—
	1,864	—	1	19	52	118	168	218	173	204	604	217	70	19	1	—	—
	1,470	—	—	4	23	55	143	167	120	165	524	175	74	20	—	—	—
	12,646	47	267	691	1,157	1,531	1,622	1,393	1,340	900	2,468	848	310	71	1	—	—
	9,751	—	17	99	310	669	1,068	1,199	991	985	2,980	983	367	81	2	—	—
	3,718	—	—	6	20	115	213	298	380	414	1,543	500	168	61	—	—	—
	2,012	—	—	—	4	12	50	81	151	228	972	379	112	22	1	—	—
	1,053	—	—	—	—	6	10	14	47	64	567	248	81	15	1	—	—
	694	—	—	—	—	—	—	11	16	20	348	223	65	10	1	—	—
417	—	—	—	—	—	—	3	2	12	184	172	32	11	1	—	—	
295	—	—	—	—	—	—	—	—	—	4	113	125	40	11	—	—	
165	—	—	—	—	—	—	—	—	—	—	50	82	26	7	—	—	
150	—	—	—	—	—	—	—	—	—	—	25	79	37	9	—	—	
475	—	—	—	—	—	—	—	—	—	—	32	210	185	44	4	—	
80	—	—	—	—	—	—	—	—	—	—	—	6	49	24	1	—	
12	—	—	—	—	—	—	—	—	—	—	—	—	1	10	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	31,468	47	284	796	1,491	2,333	2,963	2,999	2,929	2,627	9,282	3,855	1,473	376	13	—	—

TABLE 13.—Legitimate Births by Age of Mother and Number of Previous Children, 1952

NUMBER OF PREVIOUS CHILDREN (including Still-born and Dead)	AGE OF MOTHER														50 and over	Not stated	
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44			45-49
By All Husbands.	30,832	47	284	796	1,491	2,332	2,962	2,998	2,924	2,616	9,127	3,606	1,322	318	9	1	133
	24,181	—	16	83	282	689	1,220	1,373	1,663	1,818	9,113	5,429	2,081	403	10		
	13,928	—	—	2	19	102	305	411	635	772	4,908	4,224	2,053	479	18		
	7,479	—	—	—	2	12	41	105	187	282	2,369	2,494	1,577	391	19		
	4,018	—	—	—	—	—	3	13	36	7	1,017	1,420	1,095	328	17		
	2,235	—	—	—	—	—	1	3	7	12	381	765	762	278	26		
	1,346	—	—	—	—	—	—	—	2	3	109	473	527	219	13		
	777	—	—	—	—	—	—	—	—	—	42	201	361	166	7		
	490	—	—	—	—	—	—	—	—	—	10	107	123	123	13		
	292	—	—	—	—	—	—	—	—	—	1	60	134	89	8		
	388	—	—	—	—	—	—	—	—	—	1	29	157	182	19		
	17	—	—	—	—	—	—	—	—	—	—	—	3	10	4		
	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
TOTAL	86,116	47	300	881	1,794	3,135	4,532	4,903	5,454	5,592	27,078	18,808	10,309	2,986	163	1	133
By Present Husband.	31,468	47	284	796	1,491	2,333	2,963	2,999	2,929	2,627	9,282	3,855	1,473	376	13	1	133
	24,214	—	16	83	282	688	1,219	1,375	1,661	1,819	9,076	5,443	2,121	420	10		
	13,758	—	—	2	19	102	305	409	633	764	4,853	4,150	2,031	470	20		
	7,316	—	—	—	2	12	41	104	186	278	2,333	2,427	1,538	376	19		
	3,871	—	—	—	—	—	3	13	36	89	1,001	1,356	1,042	317	14		
	2,160	—	—	—	—	—	1	3	7	12	377	743	729	263	25		
	1,294	—	—	—	—	—	—	—	2	3	106	454	502	214	13		
	758	—	—	—	—	—	—	—	—	—	38	194	361	159	6		
	467	—	—	—	—	—	—	—	—	—	10	99	227	117	14		
	281	—	—	—	—	—	—	—	—	—	1	60	130	83	7		
	379	—	—	—	—	—	—	—	—	—	1	27	152	181	18		
	17	—	—	—	—	—	—	—	—	—	—	—	3	10	4		
	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
TOTAL	86,116	47	300	881	1,794	3,135	4,532	4,903	5,454	5,592	27,078	18,808	10,309	2,986	163	1	133

TABLE 14.—Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1952

NUMBER OF PREVIOUS CHILDREN (Including Still-born and Dead)	Total Births	DURATION OF PRESENT MARRIAGE—YEARS														Total Children (Including Present Birth)	
		Under 1 year	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 and over		Not Stated
By all Husbands—None	30,832	12,327	9,582	3,656	1,975	1,036	676	414	291	162	148	473	80	12	—	—	30,832
1	24,181	438	2,422	4,772	4,375	3,465	2,553	1,853	1,194	885	639	1,583	129	17	—	—	48,362
2	13,928	115	174	701	1,721	1,977	1,835	1,590	1,164	886	800	2,553	369	40	3	—	41,784
3	7,479	63	80	388	271	1,021	813	852	668	600	588	2,557	500	64	—	—	29,916
4	4,018	27	22	30	47	123	261	388	319	313	350	1,557	518	87	5	1	20,090
5	2,235	10	11	14	15	26	65	86	101	151	163	890	506	95	5	—	13,410
6	1,346	6	4	6	9	4	20	19	35	41	63	595	426	112	5	—	9,422
7	777	2	2	2	4	4	6	19	8	7	19	306	322	92	4	—	6,216
8	490	1	2	1	1	4	4	3	2	1	10	140	229	87	4	—	4,410
9	292	—	1	2	—	1	3	—	—	—	—	66	151	60	5	—	2,920
10	171	—	—	—	—	1	—	—	1	—	2	20	73	66	7	—	1,881
11	99	—	—	—	—	1	—	—	—	—	—	10	30	48	8	—	1,188
12	70	—	—	—	1	—	—	—	—	—	—	3	26	38	1	—	910
13	31	—	—	—	—	—	—	—	—	—	—	—	13	15	3	—	434
14	17	—	—	—	—	—	—	—	—	—	—	—	3	14	—	—	255
15 and over	*17	—	—	—	—	—	—	—	—	—	—	—	—	3	4	—	289
Not stated	133	11	10	10	14	9	9	8	6	4	9	30	10	3	—	—	133
TOTAL	86,116	13,000	12,280	9,292	8,433	7,273	6,245	5,254	3,792	2,861	2,790	10,593	3,388	860	54	1	212,452
TOTAL NUMBER OF CHILDREN (Including Present Birth)	212,452	14,073	15,406	16,034	17,428	17,297	16,497	14,980	11,417	9,448	9,625	43,021	19,987	6,719	515	5	—
By Present Husband—None	31,468	12,646	9,751	3,718	2,012	1,053	694	417	295	165	150	475	80	12	—	—	31,468
1	24,214	295	2,394	4,825	4,426	3,508	2,575	1,915	1,197	700	641	1,592	129	17	—	—	48,428
2	13,758	25	107	663	1,708	1,973	1,853	1,600	1,177	887	800	2,552	370	40	3	—	41,274
3	7,316	15	12	64	240	616	806	376	668	601	591	2,263	500	64	—	—	29,264
4	3,871	5	3	8	22	95	245	350	313	315	346	1,559	517	87	5	1	18,355
5	2,160	2	2	2	10	15	49	74	100	148	160	991	507	95	—	—	12,960
6	1,294	—	1	—	—	—	9	13	31	63	596	426	113	5	—	—	9,058
7	758	1	—	—	—	2	2	1	1	5	20	305	323	91	4	—	4,064
8	467	—	—	1	—	1	1	—	—	—	7	136	228	88	4	—	2,810
9	281	—	—	1	—	—	—	—	—	—	2	63	150	60	5	—	1,826
10	166	—	—	—	—	—	—	—	—	—	—	19	30	48	8	—	1,140
11	95	—	—	—	—	—	—	—	—	—	—	3	26	38	1	—	910
12	70	—	—	—	—	—	—	—	—	—	—	—	13	15	3	—	434
13	31	—	—	—	—	—	—	—	—	—	—	—	3	14	—	—	255
14	17	—	—	—	—	—	—	—	—	—	—	—	—	3	4	—	289
15 and over	*17	—	—	—	—	—	—	—	—	—	—	—	—	3	10	—	—
Not stated	133	11	10	10	14	9	9	8	6	4	9	30	10	3	—	—	133
TOTAL	86,116	13,000	12,280	9,292	8,433	7,273	6,245	5,254	3,792	2,861	2,790	10,593	3,388	860	54	1	209,871
TOTAL CHILDREN BY PRESENT HUSBAND (including Present Birth)	209,871	13,427	14,952	15,694	17,145	17,059	16,262	14,852	11,321	9,389	9,594	42,960	19,980	6,716	515	5	—
Average Number of Children to Present Husband	2.44	1.03	1.22	1.69	2.03	2.35	2.60	2.83	2.99	3.28	3.44	4.06	5.90	7.81	9.54	—	—

NOTE.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* DURATION OF PRESENT MARRIAGE
= 2 with 15 Previous Children, and 1 with 16 Previous Children
15-19 years = 4 with 15 Previous Children, 4 with 16 Previous Children, with 17 and 1 with 19 Previous Children
20-24 years

TABLE 15.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1952

CONJUGAL CONDITION AT DATE OF DEATH	AGE OF WOMEN											
	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60-69	70 and over	Not stated
All women.*—												
Married ...	9,145	6	69	137	227	308	412	643	1,783	2,595	2,965	—
Widowed ...	12,607	—	1	1	8	14	34	60	539	1,914	10,036	—
Divorced ...	77	—	—	3	1	7	7	7	16	15	21	—
Women stated to have had no children.—												
Married ...	1,464	2	25	31	45	43	58	117	304	369	470	—
Widowed ...	1,732	—	—	—	—	4	6	13	91	257	1,361	—
Divorced ...	14	—	—	1	—	2	—	4	2	3	2	—
No statement as to children.—												
Married ...	66	—	1	1	1	4	4	2	7	17	29	—
Widowed ...	142	—	—	—	—	—	—	—	3	16	123	—
Divorced ...	1	—	—	—	—	—	—	—	—	1	—	—
Not stated	2	—	—	—	—	—	—	—	—	1	1	—
Percentage of women* in each group stated to have had no children.—												
Married ...	16.0	33.3	36.2	22.6	19.8	14.0	14.1	18.2	17.0	14.2	15.9	—
Widowed ...	13.7	—	—	—	—	28.6	17.6	21.7	16.9	13.4	13.6	—
Divorced†	18.2	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 16.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1952

DURATION OF MARRIAGE (Years)	DEATHS OF WOMEN* WHO HAD BEEN MARRIED				NUMBER WHO HAD HAD NO CHILDREN				NO STATEMENT AS TO CHILDREN				PERCENTAGE OF WOMEN* IN EACH GROUP WHO HAD HAD NO CHILDREN				
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	98	59	39	—	47	31	16	—	—	—	—	—	—	48.0	52.5	41.0	—
1	120	44	76	—	56	21	35	—	—	—	—	—	—	46.7	47.7	46.1	—
2	156	57	98	1	58	29	29	—	—	—	—	—	—	37.2	50.9	29.6	—
3	142	61	76	5	46	23	22	1	—	—	—	—	—	32.4	37.7	28.9	—
4	164	71	91	2	50	19	29	2	—	—	—	—	—	30.5	26.8	31.9	—
5	191	71	117	3	61	26	35	—	—	—	—	—	—	31.9	36.6	29.9	—
6	180	78	98	4	48	23	24	1	—	—	—	—	—	26.7	29.5	24.5	—
7	209	83	124	2	70	34	35	1	—	—	—	—	—	33.5	41.0	28.2	—
8	193	64	128	1	49	16	33	—	—	—	—	—	—	25.4	25.0	25.8	—
9	209	77	129	3	56	25	31	—	—	—	—	—	—	26.8	32.5	24.0	—
10-14	1,276	489	770	17	323	145	175	3	1	1	—	—	—	25.3	29.7	22.7	—
15-19	1,415	537	860	18	324	132	189	3	—	—	—	—	—	22.9	24.6	22.0	—
20-29	3,795	1,531	2,250	14	712	321	389	2	1	—	1	—	—	18.8	21.0	17.3	—
30-39	5,297	2,320	2,973	4	667	351	316	—	—	—	—	—	—	12.6	15.1	10.6	—
40-49	5,271	2,275	2,996	—	393	187	206	—	—	—	—	—	—	7.5	8.2	6.9	—
50-59	2,569	1,186	1,383	—	143	70	73	—	—	—	—	—	—	4.0	5.9	5.3	—
60-69	329	116	213	—	13	3	10	—	—	—	—	—	—	11.1	2.6	4.7	—
70 and over	9	3	6	—	1	—	1	—	—	—	—	—	—	—	—	16.7	—
Not Stated	206	23	180	3	93	8	84	1	209	65	141	1	2	45.1	34.8	46.7	—
TOTAL ...	21,829	9,145	12,607	77	3,210	1,464	1,732	14	211	66	142	1	2	14.7	16.0	13.7	18.2

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married. — Scotland, 1952

CAUSE OF DEATH	WOMEN WHO HAD CHILDREN						WOMEN WHO HAD NO CHILDREN									
	Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019 Tuberculosis	276	18	80	72	44	34	17	11	74	10	25	15	8	6	8	2
020-029 Syphilis	19	—	—	—	5	6	3	4	3	—	—	—	—	1	2	—
170 Malignant neoplasm of breast ...	499	1	4	55	109	112	121	97	109	—	2	7	23	20	33	24
171-174 Malignant neoplasm of uterus ...	330	1	11	48	59	97	74	40	68	—	2	5	24	18	12	7
175-176 Malignant neoplasm of other and unspecified female genital organs	136	1	—	11	29	38	28	29	64	1	1	3	21	15	17	6
140-165 } Malignant neoplasm of all other	2,265	2	33	111	229	446	750	694	360	1	4	13	46	73	117	106
180-205 } benign neoplasm of female genital organs																
214-217 Asthma	16	—	1	2	4	1	5	3	4	—	—	—	2	1	1	—
241 Thyrotoxicosis, with or without goitre	95	—	4	10	20	25	21	15	20	1	—	3	5	3	5	3
252 Diabetes mellitus	16	1	1	3	1	5	4	1	2	—	—	—	1	—	1	—
260 Anæmia	261	1	2	2	11	70	108	68	34	—	—	—	3	10	13	8
290-293 Mental, psychoneurotic and personality disorders ...	113	1	2	1	8	13	46	42	20	—	—	—	2	3	8	7
300-326 Vascular lesions affecting central nervous system	30	—	2	3	3	6	5	11	8	—	—	—	1	2	—	5
330-334 Epilepsy	3,527	1	10	43	180	448	1,166	1,679	570	—	1	10	38	73	191	257
353 Chronic rheumatic heart disease	13	—	2	2	5	2	1	1	3	1	—	1	—	—	—	1
410-416 Arteriosclerotic and degenerative heart disease	353	1	20	61	79	79	59	54	74	5	9	9	13	20	11	7
420-422 Other diseases of heart	5,448	—	5	38	174	607	1,613	3,011	875	—	—	11	24	125	237	478
430-434 Hypertensive disease	411	—	6	10	29	67	133	166	74	—	3	4	8	11	27	27
440-447 Diseases of veins	687	—	1	15	45	112	245	269	103	—	—	—	5	17	39	42
460-466 Pneumonia	82	—	2	5	5	29	27	14	19	1	—	—	4	3	8	3
490-493 Bronchitis	404	—	6	21	31	45	113	188	89	1	1	4	4	12	25	42
500-502 Intestinal obstruction and hernia	500	—	3	9	24	75	140	249	86	—	1	1	1	9	13	35
560, 561, 570 Diseases of the liver	141	—	3	3	16	21	53	45	25	1	1	—	—	3	7	13
581-586 Diseases of the urinary and genito-urinary system ...	169	—	—	7	19	39	63	41	26	—	1	2	4	8	6	5
590-609 Diseases of female genital organs	259	—	12	16	39	50	79	63	51	2	6	5	8	8	9	13
620-637 Deliveries and complications of pregnancy and childbirth ...	29	—	—	7	11	6	4	1	3	—	2	—	1	—	—	—
640-689 All other natural causes	82	13	42	26	1	—	—	—	5	—	4	1	—	—	—	—
800-999 Violence	1,956	4	35	65	139	211	441	1,061	358	2	11	15	34	39	77	180
502 All other natural causes	502	5	13	22	41	56	93	272	83	1	3	4	12	6	13	44
TOTAL	18,619	49	300	669	1,360	2,700	5,412	8,129	3,210	27	77	113	301	489	888	1,315

TABLE 18.—Number of Still-births and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1952

COUNTIES OF CITIES, LARGE BURGHS, AND COUNTIES	Living Births	Still-births		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
SCOTLAND	90,422	2,430	154	1,958	26·2	21·1	47·3
COUNTIES OF CITIES	33,638	900	60	740	26·1	21·4	47·5
LARGE BURGHS	15,423	443	24	344	27·9	21·7	49·6
COUNTIES (ex. Counties of Cities and Large Burghs)	41,361	1,087	70	874	25·6	20·6	46·2
SMALL BURGHS	14,522	387	25	332	26·0	22·3	48·2
LANDWARD	26,839	700	45	542	25·4	19·7	45·1
NORTHERN DIVISION	16,549	374	33	317	22·1	18·7	40·8
EAST CENTRAL DIVISION	24,473	658	36	504	26·2	20·1	46·2
WEST CENTRAL DIVISION	45,222	1,296	77	1,042	27·9	22·4	50·3
SOUTHERN DIVISION	4,178	102	8	95	23·8	22·2	46·0
ABERDEEN COUNTY	5,553	122	6	110	21	19	41
Aberdeen County of City	3,025	57	3	54	18	18	36
Remainder of County	2,528	65	3	56	25	22	47
ANGUS COUNTY	4,724	115	6	94	24	19	43
Dundee County of City...	3,145	76	4	62	24	19	43
Arbroath Burgh...	330	6	—	7	18	21	39
Remainder of County	1,249	33	2	25	26	20	45
ARGYLL COUNTY	951	30	3	34	31	35	65
AYR COUNTY	5,615	153	13	115	27	20	46
Ayr Burgh	694	23	3	16	32	22	54
Kilmarnock Burgh	763	25	1	19	32	24	56
Remainder of County	4,158	105	9	80	25	19	43
BANFF COUNTY	859	32	6	16	36	18	54
BERWICK COUNTY	351	7	—	12	20	34	53
BUTE COUNTY	226	6	1	4	26	17	43
CAITHNESS COUNTY	410	9	2	16	21	38	60
CLACKMANNAN COUNTY	706	12	—	19	17	26	43
DUMFRIES COUNTY	1,473	44	4	26	29	17	46
Dumfries Burgh	465	11	2	12	23	25	48
Remainder of County	1,008	33	2	14	32	13	45
DUNBARTON COUNTY	3,303	92	6	83	27	24	52
Clydebank Burgh	1,024	28	2	23	27	22	48
Dumbarton Burgh	496	13	—	15	26	29	55
Remainder of County	1,783	51	4	45	28	25	52
EAST LOTHIAN COUNTY	897	22	—	22	24	24	48
FIFE COUNTY	5,575	153	10	120	27	21	48
Dunfermline Burgh	716	23	—	13	31	18	49
Kirkcaldy Burgh	810	25	—	19	30	23	53
Remainder of County	4,049	105	10	88	25	21	46

TABLE 18.—*continued*

COUNTIES OF CITIES, LARGE BURGHS, AND COUNTIES	Living Births	Still-births		Neo- natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti- mate		Still- births	Neo- natal Deaths	Com- bined Rates
INVERNESS COUNTY ...	1,477	36	5	24	24	16	40
Inverness Burgh ...	523	13	2	8	24	15	39
Remainder of County ...	954	23	3	16	24	16	40
KINCARDINE COUNTY ...	441	3	—	6	7	14	20
KINROSS COUNTY ...	128	7	1	2	52	15	67
KIRKCUDBRIGHT COUNTY...	503	11	—	16	21	31	53
LANARK COUNTY ...	30,590	878	49	703	28	22	50
Glasgow County of City	20,339	572	36	490	27	23	51
Airdrie Burgh ...	612	24	1	11	38	17	55
Coatbridge Burgh ...	1,154	30	1	25	25	21	46
Hamilton Burgh ...	852	28	—	25	32	28	60
Motherwell and Wishaw Burgh ...	1,288	42	3	25	32	19	50
Rutherglen Burgh ...	412	9	—	4	21	10	31
Remainder of County ...	5,933	173	8	123	28	20	48
MIDLOTHIAN COUNTY ...	9,085	253	18	175	27	19	46
Edinburgh County of City	7,129	195	17	134	27	18	45
Remainder of County ...	1,956	58	1	41	29	20	49
MORAY COUNTY ...	938	13	1	9	14	9	23
NAIRN COUNTY ...	141	5	—	5	34	34	68
ORKNEY COUNTY ...	364	7	—	9	19	24	43
PEEBLES COUNTY ...	215	7	—	5	32	23	54
PERTH COUNTY ...	1,959	36	5	27	18	14	32
Perth Burgh ...	671	14	1	6	20	9	29
Remainder of County ...	1,288	22	4	21	17	16	33
RENFREW COUNTY ...	5,714	173	9	141	29	24	53
Greenock Burgh ...	1,434	50	5	19	34	13	46
Paisley Burgh ...	1,602	46	2	56	28	34	62
Port Glasgow Burgh ...	552	10	—	19	18	34	52
Remainder of County ...	2,126	67	2	47	31	21	52
ROSS AND CROMARTY Co. ...	1,018	20	1	11	19	11	30
ROXBURGH COUNTY ...	683	13	2	16	19	23	42
SELKIRK COUNTY ...	324	6	—	4	18	12	30
STIRLING COUNTY ...	3,305	94	1	71	28	21	49
Falkirk Burgh ...	567	13	1	20	22	34	57
Stirling Burgh ...	458	10	—	2	21	4	26
Remainder of County ...	2,280	71	—	49	30	21	51
SUTHERLAND COUNTY ...	224	1	—	6	4	27	31
WEST LOTHIAN COUNTY ...	1,760	48	3	35	27	19	46
WIGTOWN COUNTY ...	629	14	2	16	22	25	47
ZETLAND COUNTY ...	281	8	—	6	28	21	48

TABLE 19.—Still-births by Age of Mother and Number of Previous Children, Scotland, 1952

NUMBER OF PREVIOUS CHILDREN (Present or any Previous Husband)	AGE OF MOTHER										
	All Ages	Rate per 1,000 Births	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
None	893	28	64	314	277	144	66	24	4	—	—
1	451	18	4	101	166	107	56	17	—	—	—
2	345	24	—	41	104	106	77	17	—	—	—
3	190	25	—	13	42	68	47	20	—	—	—
4	137	33	—	—	20	46	51	19	1	—	—
5	84	36	—	2	12	19	34	15	2	—	—
6	54	39	—	—	2	16	26	10	—	—	—
7	39	48	—	—	2	7	16	13	1	—	—
8	26	50	—	—	—	5	11	10	—	—	—
9	18	58	—	—	1	—	5	10	2	—	—
10 and over	30	69	—	—	—	4	11	14	1	—	—
Not stated	9	—	—	—	—	—	—	—	—	—	9
All Legitimate Still-births	2,276	25.7	68	471	626	522	400	169	11	—	9
All Illegitimate Still-births	154	34.5	20	37	23	23	29	18	—	—	4
ALL STILL-BIRTHS	2,430	26.2	88	508	649	545	429	187	11	—	13
Still-births per 1,000 Total Births (including Still-births)—											
Legitimate	25.7	—	22	20	23	27	37	54	63	—	—
Illegitimate	34.5	—	29	28	23	33	66	105	—	—	—
All Births	26.2	—	23	20	23	27	39	56	61	—	—

Table 20.—Multiple Confinements by Age of Mother (all Births, live and still), 1952.

			AGE OF MOTHER										50 and over	Not stated
Live Births		Still-births		Total (All Ages)	Illegiti- mate only	Under 20	20—	25—	30—	35—	40—	45— over		
Male	Female	Male	Female											
2	1	—	—	380	15	8	74 (2)	114 (5)	114 (1)	58 (5)	12 (2)	—	—	1
1	1	—	—	435	24	1	63 (3)	142 (8)	130 (8)	80 (3)	18 (2)	—	—	—
—	2	—	—	355	6	13 (1)	58 (1)	125 (2)	93 (1)	50	14 (1)	2	—	—
1	—	1	—	34	1	1	2 (1)	11	12	7	1	—	—	—
1	—	—	1	12	1	—	1	5	3 (1)	3	—	—	—	—
—	1	—	—	14	2	1 (1)	4 (1)	2	2	5	—	—	—	—
—	1	1	—	25	2	1	3	9 (1)	7	5 (1)	—	—	—	—
—	—	—	1	13	1	1 (1)	1	2	4	2	3	—	—	—
—	—	—	—	4	1	—	—	1	2 (1)	1	—	—	—	—
—	—	—	2	5	—	—	—	1	2	1	—	—	—	—
														—
3	1	—	—	1	—	—	—	—	1	—	—	—	—	—
2	1	—	—	3	—	—	—	—	2	1	—	—	—	—
1	2	—	—	2	—	—	1	2	1	—	—	—	—	—
—	3	—	—	5	—	—	1	—	—	—	1	—	—	—
1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
—	2	1	—	1	—	—	—	—	1	—	—	—	—	—
														—
1	1	1	—	1	—	—	—	—	1	—	—	—	—	—
														—
Twin Confinements				1,277	53	26	207	412	369	212	48	2	—	1
Triplet Confinements				13	—	—	3	2	5	2	1	—	—	—
Quadruplet Confinements				1	—	—	—	—	1	—	—	—	—	—
														—
All Multiple Confinements				1,291	—	26	210	414	375	214	49	2	—	1
Illegitimate only				—	53	3	8	16	12	9	5	—	—	—
All mothers				91,546	4,407	3,747	25,229	28,319	19,678	10,945	3,277	179	1	171
Percentage of mothers who had multiple births				1-41	1-20	0-69	0-83	1-46	1-91	1-96	1-50	1-12	—	—

NOTE.—The figures in brackets refer to illegitimate births

TABLE 21.—Still-births, 1952—Cause, with Age of Mother

Inter- national Nos. (Y30-Y39)	CAUSES OF DEATH	Sex of Child	AGE OF MOTHER										
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated	
	ALL CAUSES	B.S. M. F. N.S.	2,430 1,249 1,180 1	88 46 42 —	508 258 250 —	649 338 310 1	545 275 270 —	429 226 203 —	187 99 88 —	11 3 8 —	— — — —	13 4 9 —	
	Chronic Diseases in Mother ...	M. F.	35 30	— —	5 8	10 7	7 6	4 6	9 3	— —	— —	— —	
30.0	Syphilis	M. F.	5 3	— —	2 —	1 2	2 —	— 1	— —	— —	— —	— —	
30.1	Tuberculosis	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
30.2	Diabetes	M. F.	6 7	— —	2 1	2 2	1 3	1 1	— —	— —	— —	— —	
30.3	Chronic disease of circulatory system	M. F.	17 7	— —	1 1	4 1	2 2	3 2	7 1	— —	— —	— —	
30.4	Chronic disease of genito-urinary system	M. F.	2 4	— —	— 2	1 1	1 1	— —	— —	— —	— —	— —	
30.5	Other chronic disease	M. F.	5 9	— —	— 4	2 1	1 —	— 2	2 2	— —	— —	— —	
	Acute Disease in Mother ...	M. F.	5 7	— —	— 1	— 1	3 3	1 1	1 1	— —	— —	— —	
31.1	Influenza	M. F.	1 2	— —	— —	— 1	1 —	— —	— 1	— —	— —	— —	
31.2	Pneumonia	M. F.	2 2	— —	— —	— —	1 1	1 1	— —	— —	— —	— —	
31.3	Other acute respiratory disease ...	M. F.	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	
31.0, 31.4	Other acute disease or condition ...	M. F.	1 3	— —	— 1	— —	— 2	— —	1 —	— —	— —	— —	
	Diseases and Conditions of Pregnancy and Childbirth	M. F.	109 90	3 4	15 22	30 19	31 19	23 15	7 9	— —	— —	— 2	
32.1	Ectopic gestation	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
32.3a	Eclampsia	M. F.	100 73	3 4	15 18	28 15	28 16	20 13	6 6	— —	— —	— 1	
32.3b	Nephritic toxæmia	M. F.	2 7	— —	— 1	— 2	— —	2 2	— 1	— —	— —	— 1	
32.3c	Toxæmia not stated	M. F.	7 4	— —	— 1	2 1	1 2	3 —	1 —	— —	— —	— —	
32.4a	Acute yellow atrophy of liver ...	M. F.	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
32.4b	Hyperemesis gravidarum ...	M. F.	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	
32.5a	Pyelitis	M. F.	— 3	— —	— 1	— 1	— —	— —	— 1	— —	— —	— —	
32.5b	Infection	M. F.	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	
33	Absorption of toxic substance from mother	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Difficult Labour	M. F.	158 130	6 4	33 22	43 33	40 34	27 31	9 5	— —	— —	— 1	
34.0a	Abnormality of bones of pelvis with Immaturity	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List.
Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 21.—continued

Inter- national Nos. (Y30-Y39)	CAUSES OF DEATH	Sex of Child	AGE OF MOTHER									
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated
	Difficult Labour —continued											
34.0b	Abnormality of bones of pelvis without Immaturity ... {	M. 4 F. 1	— —	2 —	1 —	1 1	— —	— —	— —	— —	— —	— —
34.1a	Disproportion with Immaturity ... {	M. 4 F. 7	1 —	— 2	1 1	1 4	1 —	— —	— —	— —	— —	— —
34.1b	Disproportion without Immaturity {	M. 19 F. 10	1 —	2 2	5 2	7 2	4 4	— —	— —	— —	— —	— —
34.2a	Malposition of foetus, with Immaturity ... {	M. 6 F. 10	— 1	1 —	3 3	1 4	1 —	2 2	— —	— —	— —	— —
34.2b	Malposition of foetus, without Immaturity ... {	M. 68 F. 51	3 1	14 10	18 14	20 11	10 12	3 2	— —	— —	— —	— 1
34.3a	Abnormality of forces of labour, with Immaturity ... {	M. 6 F. 5	1 —	3 —	1 3	1 —	— 1	— —	— —	— —	— —	— —
34.3b	Abnormality of forces of labour, without Immaturity ... {	M. 33 F. 35	— 2	9 4	9 6	2 11	8 11	5 1	— —	— —	— —	— —
34.4a	Operative delivery, with Immaturity ... {	M. — F. 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
34.4b	Operative delivery, without Immaturity ... {	M. 3 F. 2	— —	— 1	1 1	1 —	1 —	— —	— —	— —	— —	— —
34.5a	Abnormality of organs or tissues of pelvis, with Immaturity ... {	M. 1 F. —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
34.5b	Abnormality of organs or tissues of pelvis, without Immaturity {	M. 5 F. 3	— —	1 1	2 1	2 —	— 1	— —	— —	— —	— —	— —
34.6a	Difficult labour without mention of condition, but with Immaturity {	M. 1 F. —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
34.6b	Difficult labour without mention of condition, and without Immaturity ... {	M. 8 F. 4	— —	1 1	1 1	4 1	1 1	1 —	— —	— —	— —	— —
	Other Causes in Mother ... {	M. 9 F. 10	— —	2 3	— 4	3 3	4 —	— —	— —	— —	— —	— —
35.0	Fall ... {	M. 2 F. 1	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —
32.0, 35.1	Other accident or violence ... {	M. — F. 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
35.2	Over-exertion ... {	M. — F. 2	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —
35.3	Other and ill-defined causes in mother ... {	M. 7 F. 6	— —	1 1	— 4	2 1	4 —	— —	— —	— —	— —	— —
	Placental and Cord Conditions {	M. 442 F. 358	15 11	95 62	121 88	86 86	79 74	42 33	1 3	— —	— —	3 1
36.0a	Prolapse of cord ... {	M. 79 F. 51	5 3	14 5	22 14	16 13	14 8	8 5	— —	— —	— —	— —
36.0b	Torsion of cord ... {	M. 73 F. 62	2 2	11 12	22 12	16 16	18 4	4 —	— —	— —	— —	— —
36.1, 36.3	Placenta prævia ... {	M. 33 F. 29	2 —	7 6	9 7	4 9	9 6	2 1	— —	— —	— —	— —
32.2 36.2, 36.4	Accidental Hæmorrhage ... {	M. 161 F. 130	3 4	39 28	49 25	28 32	27 24	14 15	— 1	— —	— —	1 1
36.5	Placental Infarct ... {	M. 66 F. 57	1 2	15 6	16 18	15 11	9 12	8 6	1 2	— —	— —	— —
36.6	Others of placenta and cord ... {	M. 30 F. 29	2 —	9 5	3 12	7 5	2 5	6 2	— —	— —	— —	1 —

TABLE 21.—continued

Inter- national Nos. (Y30-Y39)	CAUSES OF DEATH	Sex of Child	AGE OF MOTHER										
			All Ages	Under 20	20-	25-	30-	35-	40-	45-	50 and over	Not stated	
37a	Birth Injury {	M. F.	47 31	- 1	12 6	16 6	11 9	6 4	2 5	- -	- -	- -	
	Birth injury with Immaturity ... {	M. F.	5 1	- -	1 -	2 1	1 -	- -	1 -	- -	- -	- -	
37b	Birth injury without Immaturity {	M. F.	42 30	- 1	11 6	14 5	10 9	6 4	1 5	- -	- -	- -	
	Congenital Malformation of Fœtus {	M. F. N.S.	191 327 1	11 16 -	37 93 -	58 92 1	43 68 37	33 37 -	9 15 3	- 3 -	- -	- 3 -	
38.0	Anencephalus {	M. F.	68 193	4 12	13 63	21 56	16 31	12 20	2 10	- -	- -	- 1 -	
	Hydrocephalus {	M. F.	73 60	4 3	15 16	24 17	17 17	11 5	2 -	- 2 -	- -	- -	
38.2	Spina bifida {	M. F.	7 28	- 1	- 5	4 7	1 7	1 5	1 2	- -	- -	- 1 -	
	Other malformations of the central nervous system ... {	M. F.	12 12	- -	2 3	3 3	2 5	3 2	2 -	- 1 -	- -	- -	
38.4	Malformation of the cardiovascular system {	M. F.	3 4	- -	- -	- -	3 2	- 1	- 1	- -	- -	- -	
	Malformation of other specified system {	M. F.	8 13	- -	5 4	1 2	1 2	1 4	- 1	- -	- -	- -	
38.6	Monster {	M. F.	2 1	- -	1 -	- 1	1 -	- -	- -	- -	- -	- -	
	Other and unspecified malformations {	M. F. N.S.	18 16 1	3 - -	1 2 -	5 6 1	2 4 -	5 2 -	2 1 -	- -	- -	- 1 -	
38.7	Diseases of Fœtus and ill-defined Causes {	M. F.	253 197	11 6	59 33	60 60	51 42	49 35	20 17	2 2	- -	1 2 -	
	Erythroblastosis (Rhesus factor) {	M. F.	40 36	- -	2 4	13 12	13 10	11 7	1 3	- -	- -	- -	
39.0 39.1, 39.3	Other diseases of fœtus {	M. F.	2 6	- -	1 1	1 2	- 2	- 1	- -	- -	- -	- -	
	Maceration {	M. F.	38 39	- 1	10 9	12 9	7 11	3 5	4 4	1 -	- -	- -	
39.5a	Premature Birth (cause not stated) {	M. F.	35 16	4 2	14 4	4 3	4 1	8 4	1 2	- -	- -	- -	
	Debility {	M. F.	7 8	- 1	3 -	2 3	1 1	1 2	- 1	- -	- -	- -	
39.5c	Asphyxia {	M. F.	50 31	- -	12 3	10 11	14 4	9 9	4 3	- -	- -	- 1 -	
	Other ill-defined {	M. F.	40 38	4 1	3 7	8 13	7 8	11 3	7 3	- 2	- -	- 1 -	
39.6	Cause unknown {	M. F.	41 23	2 1	14 5	10 7	5 5	6 4	2 1	1 -	- -	1 -	

TABLE 22.—Still-births—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1952

International Nos. Y30-Y39)	CAUSE OF DEATH	Legitimate Births	NO. OF PREVIOUS CHILDREN (present or any previous husband)												Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over			
	ALL CAUSES	2,276	893	451	345	190	137	84	54	39	26	18	30	9	154	
	Chronic Disease in Mother ...	54	22	11	7	2	-	2	4	3	-	-	3	-	11	
30.0	Syphilis	4	1	2	1	-	-	-	-	-	-	-	-	-	4	
30.1	Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30.2	Diabetes	13	8	3	1	-	-	-	1	-	-	-	-	-	-	
30.3	Chronic disease of circulatory system... ..	20	3	5	5	2	-	1	2	1	-	-	1	-	4	
30.4	Chronic disease of genito-urinary system... ..	5	3	-	-	-	-	1	1	1	-	-	-	-	1	
30.5	Other chronic disease	12	7	1	-	-	-	-	1	1	-	-	2	-	2	
	Acute Disease in Mother ...	12	6	-	2	-	1	1	2	-	-	-	-	-	-	
31.1	Influenza	3	2	-	-	-	1	-	-	-	-	-	-	-	-	
31.2	Pneumonia	4	2	-	1	-	-	1	-	-	-	-	-	-	-	
31.3	Other acute respiratory disease ...	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
31.0, 31.4	Other acute disease or condition	4	2	-	1	-	-	-	1	-	-	-	-	-	-	
	Diseases and Conditions of Pregnancy and Childbirth	192	102	38	15	10	11	2	6	1	2	1	2	2	7	
32.1	Ectopic gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32.3a	Eclampsia... ..	167	94	32	12	10	9	1	4	-	1	1	2	1	6	
32.3b	Nephritic toxæmia	9	2	1	1	-	1	-	2	-	1	-	-	-	-	
32.3c	Toxæmia not stated	10	3	4	2	-	-	1	-	-	-	-	-	-	1	
32.4a	Acute yellow atrophy of liver ...	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
32.4b	Hyperemesis gravidarum	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
32.5a	Pyelitis	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
32.5b	Infection	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Difficult Labour	269	115	46	35	22	18	13	6	6	2	2	3	1	19	
34.0a	Abnormality of bones of pelvis with Immaturity	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
34.0b	Abnormality of bones of pelvis without Immaturity	5	2	1	1	-	-	-	-	1	-	-	-	-	1	
34.1a	Disproportion, with Immaturity	10	3	4	1	-	-	2	-	-	-	-	-	-	-	
34.1b	Disproportion, without Immaturity	26	7	5	5	3	3	-	1	1	-	-	1	-	3	
34.2a	Malposition of foetus, with Immaturity	15	6	2	2	3	-	1	-	1	-	-	-	-	1	
34.2b	Malposition of foetus, without Immaturity	113	41	21	13	14	9	5	3	3	1	2	-	1	6	
34.3a	Abnormality of forces of labour, with Immaturity	10	4	4	2	-	-	-	-	-	-	-	-	-	1	
34.3b	Abnormality of forces of labour, without Immaturity	63	40	7	6	1	3	3	1	-	-	-	2	-	5	
34.4a	Operative delivery, with Immaturity	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
34.4b	Operative delivery, without Immaturity	5	2	1	1	-	1	-	-	-	-	-	-	-	-	
34.5a	Abnormality of organs or tissues of pelvis, with Immaturity ...	1	1	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 22.—continued

Inter- national Nos. Y80-Y39)	CAUSE OF DEATH	Legitimate Births	No. of PREVIOUS CHILDREN (present or any previous husband)										Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over	
	Difficult Labour—continued													
34.5b	Abnormality of organs or tissues of pelvis, without Immaturity	7	4	—	2	1	—	—	—	—	—	—	—	1
34.6a	Difficult labour without mention of condition, but with Im- maturity	1	1	—	—	—	—	—	—	—	—	—	—	—
34.6b	Difficult labour without mention of condition, and without Im- maturity	11	3	1	2	—	2	1	1	—	1	—	—	1
	Other Causes in Mother ...	18	4	3	6	—	1	2	—	—	2	—	—	1
35.0	Fall	2	1	—	1	—	—	—	—	—	—	—	—	—
32.0, 35.1	Other accident or violence ...	1	—	—	1	—	—	—	—	—	—	—	—	—
35.2	Over-exertion	2	—	—	2	—	—	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	13	3	3	2	—	1	2	—	—	2	—	—	—
	Placental and Cord Conditions	755	249	156	128	69	51	27	19	15	15	11	13	45
36.0a	Prolapse of cord	124	42	21	20	11	11	8	2	1	2	3	3	6
36.0b	Torsion of cord	125	43	31	17	11	11	5	3	1	2	1	—	10
36.1, 36.3	Placenta prævia	60	13	17	9	8	5	2	3	1	1	—	1	2
32.2,														
36.2, 36.4	Accidental hæmorrhage ...	276	86	56	52	26	12	9	10	9	6	5	4	15
36.5	Placental infarct	115	42	20	23	7	10	2	1	1	2	2	4	8
36.6	Others of placenta and cord ...	55	23	11	7	6	2	1	—	2	2	—	1	4
	Birth Injury	73	33	12	16	4	4	1	—	2	—	—	1	5
37a	Birth injury, with Immaturity ...	6	2	1	2	—	1	—	—	—	—	—	—	—
37b	Birth injury, without Immaturity	67	31	11	14	4	3	1	—	2	—	—	1	5
	Congenital Malformation of Fœtus	488	213	93	70	49	21	20	5	6	3	1	4	31
38.0	Anencephalus	244	116	40	27	27	11	12	2	6	—	1	1	17
38.1	Hydrocephalus	124	58	23	18	11	7	4	—	—	1	—	2	9
38.2	Spina bifida	32	8	8	4	2	1	3	2	—	2	—	1	3
38.3	Other malformations of the central nervous system ...	23	7	6	6	3	1	—	—	—	—	—	—	1
38.4	Malformation of the cardiovas- cular system	7	3	2	1	1	—	—	—	—	—	—	—	—
38.5	Malformation of other specified system... ..	20	10	6	2	2	—	—	—	—	—	—	—	1
38.6	Monster	3	—	—	3	—	—	—	—	—	—	—	—	—
38.7	Other and unspecified malforma- tions	35	11	8	9	3	1	1	1	—	—	—	1	—
	Diseases of Fœtus and Ill- defined Causes	415	149	92	66	34	30	16	12	6	2	3	4	35
39.2	Erythroblastosis (Rhesus factor)	73	6	14	23	10	9	5	4	1	—	1	—	3
39.0,														
39.1, 39.3	Other diseases of fœtus	7	2	2	1	2	—	—	—	—	—	—	—	1
39.4	Maceration	74	31	19	8	4	5	2	1	1	—	1	2	3
39.5a	Premature birth (cause not stated)	48	21	12	7	1	3	2	2	—	—	—	—	3
39.5b	Debility	13	3	5	1	2	—	1	—	—	—	—	1	2
39.5c	Asphyxia	72	29	22	6	5	4	2	1	2	—	—	1	9
39.5d	Other ill-defined	70	28	8	10	8	8	1	3	1	1	1	—	8
39.6	Cause unknown	58	29	10	10	2	1	3	1	1	1	—	—	6

TABLE 23.—Still-births—Cause by Month of Registration, Scotland, 1952

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	2,430	222	217	238	184	203	211	177	187	177	196	174	244
	Legitimate	2,276	213	207	217	174	186	202	166	176	164	185	165	221
	Illegitimate	154	9	10	21	10	17	9	11	11	13	11	9	23
	Rates per 1,000 total births ...	26	28	29	29	23	24	27	22	26	24	25	26	32
	Chronic Disease in Mother ...	65	9	9	7	2	1	9	5	3	4	7	4	5
30.0	Syphilis	8	—	2	2	—	—	—	1	—	1	1	1	—
30.1	Tuberculosis	—	—	—	—	—	—	—	—	—	—	—	—	—
30.2	Diabetes	13	3	—	2	—	—	3	1	2	—	1	—	1
30.3	Chronic disease of circulatory system	24	1	5	1	1	—	5	1	—	2	1	3	4
30.4	Chronic disease of genito-urinary system	6	—	1	—	—	1	1	—	—	1	2	—	—
30.5	Other chronic disease	14	5	1	2	1	—	—	2	1	—	2	—	—
	Acute Disease in Mother ...	12	2	1	1	6	1	—	—	1	—	—	—	—
31.1	Influenza	3	—	—	—	3	—	—	—	—	—	—	—	—
31.2	Pneumonia	4	—	1	1	2	—	—	—	—	—	—	—	—
31.3	Other acute respiratory disease	1	—	—	—	1	—	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition	4	2	—	—	—	1	—	—	1	—	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	199	13	23	21	8	8	28	16	17	11	22	16	16
32.1	Ectopic gestation	—	—	—	—	—	—	—	—	—	—	—	—	—
32.3a	Eclampsia	173	9	18	16	8	8	26	14	16	10	20	12	16
32.3b	Nephritic toxæmia	9	1	2	3	—	—	1	1	—	—	—	1	—
32.3c	Toxæmia not stated	11	2	3	2	—	—	1	1	—	1	—	1	—
32.4a	Acute yellow atrophy of liver	1	—	—	—	—	—	—	—	—	—	—	1	—
32.4b	Hyperemesis gravidarum	1	—	—	—	—	—	—	—	—	—	1	—	—
32.5a	Pyelitis	3	1	—	—	—	—	—	—	1	—	—	1	—
32.5b	Infection	1	—	—	—	—	—	—	—	—	—	1	—	—
33	Absorption of toxic substance from mother	—	—	—	—	—	—	—	—	—	—	—	—	—
	Difficult Labour	288	26	22	28	20	30	28	19	24	22	24	23	22
34.0a	Abnormality of bones of pelvis with Immaturity	1	—	—	—	—	—	—	—	—	—	1	—	—
34.0b	Abnormality of bones of pelvis without Immaturity	5	—	—	—	—	1	2	1	—	1	—	—	—
34.1a	Disproportion with Immaturity	11	2	1	3	—	—	—	1	1	—	—	1	2
34.1b	Disproportion without Immaturity	29	5	1	2	—	1	—	—	6	3	3	3	5
34.2a	Malposition of fœtus, with Immaturity	16	—	6	1	1	2	—	—	1	—	1	3	1
34.2b	Malposition of fœtus, without Immaturity	119	11	8	11	12	13	10	12	9	10	9	7	7
34.3a	Abnormality of forces of labour, with Immaturity	11	1	2	1	—	4	1	1	—	—	1	—	—
34.3b	Abnormality of forces of labour, without Immaturity	68	2	3	8	7	9	9	—	5	7	6	6	6
34.4a	Operative delivery, with Immaturity	1	—	—	—	—	—	1	—	—	—	—	—	—
34.4b	Operative delivery, without Immaturity	5	1	—	—	—	—	2	—	—	1	—	1	—
34.5a	Abnormality of organs or tissues of pelvis with Immaturity	1	1	—	—	—	—	—	—	—	—	—	—	—
34.5b	Abnormality of organs or tissues of pelvis without Immaturity	8	3	1	2	—	—	—	—	—	—	—	2	—
34.6a	Difficult labour without mention of condition, but with Immaturity	1	—	—	—	—	—	—	—	—	—	1	—	—
34.6b	Difficult labour without mention of condition and without Immaturity	12	—	—	—	—	—	3	4	2	—	2	—	1

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List.
Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 23.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	19	—	—	2	3	—	2	1	2	1	1	3	4
35.0	Fall	3	—	—	—	2	—	—	—	—	—	—	—	1
32.0, 35.1	Other accident or violence	1	—	—	—	—	—	—	—	1	—	—	—	—
35.2	Over-exertion	2	—	—	—	1	—	—	—	—	—	1	—	—
35.3	Other and ill-defined causes in mother	13	—	—	2	—	—	2	1	1	1	—	3	3
	Placental and Cord Conditions ...	800	71	60	64	64	63	66	69	71	73	59	61	79
36.0a	Prolapse of cord	130	11	6	5	13	10	11	11	14	13	9	11	16
36.0b	Torsion of cord	135	8	8	17	11	6	5	15	18	15	10	10	12
36.1, 36.3	Placenta prævia	62	8	9	8	6	9	4	3	5	3	1	2	4
32.2,	} Accidental hæmorrhage	291	22	22	18	27	24	30	26	19	25	24	25	29
36.2, 36.4		123	12	7	9	4	11	11	11	12	13	8	11	14
36.5		59	10	8	7	3	3	5	3	3	4	7	2	4
36.6														
	Birth Injury	78	9	10	12	3	5	8	7	3	2	7	6	6
37a	Birth injury with Immaturity	6	2	—	2	—	—	—	—	—	—	1	—	1
37b	Birth injury without Immaturity	72	7	10	10	3	5	8	7	3	2	6	6	5
	Congenital Malformation of Fœtus	519	54	51	49	33	53	25	35	37	39	38	37	68
38.0	Anencephalus	261	28	24	30	16	27	16	14	25	17	13	17	34
38.1	Hydrocephalus	133	12	15	10	9	14	6	10	6	11	12	9	19
38.2	Spina bifida	35	1	3	3	3	5	1	2	2	1	6	4	4
38.3	Other malformations of the central nervous system	24	5	4	2	2	—	—	2	—	2	1	4	2
38.4	Malformation of the cardiovascular system	7	1	—	—	1	2	1	1	—	1	—	—	—
38.5	Malformation of other specified system	21	2	2	1	2	2	—	1	1	4	1	1	4
38.6	Monster... ..	3	—	1	1	—	—	—	—	1	—	—	—	—
38.7	Other and unspecified malformations	35	5	2	2	—	3	1	5	2	3	5	2	5
	Diseases of Fœtus and Ill-defined Causes	450	38	41	54	45	42	45	25	29	25	38	24	44
39.2	Erythroblastosis (Rhesus factor)	76	3	7	4	5	3	9	7	10	4	10	6	8
39.0,	} Other diseases of fœtus	8	1	1	3	1	1	1	—	—	—	—	—	—
39.1, 39.3		77	2	9	9	12	3	11	7	6	2	3	4	9
39.4		51	1	9	5	5	13	4	—	2	3	5	1	3
39.5a		15	1	1	1	2	2	1	3	2	1	—	—	1
39.5b	Maceration	81	9	8	11	8	5	6	2	4	7	10	1	10
39.5c	Premature birth (cause not stated)	78	9	3	8	3	8	4	4	5	5	7	11	11
39.5d	Debility	64	12	3	13	9	7	9	2	—	3	3	1	2
39.5e	Asphyxia													
39.5f	Other ill-defined													
39.6	Cause unknown													

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1952

Inter-national Nos. (Y30-Y39)	SCOTLAND	ALL CAUSES...																												
		57	65	76	Arbroath Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcud- bright Co.	
		2,430	65	3	3		1			2	2	7	6	9	12	11	33	28	13	51	22	23	25	105	13	23	3	7	11	
Chronic Disease in Mother	Total																													
Syphilis			1	3	3		1			2	2							2		1	2	1	1				1			
Tuberculosis			8																											
Diabetes			13	3	1													1			2	1	1							
Chronic disease of circulatory system			24		2		1			2								1												
Chronic disease of genito-urinary system			6								1																			
Other chronic disease			14	1																										
Acute Disease in Mother	Total		12							1				1							1	1	1							
Influenza			3							1																				
Pneumonia			4																											
Other acute respiratory disease			1																											
Other acute disease or condition			4																											
Diseases and conditions of Preg- nancy and Childbirth	Total		199	6	5	4	1	3	1	2	3	1			1		1				1	4	3	10		2	2	1	1	
Ectopic gestation																														
Eclampsia			173	6	5	4	1	3	1	2	3				1		1				1	3	3	7		1	1	1	1	
Nephritic toxæmia			9																											
Toxæmia not stated			11								1																			
Acute yellow atrophy of liver			1																											
Hyperemesis gravidarum			1																											
Pyelitis			3																											
Infection			1																											
Absorption of toxic substance from mother			1																											
Difficult Labour	Total		288	5	8	6	1	4	6	1	5	1			1		2	3		7	2	1	2	12		6	1	3		
Abnormality of bones of pelvis with immaturity...																														
Abnormality of bones of pelvis without immaturity			1								1																			
Disproportion with immaturity			5																											
Disproportion without immaturity			11																											
Malposition of fetus, with immaturity			29	1	1	1	1	1	1	1		1																		
Malposition of fetus, without immaturity...			16																											
Abnormality of forces of labour, with immaturity...			119	1	4	2	1	2	2	1	7	1																		
Abnormality of forces of labour, without immaturity			11		1					1	2																			
Operative delivery, with immaturity			68	4	2			2	2	1	3	2																		
Operative delivery, without imma- turity			1																											
Abnormality of organs or tissues of pelvis with immaturity			5						1																					
Abnormality of organs or tissues of pelvis without immaturity			1																											
			8																											

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1952—continued

Inter-national Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B. Burgh	Rutherglen Burgh	Remainder of Lanark Co. Burgh	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Ross and Cromarty Co.	Knoxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zeland Co.
34.6a	Difficult Labour—continued																												
34.6b	Difficult labour without mention of condition, but with immaturity of condition, and without immaturity																												

TABLE 25.—Legitimate Still-births by Cause and Social Classification, 1952

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	2,276	63	228	1,237	405	342	1
	Chronic Disease in Mother	54	3	3	30	8	10	—
30.0	Syphilis	4	—	—	2	1	1	—
30.1	Tuberculosis	—	—	—	—	—	—	—
30.2	Diabetes	13	—	—	10	—	3	—
30.3	Chronic disease of circulatory system ...	20	2	—	10	4	4	—
30.4	Chronic disease of genito-urinary system	5	1	1	3	—	—	—
30.5	Other chronic disease	12	—	2	5	3	2	—
	Acute Disease in Mother	12	—	1	9	1	1	—
31.1	Influenza	3	—	—	2	1	—	—
31.2	Pneumonia	4	—	1	3	—	—	—
31.3	Other acute respiratory disease ...	1	—	—	—	—	1	—
31.0, 31.4	Other acute disease or condition ...	4	—	—	4	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	192	4	23	108	32	25	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3a	Eclampsia	167	4	17	97	31	18	—
32.3b	Nephritic toxæmia	9	—	1	4	1	3	—
32.3c	Toxæmia not stated	10	—	5	2	—	3	—
32.4a	Acute yellow atrophy of liver ...	1	—	—	1	—	—	—
32.4b	Hyperemesis gravidarum	1	—	—	—	—	1	—
32.5a	Pyelitis	3	—	—	3	—	—	—
32.5b	Infection	1	—	—	1	—	—	—
33	Absorption of toxic substance from mother	—	—	—	—	—	—	—
	Difficult Labour	269	6	33	145	51	33	1
34.0a	Abnormality of bones of pelvis with Immaturity	1	—	—	—	1	—	—
34.0b	Abnormality of bones of pelvis without Immaturity	5	—	—	1	1	2	1
34.1a	Disproportion with Immaturity ...	10	—	—	6	2	2	—
34.1b	Disproportion without Immaturity ...	26	—	6	12	4	4	—
34.2a	Malposition of fœtus, with Immaturity	15	—	3	8	3	1	—
34.2b	Malposition of fœtus, without Im- maturity	113	2	11	61	26	13	—
34.3a	Abnormality of forces of labour, with Immaturity	10	—	1	6	2	1	—
34.3b	Abnormality of forces of labour, without Immaturity	63	2	9	35	9	8	—
34.4a	Operative delivery, with Immaturity ...	1	—	—	1	—	—	—
34.4b	Operative delivery, without Immaturity	5	1	—	4	—	—	—
34.5a	Abnormality of organs or tissues of pelvis with Immaturity	1	—	—	—	1	—	—
34.5b	Abnormality of organs or tissues of pelvis without Immaturity	7	—	1	4	1	1	—
34.6a	Difficult labour without mention of con- dition, but with Immaturity ...	1	—	—	1	—	—	—
34.6b	Difficult labour without mention of con- dition, and without Immaturity ...	11	1	2	6	1	1	—

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 25.—continued

Inter- national Nos. (Y30-Y39)	CAUSE OF DEATH	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	18	1	—	10	4	3	—
35.0	Fall	2	—	—	2	—	—	—
32.0, 35.1	Other accident or violence	1	—	—	1	—	—	—
35.2	Over exertion	2	—	—	1	1	—	—
35.3	Other and ill-defined causes in mother	13	1	—	6	3	3	—
	Placental and Cord Conditions	755	25	79	396	142	113	—
36.0a	Prolapse of cord	124	2	15	56	28	23	—
36.0b	Torsion of cord	125	3	17	66	23	16	—
36.1, 36.3 32.2,	Placenta prævia	60	3	8	31	8	10	—
36.2, 36.4	Accidental hæmorrhage	276	11	27	139	52	47	—
36.5	Placental infarct	115	3	9	71	20	12	—
36.6	Others of placenta and cord	55	3	3	33	11	5	—
	Birth Injury	73	1	5	39	14	14	—
37a	Birth injury with Immaturity	6	—	1	1	4	—	—
37b	Birth injury without Immaturity	67	1	4	38	10	14	—
	Congenital Malformation of Fœtus	488	13	41	273	81	80	—
38.0	Anencephalus	244	4	13	140	38	49	—
38.1	Hydrocephalus	124	6	12	69	25	12	—
38.2	Spina bifida	32	1	1	21	6	3	—
38.3	Other malformations of the central nervous system	23	—	2	16	1	4	—
38.4	Malformation of the cardiovascular system... ..	7	1	2	3	—	1	—
38.5	Malformation of other specified system	20	1	3	9	2	5	—
38.6	Monster	3	—	—	—	2	1	—
38.7	Other and unspecified malformations	35	—	8	15	7	5	—
	Diseases of Fœtus and Ill-defined Causes	415	10	43	227	72	63	—
39.2	Erythroblastosis (Rhesus factor)	73	1	5	44	14	9	—
39.0, 39.1 39.3	Other diseases of fœtus	7	—	—	6	—	1	—
39.4	Maceration	74	1	6	39	18	10	—
39.5a	Premature birth (cause not stated)	48	1	2	34	4	7	—
39.5b	Debility	13	—	5	6	1	1	—
39.5c	Asphyxia	72	5	7	38	7	15	—
39.5d	Other ill-defined	70	1	14	32	10	13	—
39.6	Cause unknown	58	1	4	28	18	7	—

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1952

International Nos. Detailed Long List	CAUSE OF DEATH	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculosis meningitis	9	—	1	6	—	2	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculosis diseases	16	1	—	5	5	5	—
020-029	Syphilis	2	—	—	—	—	2	—
055	Diphtheria	—	—	—	—	—	—	—
056	Whooping-cough	18	—	2	8	4	4	—
057	Meningococcal infections	19	—	1	13	1	4	—
085	Measles	9	—	—	6	2	1	—
340	Meningitis (not meningococcal or tuberculosis)	26	1	1	9	9	6	—
490-493	Pneumonia (excluding newborn)	340	3	15	171	71	77	3
500-502	Bronchitis	48	1	6	22	5	13	1
470-483, 510-527	Other respiratory diseases	31	—	6	18	1	6	—
571o	Diarrhoea (excluding newborn)	121	1	3	72	18	27	—
530-570, 571i-587	Other digestive diseases	38	—	5	22	8	3	—
750-759	Congenital malformations	449	17	17	258	83	71	3
760-761	Birth injuries	239	7	29	138	38	25	2
762	Asphyxia and atelectasis	383	7	34	218	75	47	2
763	Pneumonia of newborn	106	5	5	67	20	9	—
764	Diarrhoea of newborn	21	1	2	7	4	6	1
765-776	Other infantile diseases	788	11	80	433	140	121	3
780A	Convulsions	48	—	2	19	16	11	—
Remainder	All other natural causes	100	2	10	56	16	16	—
E921-E925	Accidental mechanical suffocation, etc. ...	128	—	8	67	20	32	1
E800-E920, E926-E999	Other violence ...	9	—	—	4	3	2	—
	TOTAL ...	2,948	57	227	1,619	539	490	16

TABLE 27.—Still-births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1952

No. of PREVIOUS CHILDREN	AGE OF MOTHER							No. of PREVIOUS CHILDREN	AGE OF MOTHER							No. of PREVIOUS CHILDREN				
	Total	Under 20	20-24	25-29	30-34	35-39	40-44		45-49	50 and over	Not stated	Total	Under 20	20-24	25-29		30-34	35-39	40-44	45-49
Social Class I None	29	—	7	11	6	4	1	—	133	57	36	18	8	3	—	—	—	—	—	—
1	17	—	2	2	4	6	1	—	68	17	24	19	5	3	—	—	—	—	—	—
2	10	—	—	2	5	2	2	—	66	24	21	16	14	4	—	—	—	—	—	—
3	4	—	—	1	1	1	1	—	40	11	10	15	12	4	—	—	—	—	—	—
4	3	—	—	—	2	—	—	—	36	—	7	15	8	5	1	—	—	—	—	—
5	—	—	—	—	—	—	—	—	20	—	2	6	8	3	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	13	—	1	4	8	1	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	9	—	—	2	2	4	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	10 and over	—	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	Not stated	—	—	—	—	—	—	—	—	—	—	—
Total	63	—	9	17	18	14	5	—	405	86	101	96	73	33	1	—	—	—	—	—
Total Illegitimate	—	—	—	—	—	—	—	—	43	15	10	4	5	—	—	—	—	—	—	3
Social Class II None	90	2	21	30	15	16	5	—	109	47	28	15	8	—	—	—	—	—	—	—
1	54	—	5	23	16	9	1	—	52	15	18	8	8	2	—	—	—	—	—	—
2	38	—	2	11	10	13	3	—	51	9	17	14	10	1	—	—	—	—	—	—
3	13	—	—	2	5	3	—	—	36	4	9	12	6	5	—	—	—	—	—	—
4	20	—	—	3	4	10	1	—	28	—	4	8	7	3	1	—	—	—	—	—
5	8	—	—	1	—	2	—	—	18	1	3	3	7	3	—	—	—	—	—	—
6	4	—	—	—	1	3	—	—	10	—	2	4	1	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	6	—	1	2	4	1	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—
9	1	—	—	—	—	—	1	—	9	—	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	10 and over	—	—	—	—	—	—	—	—	—	—	—
Not stated	1	—	—	—	—	1	—	—	Not stated	—	—	—	—	—	—	—	—	—	—	—
Total	228	2	28	70	51	57	17	3	342	76	83	66	72	30	1	—	—	—	—	1
Total Illegitimate	7	—	—	1	—	1	—	—	9	2	2	2	—	—	—	—	—	—	—	—
Social Class III None	531	40	182	172	89	30	15	—	109	—	—	—	—	—	—	—	—	—	—	—
1	260	2	62	97	60	28	11	—	52	—	—	—	—	—	—	—	—	—	—	—
2	179	—	19	53	61	39	7	—	51	—	—	—	—	—	—	—	—	—	—	—
3	97	—	9	21	35	24	8	—	36	—	—	—	—	—	—	—	—	—	—	—
4	50	—	—	6	17	19	8	—	28	—	—	—	—	—	—	—	—	—	—	—
5	41	—	—	6	10	17	8	—	18	—	—	—	—	—	—	—	—	—	—	—
6	27	—	—	—	7	14	6	—	10	—	—	—	—	—	—	—	—	—	—	—
7	15	—	—	—	3	3	3	—	6	—	—	—	—	—	—	—	—	—	—	—
8	13	—	—	—	5	5	3	—	7	—	—	—	—	—	—	—	—	—	—	—
9	8	—	—	—	—	2	5	—	9	—	—	—	—	—	—	—	—	—	—	—
10 and over	12	—	—	—	3	3	5	—	10 and over	—	—	—	—	—	—	—	—	—	—	—
Not stated	4	—	—	—	—	3	1	—	Not stated	—	—	—	—	—	—	—	—	—	—	—
Total	1,237	42	272	355	290	184	84	6	1,237	—	—	—	—	—	—	—	—	—	—	—
Total Illegitimate	35	8	11	7	3	5	1	—	60	2	3	1	—	—	—	—	—	—	—	4

TABLE 28.—Legitimate Live Births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1902

No. of PREVIOUS CHILDREN	AGE OF MOTHER						No. of PREVIOUS CHILDREN	AGE OF MOTHER						All Ages	Under 20	AGE OF MOTHER						50 and over	Not stated	
	Under 20	20-24	25-29	30-34	35-39	40-44		45-49	Under 20	20-24	25-29	30-34	35-39			40-44	45-49							
Social Class I None 1 2 3 4 5 6 7 8 9 10 and over Not stated Total Illegitimate	1,303	314	599	279	69	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1,029	388	414	351	149	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1,532	5	122	221	157	25	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	177	—	23	66	70	17	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	54	—	5	15	25	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	18	—	—	4	8	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	—	3	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	—	—	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3,128	407	1,164	942	481	—	111	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Social Class II None 1 2 3 4 5 6 7 8 9 10 and over Not stated Total Illegitimate	3,543	1,098	1,384	627	264	72	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3,005	14	1,328	957	437	83	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1,582	1	405	592	371	116	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	702	35	119	256	221	72	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	317	—	49	95	118	48	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	160	1	19	38	60	34	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	67	—	3	23	25	15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	44	—	1	7	16	19	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	21	—	1	5	7	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8	—	—	2	4	3	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9,483	110	1,607	2,602	1,526	476	26	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
106	14	23	11	11	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Social Class III None 1 2 3 4 5 6 7 8 9 10 and over Not stated Total Illegitimate	18,200	1,552	8,488	1,969	703	145	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13,706	179	3,889	3,002	1,085	200	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7,577	7	2,774	2,347	1,053	233	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3,893	—	1,154	1,361	800	194	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2,071	—	274	1,255	562	176	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	—	63	482	176	371	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	10	176	370	129	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	2	50	230	260	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	1,065	646	361	65	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	4	23	98	175	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8	—	—	4	47	94	62	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	22	51	36	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 and over	—	—	11	71	73	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
162	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
48,066	1,738	13,880	15,460	10,226	5,225	1,412	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
952	248	415	159	80	80	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total Illegitimate	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273	14,371	1,273
	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—
Total Illegitimate	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101	3,347	101
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318	11,054	318
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289	4,208	289
	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—	37	—
Total Illegitimate	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93	1,713	93
	3	—	3	—	3	—	3	—	3	—	3	—	3	—	3	—	3	—	3	—	3	—	3	—
Total Illegitimate	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152	2,907	152
	6	—	6	—	6	—	6	—	6	—	6	—	6	—	6	—	6	—	6	—	6	—	6	—
Total Illegitimate	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13
	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—
Total Illegitimate	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120	3,389	120
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38	2,128	38
	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—
Total Illegitimate	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13	1,362	13
	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—	29	—
Total Illegitimate	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6	453	6
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—
Total Illegitimate	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57	3,125	57
	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13	—	13			

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1952

International Nos. Detailed Long List	CAUSE OF DEATH		Total (All Ages)	Illegitimate only	AGE									
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days -2 mths.	3-5 months	6-8 months	9-11 months	
010	Tuberculous meningitis	... { M. F.	4 5	-	-	-	-	-	-	-	1	2	1	
011	Abdominal tuberculosis	... { M. F.	-	-	-	-	-	-	-	-	-	-	-	
001-008 012-019	Other tuberculous diseases	... { M. F.	9 7	-	-	-	-	-	-	-	1 4	2	6 3	
020-029	Syphilis { M. F.	1 1	-	-	-	-	-	-	1	1	-	-	
055	Diphtheria { M. F.	-	-	-	-	-	-	-	-	-	-	-	
056	Whooping-cough { M. F.	9 9	-	-	-	-	-	-	1 5	4 2	1 1	3 1	
057	Meningococcal infections	... { M. F.	10 12	2 1	-	-	-	-	-	2 1	4 3	3 3	1 6	
085	Measles { M. F.	5 4	-	-	-	-	-	-	-	3 1	1 2	1 1	
340	Meningitis, not meningococcal or tuberculous { M. F.	15 13	-	-	1 1	1 2	-	-	2 2	1 3	7 1	3 3	
490-493	Pneumonia (excluding newborn)	... { M. F.	203 163	12 14	-	-	-	-	-	75 59	94 58	24 34	10 12	
500-502	Bronchitis { M. F.	31 17	-	-	-	-	1	1	10 3	11 12	5 2	3	
470-483 510-527	Other respiratory diseases	... { M. F.	19 14	1 1	-	-	-	-	-	7 5	9 3	2 4	1	
571.0	Diarrhoea (excluding newborn)	... { M. F.	80 50	4 5	-	-	-	-	-	40 19	28 20	5 6	7 5	
530-570 571.1-587	Other digestive diseases	... { M. F.	30 10	2 -	-	2 2	2 1	1	1	10 2	8 2	3 -	3 2	
750-759	Congenital malformations	... { M. F.	240 240	12 19	37 50	55 54	26 31	11 11	11 9	40 29	38 28	12 24	10 4	
760-761	Birth injuries { M. F.	146 112	8 11	53 49	77 55	7 4	3 1	3 1	2 2	-	1	-	
762	Asphyxia and atelectasis	... { M. F.	252 160	18 11	114 66	117 83	10 3	1 5	2 1	4 1	4	-	1	
763	Pneumonia of newborn	... { M. F.	71 42	7 -	3 1	26 20	16 12	10 4	16 5	-	-	-	-	
764	Diarrhoea of newborn { M. F.	14 10	1 2	-	-	2 4	7 4	5 2	-	-	-	-	
765-776	Other infantile diseases	... { M. F.	492 346	34 16	270 177	160 126	22 13	10 8	8 10	15 7	4 4	2 1	1	
780a	Convulsions { M. F.	33 21	4 2	-	-	-	1	-	13 7	17 10	1 1	1	
Remainder	All other natural causes	... { M. F.	60 52	9 3	1 1	4 1	6	-	2 4	14 13	21 14	7 10	5 9	
E921-E925	Accidental mechanical suffoca- tion, etc. { M. F.	84 63	10 9	-	3	2 1	3 2	1 1	25 27	36 24	14 7	- 1	
E800-E920 E926-E999	Other violence { M. F.	11 11	7 6	7 6	-	-	-	-	1	-	1 3	2 1	
TOTAL—Both Sexes			3,181	-	837	787	165	85	84	444	473	195	111	
Males			1,819	-	485	445	94	48	50	261	285	93	58	
Females			1,362	-	352	342	71	37	34	183	188	102	53	
Illegitimate only—Both Sexes			-	233	69	53	12	4	5	28	44	12	6	
Males			-	131	44	27	6	3	2	19	27	3	-	
Females			-	102	25	26	6	1	3	9	17	9	6	

**TABLE 30.—Month of Registration of Children aged under one year dying from
Selected Causes in Scotland in 1952**

International Nos. Detailed Long List	CAUSE OF DEATH	Total	MONTH OF REGISTRATION OF DEATH											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis	9	—	—	1	—	—	3	1	—	2	2	—	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—	—	—	—	—	—	—
001-008 012-019	Other tuberculous diseases ...	16	—	3	1	5	1	1	2	—	1	1	1	—
020-029	Syphilis ...	2	—	—	1	—	—	1	—	—	—	—	—	—
055	Diphtheria ...	—	—	—	—	—	—	—	—	—	—	—	—	—
056	Whooping-cough ...	18	3	4	2	1	1	1	—	—	1	1	1	3
057	Meningococcal infections	22	—	2	2	2	2	1	1	1	2	—	6	3
085	Measles ...	9	2	1	1	1	2	2	—	—	—	—	—	—
340	Meningitis, not meningo- coccal or tuberculous	28	3	4	2	2	3	1	2	1	1	4	3	2
490-493	Pneumonia (excluding newborn) ...	366	35	49	32	36	20	18	18	12	14	30	24	78
500-502	Bronchitis ...	48	8	2	2	5	3	1	2	2	3	5	3	12
470-483 510-527	Other respiratory diseases ...	33	3	6	6	4	3	—	1	1	1	—	3	5
571.0	Diarrhoea (excluding newborn) ...	130	15	8	10	18	16	9	9	6	9	9	8	13
530-570 571.1-587	Other digestive diseases	40	3	5	4	7	2	1	1	3	3	6	1	4
750-759	Congenital malformations ...	480	39	45	47	35	50	34	35	40	38	42	38	37
760-761	Birth injuries ...	258	22	16	18	28	23	20	24	21	24	21	22	19
762	Asphyxia and atelectasis	412	43	28	34	49	27	30	30	42	26	29	33	41
763	Pneumonia of newborn	113	15	12	8	11	9	13	10	7	7	4	4	13
764	Diarrhoea of newborn ...	24	3	2	2	3	4	2	1	—	2	1	1	3
765-776	Other infantile diseases	838	98	62	69	75	84	61	56	71	64	66	55	77
780a	Convulsions ...	54	8	3	5	2	3	3	6	—	4	4	4	12
Remainder	All other natural causes	112	12	12	6	10	11	7	6	8	7	8	8	17
E921-E925	Accidental mechanical suffocation, etc. ...	147	11	19	8	16	4	9	5	7	14	19	13	22
E800-E920 E926-E999	Other violence ...	22	1	4	—	2	1	2	3	1	4	2	1	1
	TOTAL ...	3,181	324	287	261	312	269	220	213	223	227	254	229	362
	Illegitimate ...	233	24	22	11	30	18	13	16	16	14	23	15	31

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1952.

TABLE 31. Births, Deaths under one year by Age-Groups, and Death-Rates per 1,000 British Population, 1901																											
	Number of Births (Living Children)	NUMBERS										RATES															
		Under 1 yr.	Under 1 yr. †	Under 28 days	1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months	Under 1 yr. †	Under 1 yr. †	Under 1 yr. †	Under 28 days	1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months	
SCOTLAND	90,422	3,181	1,958	837	787	165	85	84	444	473	195	111	35.2	21.7	9.3	8.7	1.8	0.9	0.9	4.9	5.2	2.2	1.2	5.2	2.2	1.2	1.2
Counties of Cities	33,638	1,223	740	322	272	72	38	36	181	179	79	44	36.4	22.0	9.6	8.1	2.1	1.1	1.1	5.4	5.3	2.3	1.3	5.3	2.3	1.3	1.3
Large Burghs	15,423	576	344	149	149	22	4	0	85	92	34	21	37.3	22.3	9.7	9.7	1.4	0.9	0.6	5.5	6.0	2.2	1.4	5.5	6.0	2.2	1.4
Counties (ex Co. of C. and L. B.)	41,361	1,382	874	366	366	71	33	38	178	202	82	46	33.4	21.1	8.8	8.8	1.7	0.8	0.9	4.3	4.9	2.0	1.1	4.9	2.0	1.1	1.1
LEGITIMATE BIRTHS	86,116	2,948	1,815	768	734	153	81	79	416	429	183	105	34.2	21.1	8.9	8.5	1.8	0.9	0.9	4.8	5.0	2.1	1.2	5.0	2.1	1.2	1.2
Scotland	31,909	1,119	675	289	250	65	37	34	171	158	73	42	35.1	21.2	9.1	7.8	2.0	1.2	1.1	5.4	5.0	2.2	1.3	5.4	2.2	1.3	1.3
Counties of Cities	14,817	536	318	136	139	21	12	10	81	85	33	19	36.2	21.5	9.2	9.4	1.4	0.8	0.7	5.5	5.7	2.2	1.3	5.7	2.2	1.3	1.3
Large Burghs	39,390	1,293	822	343	345	67	32	35	164	186	77	44	32.8	20.9	8.7	8.8	1.7	0.8	0.9	4.2	4.7	2.0	1.1	4.2	2.0	1.1	1.1
Counties (ex Co. of C. and L. B.)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ILLEGITIMATE BIRTHS	4,306	—	143	69	53	12	4	5	28	44	12	6	—	33.2	16.0	12.3	2.8	0.9	1.2	6.5	10.2	2.8	1.4	10.2	2.8	1.4	1.4
Scotland	1,720	—	104	65	33	7	1	2	10	21	6	2	—	37.6	19.1	12.7	4.0	0.6	1.2	5.8	12.1	3.5	1.2	5.8	12.1	3.5	1.2
Counties of Cities	606	—	26	13	10	1	—	—	4	7	1	2	—	66.0	21.5	16.5	7.7	3.3	1.5	6.6	17.6	3.3	1.3	6.6	17.6	3.3	1.3
Large Burghs	1,971	—	52	23	21	4	1	3	14	16	5	2	—	43.2	11.7	10.7	2.0	0.5	1.5	7.1	8.1	2.5	1.0	7.1	8.1	2.5	1.0
Counties (ex Co. of C. and L. B.)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ABERDEEN COUNTY	5,553	167	110	42	46	11	6	5	21	17	12	7	30.1	52.2	19.8	7.6	8.3	2.0	1.1	0.9	3.1	2.2	1.3	3.1	2.2	1.3	1.3
County of City	3,025	90	54	23	22	6	3	—	14	10	7	5	29.8	64.0	17.9	7.6	7.3	2.0	1.0	—	4.6	3.3	2.3	4.6	3.3	2.3	1.7
Remainder of County	2,528	77	56	19	24	5	3	5	7	7	5	2	30.5	41.7	22.2	7.5	9.5	2.0	1.2	2.0	2.8	2.8	2.0	2.8	2.8	2.0	0.8
ANGUS COUNTY	4,724	144	17	94	35	39	11	6	3	17	22	6	30.5	60.1	19.9	7.4	8.3	2.3	1.3	0.6	3.6	4.7	1.3	3.6	4.7	1.3	1.1
Dundee County of City	3,145	97	62	25	24	7	3	3	12	18	3	2	30.8	68.3	19.7	7.9	7.6	2.2	1.0	1.0	3.8	5.7	1.0	3.8	5.7	1.0	0.6
Arbroath Burgh	330	8	7	4	3	—	—	—	—	—	—	—	24.2	—	21.2	12.1	9.1	—	—	—	3.0	—	—	—	—	—	—
Remainder of County	1,249	39	25	6	12	4	3	—	1	4	3	3	31.2	46.2	20.0	4.8	9.6	3.2	2.4	—	3.2	3.2	2.4	3.2	3.2	2.4	2.4
ARGYLL COUNTY	951	44	34	17	9	3	1	4	3	3	4	—	46.3	18.9	35.8	17.9	9.5	3.2	1.1	4.2	3.2	3.2	4.2	—	—	—	—
AYR COUNTY	5,615	173	115	46	55	8	4	2	17	27	9	5	30.8	40.5	20.5	8.2	9.8	1.4	0.7	0.4	3.0	4.8	1.6	3.0	4.8	1.6	0.9
Ayr Burgh	694	21	16	9	5	1	1	—	3	1	1	—	30.3	—	23.1	13.0	7.2	1.4	1.4	—	4.3	1.4	4.3	1.4	1.4	—	—
Kilmarnock Burgh	763	27	19	4	14	1	—	—	3	2	—	—	35.4	45.5	24.9	5.2	18.3	1.3	—	—	3.9	2.6	3.9	2.6	3.9	2.6	3.9
Remainder of County	4,158	125	80	33	36	6	3	2	11	24	8	2	30.1	45.7	19.2	7.9	8.7	1.4	0.7	0.5	2.6	5.8	1.9	2.6	5.8	1.9	0.5
BANFF COUNTY	859	27	16	6	5	2	2	1	2	5	2	2	31.4	68.5	18.6	7.0	5.8	2.3	2.3	1.2	2.3	5.8	2.3	2.3	5.8	2.3	2.3
BERWICK COUNTY	351	13	12	6	4	2	—	—	—	—	—	—	37.0	—	34.2	17.1	11.4	5.7	—	—	—	—	—	—	—	—	—
BUTE COUNTY	226	7	4	3	—	1	—	—	—	—	—	1	31.0	—	17.7	13.3	—	4.4	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY	410	21	16	7	8	1	—	—	2	3	—	—	51.2	28.6	39.0	17.1	19.5	2.4	—	4.9	7.3	—	—	4.9	7.3	—	—
CLACKMANNAN COUNTY	706	35	19	9	8	2	—	—	8	4	2	2	49.6	28.6	26.9	12.7	11.3	2.8	—	11.3	5.7	2.8	—	11.3	5.7	2.8	2.8
DUMFRIES COUNTY	1,473	41	26	11	10	4	—	—	1	4	7	4	—	78.4	17.7	7.5	6.8	2.7	—	0.7	4.8	2.7	—	0.7	4.8	2.7	—
Dumfries Burgh	465	17	12	4	5	2	—	—	—	—	—	—	36.6	125.0	25.8	8.6	10.8	4.3	—	2.2	2.2	6.5	2.2	2.2	6.5	2.2	—
Remainder of County	1,008	24	14	7	5	2	—	—	1	3	3	—	23.8	57.1	13.9	6.9	5.0	2.0	—	—	3.0	4.0	3.0	3.0	4.0	3.0	—
DUNBARTON COUNTY	3,303	121	9	83	35	33	9	5	1	14	16	6	—	81.1	25.1	10.6	10.0	2.7	1.5	0.3	4.2	4.8	1.8	4.2	4.8	1.8	0.6
Glenbank Burgh	1,024	38	23	9	5	2	3	—	6	8	—	1	—	37.1	66.7	8.8	8.8	2.0	2.9	—	5.9	7.8	1.0	5.9	7.8	1.0	0.6
Dunbarton Burgh	496	24	15	5	6	2	1	1	1	3	2	3	—	48.4	52.6	10.1	12.1	4.0	2.0	2.0	6.0	4.0	6.0	6.0	4.0	6.0	2.0
Remainder of County	1,783	59	45	21	18	5	1	—	5	6	3	—	33.1	96.8	25.2	11.8	10.1	2.8	0.6	—	2.8	3.4	1.7	2.8	3.4	1.7	—
EAST LOTHIAN COUNTY	897	34	22	8	11	1	2	—	6	6	6	—	37.9	81.1	24.5	8.9	12.3	1.1	2.2	—	6.7	6.7	—	6.7	6.7	—	—

TABLE 32.—Deaths in Scotland of Children aged under One Year
by Selected Age-groups, 1952

AGE	Total	Males	Females
Under 1 day	837	485	352
1 day	308	174	134
2 days	210	121	89
3 "	112	64	48
4 "	59	29	30
5 "	59	35	24
6 "	39	22	17
7-13 "	165	94	71
14-20 "	85	48	37
21-27 "	84	50	34
28 days-2 months	219	138	81
2 "	225	123	102
3 "	211	121	90
4 "	156	101	55
5 "	106	63	43
6 "	81	41	40
7 "	61	23	38
8 "	53	29	24
9 "	47	23	24
10 "	33	18	15
11 "	31	17	14
TOTAL	3,181	1,819	1,362

TABLE 33.—Ages at Death in 1952

AGE GROUPS	NUMBER OF DEATHS					
	Scotland	Counties of Cities	Large Burghs	Counties <i>ex</i> Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 —	3,181	1,223	576	1,382	483	899
1— —	539	204	80	255	79	176
5— —	282	86	45	151	41	110
10— —	162	67	25	70	21	49
15— —	787	335	122	330	88	242
25— —	1,213	485	213	515	173	342
35— —	2,188	893	373	922	340	582
45— —	5,224	2,239	824	2,161	818	1,343
55— —	9,500	4,069	1,635	3,796	1,456	2,340
65— —	16,274	6,498	2,536	7,240	2,855	4,385
75— —	17,002	6,309	2,536	8,157	3,145	5,012
85 and over	5,158	1,738	655	2,765	1,036	1,729
Not stated	—	—	—	—	—	—
ALL AGES	61,510	24,146	9,620	27,744	10,535	17,209

TABLE 34.—Deaths, Male and Female, at each year of age

MALES													
AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated	AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,819	1,819	—	—	—	—	50 ...	347	68	262	14	2	1
1 ...	118	118	—	—	—	—	51 ...	376	66	295	11	3	1
2 ...	68	68	—	—	—	—	52 ...	406	58	323	22	3	—
3 ...	52	52	—	—	—	—	53 ...	352	54	275	21	2	—
4 ...	54	54	—	—	—	—	54 ...	380	54	296	26	3	1
0-4 ...	2,111	2,111	—	—	—	—	50-54 ...	1,861	300	1,451	94	13	3
5 ...	53	53	—	—	—	—	55 ...	376	34	309	29	4	—
6 ...	38	38	—	—	—	—	56 ...	477	54	374	46	3	—
7 ...	27	27	—	—	—	—	57 ...	451	56	354	39	2	—
8 ...	26	26	—	—	—	—	58 ...	495	64	386	45	—	—
9 ...	32	32	—	—	—	—	59 ...	531	81	395	51	3	1
5-9 ...	176	176	—	—	—	—	55-59 ...	2,330	289	1,818	210	12	1
10 ...	20	20	—	—	—	—	60 ...	538	80	403	49	4	2
11 ...	15	15	—	—	—	—	61 ...	606	93	441	69	2	1
12 ...	19	19	—	—	—	—	62 ...	600	94	426	79	1	—
13 ...	21	21	—	—	—	—	63 ...	678	95	491	90	2	—
14 ...	16	16	—	—	—	—	64 ...	712	109	484	117	2	—
10-14 ...	91	91	—	—	—	—	60-64 ...	3,134	471	2,245	404	11	3
15 ...	33	33	—	—	—	—	65 ...	715	99	495	119	1	1
16 ...	33	33	—	—	—	—	66 ...	739	91	495	151	2	—
17 ...	32	32	—	—	—	—	67 ...	731	110	471	149	—	1
18 ...	35	34	1	—	—	—	68 ...	859	124	564	168	3	—
19 ...	31	31	—	—	—	—	69 ...	798	128	488	177	3	2
15-19 ...	164	163	1	—	—	—	65-69 ...	3,842	552	2,513	764	9	4
20 ...	50	48	2	—	—	—	70 ...	782	105	493	177	3	4
21 ...	41	38	3	—	—	—	71 ...	899	124	508	265	1	1
22 ...	49	43	6	—	—	—	72 ...	933	128	541	262	1	1
23 ...	62	53	8	1	—	—	73 ...	969	143	514	312	—	—
24 ...	45	29	16	—	—	—	74 ...	939	144	464	330	1	—
20-24 ...	247	211	35	1	—	—	70-74 ...	4,522	644	2,520	1,346	6	6
25 ...	57	33	24	—	—	—	75 ...	957	155	444	357	1	—
26 ...	54	34	19	1	—	—	76 ...	1,011	131	473	407	—	—
27 ...	42	30	12	—	—	—	77 ...	1,013	134	454	423	—	2
28 ...	69	33	35	—	1	—	78 ...	930	124	399	403	2	2
29 ...	59	30	27	—	1	1	79 ...	880	116	364	399	—	1
25-29 ...	281	160	117	1	2	1	75-79 ...	4,791	660	2,134	1,989	3	5
30 ...	82	32	49	—	—	1	80 ...	794	121	297	375	1	—
31 ...	70	24	44	1	1	—	81 ...	742	99	260	383	—	—
32 ...	84	26	58	—	—	—	82 ...	649	91	203	355	—	—
33 ...	54	15	37	1	1	—	83 ...	553	51	196	306	—	—
34 ...	55	19	34	1	1	—	84 ...	524	63	152	308	1	—
30-34 ...	345	116	222	3	3	1	80-84 ...	3,262	425	1,108	1,727	2	—
35 ...	80	23	54	—	2	1	85 ...	451	48	122	280	—	1
36 ...	73	17	53	2	1	—	86 ...	361	31	82	247	1	—
37 ...	80	17	61	1	1	—	87 ...	263	22	46	195	—	—
38 ...	104	29	71	2	2	—	88 ...	200	24	41	135	—	—
39 ...	116	29	85	1	1	—	89 ...	177	15	43	119	—	—
35-39 ...	453	115	324	6	7	1	85-89 ...	1,452	140	334	976	1	1
40 ...	102	23	76	1	1	1	90 ...	124	16	16	91	1	—
41 ...	138	34	98	3	2	1	91 ...	97	10	13	74	—	—
42 ...	133	32	95	2	4	—	92 ...	64	3	8	53	—	—
43 ...	164	31	123	6	4	—	93 ...	46	2	6	38	—	—
44 ...	170	36	125	5	3	1	94 ...	29	1	4	24	—	—
40-44 ...	707	156	517	17	14	3	90-94 ...	360	32	47	280	1	—
45 ...	178	30	143	5	—	—	95 ...	13	—	1	12	—	—
46 ...	222	41	177	3	1	—	96 ...	16	3	1	12	—	—
47 ...	258	49	195	10	1	3	97 ...	8	—	—	8	—	—
48 ...	284	57	213	12	1	1	98 ...	6	1	1	4	—	—
49 ...	284	56	218	6	3	1	99 ...	2	—	1	1	—	—
45-49 ...	1,226	233	946	36	6	5	95-99 ...	45	4	4	37	—	—
							100 and over	1	—	—	1	—	—
							Not stated	—	—	—	—	—	—
							All males	31,401	7,049	16,336	7,892	90	34

nd by Condition as to Marriage, in Scotland, 1952

FEMALES													
AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated	AGES	TOTAL	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,362	1,362	-	-	-	-	50 ...	231	48	151	27	5	-
1 ...	101	101	-	-	-	-	51 ...	218	51	142	25	-	-
2 ...	56	56	-	-	-	-	52 ...	257	53	175	28	1	-
3 ...	47	47	-	-	-	-	53 ...	248	60	153	34	1	-
4 ...	43	43	-	-	-	-	54 ...	278	61	170	44	3	-
0-4 ...	1,609	1,609	-	-	-	-	50-54 ...	1,232	273	791	158	10	-
5 ...	27	27	-	-	-	-	55 ...	289	58	179	51	1	-
6 ...	22	22	-	-	-	-	56 ...	337	76	196	64	1	-
7 ...	17	17	-	-	-	-	57 ...	339	56	210	73	-	-
8 ...	24	24	-	-	-	-	58 ...	367	77	195	93	2	-
9 ...	16	16	-	-	-	-	59 ...	401	77	219	103	2	-
5-9 ...	106	106	-	-	-	-	55-59 ...	1,733	344	999	384	6	-
10 ...	14	14	-	-	-	-	60 ...	372	89	193	89	-	1
11 ...	8	8	-	-	-	-	61 ...	418	73	231	108	6	-
12 ...	15	15	-	-	-	-	62 ...	506	106	272	126	2	-
13 ...	15	15	-	-	-	-	63 ...	484	102	242	139	1	-
14 ...	19	19	-	-	-	-	64 ...	523	118	245	159	1	-
10-14 ...	71	71	-	-	-	-	60-64 ...	2,303	488	1,183	621	10	1
15 ...	34	34	-	-	-	-	65 ...	579	112	270	194	3	-
16 ...	31	31	-	-	-	-	66 ...	643	122	274	245	2	-
17 ...	28	28	-	-	-	-	67 ...	696	141	292	262	1	-
18 ...	26	25	1	-	-	-	68 ...	740	133	308	299	-	-
19 ...	32	27	5	-	-	-	69 ...	746	152	285	309	-	-
15-19 ...	151	145	6	-	-	-	65-69 ...	3,404	660	1,429	1,309	6	-
20 ...	38	33	5	-	-	-	70 ...	794	144	313	335	2	-
21 ...	51	34	17	-	-	-	71 ...	790	149	250	390	1	-
22 ...	38	25	13	-	-	-	72 ...	958	197	303	456	2	-
23 ...	42	24	18	-	-	-	73 ...	948	190	267	490	-	1
24 ...	56	38	17	1	-	-	74 ...	1,016	214	265	535	2	-
20-24 ...	225	154	70	1	-	-	70-74 ...	4,506	894	1,398	2,206	7	1
25 ...	40	22	18	-	-	-	75 ...	987	192	259	533	3	-
26 ...	62	29	32	1	-	-	76 ...	994	204	242	546	2	-
27 ...	45	23	22	-	-	-	77 ...	995	240	184	569	2	-
28 ...	52	21	28	-	3	-	78 ...	988	215	184	587	2	-
29 ...	60	22	38	-	-	-	79 ...	973	198	149	626	-	-
25-29 ...	259	117	138	1	3	-	75-79 ...	4,937	1,049	1,018	2,861	9	-
30 ...	60	16	42	2	-	-	80 ...	858	170	117	569	2	-
31 ...	74	25	49	-	-	-	81 ...	877	189	102	586	-	-
32 ...	71	21	48	2	-	-	82 ...	818	182	104	532	-	-
33 ...	52	11	38	2	1	-	83 ...	759	143	74	541	1	-
34 ...	71	18	51	2	-	-	84 ...	700	160	48	491	1	-
30-34 ...	328	91	228	8	1	-	80-84 ...	4,012	844	445	2,719	4	-
35 ...	82	20	59	2	1	-	85 ...	623	158	45	420	-	-
36 ...	70	10	57	2	1	-	86 ...	521	110	25	386	-	-
37 ...	71	16	52	1	2	-	87 ...	442	102	22	318	-	-
38 ...	86	18	63	4	1	-	88 ...	411	89	14	308	-	-
39 ...	117	29	81	5	2	-	89 ...	336	81	11	243	1	-
35-39 ...	426	93	312	14	7	-	85-89 ...	2,333	540	117	1,675	1	-
40 ...	98	17	75	4	2	-	90 ...	246	60	5	181	-	-
41 ...	121	31	85	3	2	-	91 ...	214	57	6	151	-	-
42 ...	119	34	79	5	1	-	92 ...	177	48	1	128	-	-
43 ...	136	33	92	10	1	-	93 ...	106	34	1	71	-	-
44 ...	128	30	85	12	1	-	94 ...	84	23	2	59	-	-
40-44 ...	602	145	416	34	7	-	90-94 ...	827	222	15	590	-	-
45 ...	166	36	119	10	1	-	95 ...	51	11	-	40	-	-
46 ...	158	38	103	16	1	-	96 ...	33	12	-	21	-	-
47 ...	175	41	127	5	2	-	97 ...	21	4	-	17	-	-
48 ...	206	33	158	13	2	-	98 ...	19	3	1	15	-	-
49 ...	200	45	138	16	1	-	99 ...	4	-	-	4	-	-
45-49 ...	905	193	645	60	7	-	95-99 ...	128	30	1	97	-	-
							100 and over	12	1	-	11	-	-
							Not stated	-	-	-	-	-	-
All females								30,109	8,069	9,211	12,749	78	2

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1952

INTERNATIONAL NOS.		CAUSES OF DEATH	Sex	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES														
Detailed List	Abbreviated List			All Ages	1-1	5-10	15-25	35-45	55-65	75-	85 and over	Not stated	All Ages	1-1	5-10	15-25	35-45	55-65	75-	85 and over								
001-008	B1	Tuberculosis of respiratory system ...	M.	847	9	12	3	4	46	119	136	197	169	118	34	-	35	21	6	1	2	14	34	39	61	77	78	55
	F.		562	7	8	3	6	123	163	105	58	49	28	10	2	-	21	17	4	1	3	33	44	28	16	18	14	11
010-019	B2	Tuberculosis, other forms	M.	94	4	22	6	5	13	7	4	11	9	9	3	-	4	9	12	3	3	4	2	1	3	4	6	5
	F.		109	5	23	2	5	24	10	9	9	8	8	6	1	-	4	12	13	1	3	6	3	2	3	4	7	15
020-029	B3	Syphilis and its sequelæ ...	M.	76	1	-	-	-	-	1	4	9	38	20	2	1	-	3	2	-	-	-	0	1	3	17	13	3
	F.		34	1	-	-	-	-	-	1	2	9	10	6	5	-	1	1	2	-	-	-	0	1	3	4	3	6
040	B4	Typhoid fever ...	M.	1	-	-	-	-	-	-	-	1	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	
045-048	B6	Dysentery, all forms ...	M.	1	-	-	-	-	-	1	-	-	-	-	-	-	0	-	1	0	-	-	-	-	0	-	-	
050-051	B7	Scarlet fever and streptococcal sore throat ...	M.	1	-	1	1	-	-	-	-	-	1	1	-	-	0	-	1	0	-	-	-	-	-	1	-	
055	B8	Diphtheria ...	M.	5	-	5	-	-	-	-	-	-	-	-	-	-	0	-	3	-	-	-	-	-	-	-	-	
	F.		3	-	1	2	-	-	-	-	-	-	-	-	-	-	0	-	1	1	-	-	-	-	-	1	-	
056	B9	Whooping-cough ...	M.	10	9	-	1	-	-	-	-	-	-	-	-	-	0	21	-	0	-	-	-	-	-	-	-	
057	B10	Meningococcal infections	M.	16	9	6	1	-	-	-	-	-	-	-	-	-	1	21	3	0	-	-	-	-	-	-	-	
080	B12	Acute poliomyelitis	M.	20	10	9	-	1	-	-	-	-	1	-	-	-	1	23	5	-	1	0	-	-	0	-	-	
	F.		25	12	9	1	1	-	-	-	-	-	-	-	-	-	1	29	5	0	1	0	-	-	-	-	-	
085	B14	Measles ...	M.	8	-	1	1	1	2	3	-	-	-	-	-	-	0	-	1	0	1	1	-	-	-	-	-	
	F.		4	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	1	-	0	1	-	-	-	-	-	
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)* ...	M.	11	5	5	-	-	-	-	-	1	-	-	-	-	0	11	3	-	-	-	-	-	0	-	-	
	F.		11	4	5	1	-	-	-	-	-	-	-	-	-	-	0	10	3	0	-	-	-	-	-	1	-	
140-205	B18	Malignant neoplasms	M.	88	12	8	5	3	2	4	4	19	12	15	2	2	4	27	4	2	2	1	1	1	6	5	10	
	F.		63	4	4	2	-	2	3	3	7	17	11	8	2	-	2	10	2	1	-	1	1	1	2	6	9	
210-239	B19	Benign and unspecified neoplasms	M.	5172	2	23	22	8	28	75	231	786	1206	1607	1067	117	212	5	12	10	4	8	21	66	245	553	1061	
	F.		4947	2	20	8	6	28	76	305	689	1053	1484	1078	198	-	185	5	11	4	3	7	20	82	194	382	748	
260	B20	Diabetes mellitus...	M.	61	4	1	-	3	2	6	16	11	10	7	1	-	2	9	1	-	1	1	2	5	5	7	11	
	F.		84	2	-	-	1	3	6	8	15	12	24	7	3	-	2	5	-	1	1	2	2	4	12	8	22	
290-293	B21	Anæmias ...	M.	142	-	-	-	1	6	11	11	21	44	43	5	-	6	-	-	-	-	-	2	3	3	10	29	
	F.		335	-	-	-	1	2	3	2	15	89	132	85	4	-	13	-	-	-	-	1	1	1	4	32	67	
240-254, 270-289, 294-299	B46.1	Other general diseases	M.	92	-	-	-	1	3	4	11	25	66	52	9	-	4	-	-	-	-	0	-	0	1	4	20	
	F.		177	-	-	2	-	2	3	6	8	11	25	66	52	9	7	7	-	-	-	1	-	1	1	3	9	
330-334	B22	Vascular lesions affecting central nervous system	M.	217	4	3	5	-	6	10	19	34	58	60	16	2	9	9	2	2	-	2	3	5	11	27	40	
	F.		309	5	1	3	1	12	14	30	53	68	79	36	7	-	12	12	1	1	1	3	4	8	15	25	40	
340	B23	Non-meningococcal meningitis	M.	3859	1	3	1	1	6	17	46	166	566	1320	1465	267	158	2	2	0	1	2	5	13	52	259	872	
	F.		5228	2	-	-	2	7	16	63	283	654	1704	1901	594	-	196	5	1	-	1	2	4	17	80	237	859	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
300-326, 341-398	B46.2	Other diseases of nervous system ...	{ M. F.	461 499	8 12	9 10	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	10 11	
400-402	B24	Rheumatic fever ...	{ M. F.	21 23	- -	1 2	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	
410-416	B25	Chronic rheumatic heart disease ...	{ M. F.	291 587	- -	2 5	15 24	43 51	47 49	59 61	115 121	92 97	50 54	24 28	13 15	13 15	13 15	13 15	13 15	13 15	13 15	13 15	13 15	13 15	
420-422	B26	Arteriosclerotic and degenerative heart disease	{ M. F.	9192 8115	1 -	3 3	39 42	176 211	67 98	746 757	1708 1908	2800 2937	2945 3207	767 1353	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
430-434	B27	Other diseases of heart ...	{ M. F.	522 617	- 2	3 1	9 13	14 21	43 59	158 191	160 197	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	36 49	
440-443	B28	Hypertension with heart disease	{ M. F.	366 525	- -	- -	1 1	7 7	31 31	83 83	200 201	181 21	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	22 22	
444-447	B29	Hypertension without heart disease ...	{ M. F.	408 427	- -	- -	3 3	7 7	26 48	82 89	109 138	127 127	45 45	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
450-468	B46.3	Other circulatory disease	{ M. F.	694 730	- -	- 1	1 4	8 14	33 61	171 306	109 163	298 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	167 167	
480-483	B30	Influenza ...	{ M. F.	141 175	6 6	1 1	1 8	6 6	21 22	22 28	36 45	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	46 20	
490-493	B31	Pneumonia (except of newborn) ...	{ M. F.	993 888	203 163	37 29	3 7	5 13	24 33	63 49	122 86	203 181	258 225	60 89	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
500-502	B32	Bronchitis...	{ M. F.	1291 734	17 6	2 2	3 5	18 39	105 105	382 292	250 194	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	250 96	
470-475, 510-527	B46.4	Other respiratory diseases	{ M. F.	397 237	13 8	9 7	2 1	5 8	14 14	48 107	104 52	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	68 34	
540, 541	B33	Ulcer of stomach and duodenum ...	{ M. F.	484 155	1 -	- -	1 5	37 25	87 23	122 41	128 46	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	16 5	
550-553	B34	Appendicitis ...	{ M. F.	64 54	- 1	4 3	2 3	6 10	12 7	9 12	10 6	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	6 -	
560, 561, 570	B35	Intestinal obstruction and hernia ...	{ M. F.	207 217	19 9	1 1	2 2	5 11	23 35	49 74	47 54	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	15 16	
543	B36.1	Gastritis and duodenitis ...	{ M. F.	7 11	1 -	- -	- 1	1 1	- 2	2 2	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	2 4	
571, 572	B36.2	Diarrhoea (except of newborn) ...	{ M. F.	146 164	80 50	10 7	3 2	1 6	4 12	14 12	17 32	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	25 5	
581	B37	Cirrhosis of liver ...	{ M. F.	100 66	1 -	- -	- 1	2 3	10 11	26 19	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	4 1	
580, 582-586	B46.5	Other diseases of liver ...	{ M. F.	79 186	2 3	- -	- 1	2 9	17 31	61 61	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	49 13	
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases ...	{ M. F.	85 88	7 4	1 -	- 3	2 2	6 9	19 18	15 27	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	23 5	
590-594	B38	Nephritis and nephrosis ...	{ M. F.	266 302	1 2	6 5	2 1	13 13	11 19	27 21	34 40	42 51	68 82	15 13	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

Note.—* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1952—continued

INTERNATIONAL NOS.		CAUSES OF DEATH	Sex	NUMBERS AGED										85 and over	All Ages	DEATH-RATE PER 100,000 AT AGES										85 and over
Detailed List	Abbreviated List			All Ages	1-	5-10	15-25	35-45	55-65	75-	85 and over	Not stated	1-			5-10	15-25	35-45	55-65	75-						
610 600-609, 611-637 640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689 690-749	B39	Hyperplasia of prostate ...	M.	453	-	-	-	-	-	-	32	144	215	62	19	-	-	-	-	-	15	95	351	937		
	B46.7	Other diseases of genito-urinary system... {	M. F.	160 150	2 2	- 1	4 3	6 -	7 7	11 31	19 30	39 32	52 22	19 9	7 6	5 5	1	2	3	9	26 11	85 16	287 25	67		
	B40.0	Puerperal sepsis including post-abortive sepsis ...	F.	22	-	-	-	4	11	7	-	-	-	-	1	-	-	1	3	2	-	-	-	-		
	B40.1	Other puerperal causes ...	F.	70	-	-	-	10	36	23	1	-	-	-	3	-	-	3	10	6	0	-	-	-		
750-759 760-762	B46.8	Diseases of skin and organs of locomotion ... {	M. F.	94 139	1 4	5 1	3 -	3 2	4 9	9 7	19 13	22 48	27 37	4 11	4 5	10 3	0	1	1	1	3	9	15	44		
	B41	Congenital malformations {	M.	299	240	18	10	3	8	3	6	7	1	3	12	550	10	5	2	2	1	2	0	2		
763 764 765-768 769-776	B42	Birth injuries, post-natal asphyxia and atelectasis {	M. F.	398 272	398 272	- -	- -	- -	- -	- -	- -	- -	- -	- -	16 10	912 649	- -	- -	- -	- -	- -	- -	- -	- -		
	B43.1	Pneumonia of newborn ... {	M.	71	71	-	-	-	-	-	-	-	-	-	3	163	-	-	-	-	-	-	-	-		
783 764 765-768 769-776	B43.2	Diarrhoea of newborn ... {	M. F.	14 10	14 10	- -	- -	- -	- -	- -	- -	- -	- -	- -	0 24	32 100	- -	- -	- -	- -	- -	- -	- -	- -		
	B43.3	Other infections of the newborn ... {	M. F.	7 3	7 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	0 7	16 7	- -	- -	- -	- -	- -	- -	- -	- -		
794 780-793, 795 E963, E970-979	B44	Other diseases peculiar to early infancy ... {	M. F.	486 343	485 343	1 -	- -	- -	- -	- -	- -	- -	- -	20 13	1111 818	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
	B45.0	Senility ... {	M. F.	368 657	- -	- -	- -	- -	- -	- -	- -	- -	212 298	114 327	15 25	- -	- -	- -	- -	- -	- -	- -	346 338	1723 2435		
E810-835 E840-845	B45.1	Causes ill-defined and unknown ... {	M. F.	533 365	52 38	8 9	2 1	1 4	5 10	18 64	101 32	138 54	119 82	25 33	22 14	119 91	4 5	1 0	0 1	5 3	20 2	46 9	91 41	378 109		
	BE49	Suicide ... {	M. F.	189 92	- -	- -	- -	10 3	10 7	34 14	45 18	46 23	35 20	9 7	8 3	- -	- -	- -	3 1	3 2	10 4	21 5	23 8	15 10		
E800-802, E850-962, E864-965, E980-999	BE47	Motor vehicle accidents ... {	M. F.	326 125	- 2	38 20	40 10	7 4	48 21	34 4	29 10	34 20	17 12	2 1	13 5	- 11	18 5	4 2	14 6	10 1	9 3	19 7	28 14	30 7		
	BE48.0	Other road transport accidents ... {	M. F.	24 8	- -	1 -	2 2	2 4	1 1	6 1	3 2	1 3	2 1	0 -	1 0	- -	- -	1 1	1 0	3 1	0 2	2 2	10 15	- -		
	BE48.1	Other violence (BE 50) ... {	M. F.	1015 756	95 72	35 25	37 13	31 7	105 21	99 16	151 23	112 45	98 104	105 257	42 131	218 172	19 14	17 6	16 4	31 6	28 4	29 6	47 13	695 52		
		ALL CAUSES ... {	M. F.	31401 30109	1819 1362	292 247	176 106	91 71	411 376	626 587	1160 1028	3087 2137	5464 4036	8364 7910	1286 1127	4168 3248	157 139	81 50	47 37	122 100	177 158	331 276	960 601	2503 1463		
		BOTH SEXES ... {		61510	3181	539	282	162	787	1213	2188	5224	9500	16274	17002	5158	-	-	-	-	-	-	-	-		

Note.—Numbers in brackets after titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

INTERNATIONAL NOS.		CAUSES OF DEATH	NUMBERS					DEATH-RATE PER 100,000 OF POPULATION						
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties ex Cities and Large Burghs†	Small Burghs	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties ex Cities and Large Burghs†	Small Burghs	Land-ward
001-008	B1	Tuberculosis of respiratory system	1,409	732	263	414	140	274	28	38	31	18	17	18
010-019	B2	Tuberculosis, other forms	203	93	32	78	24	54	4	5	4	3	3	4
020-029	B3	Syphilis and its sequelæ	110	58	13	39	18	21	2	3	2	2	2	1
040	B4	Typhoid fever	1	—	—	1	—	1	0	—	—	0	—	0
045-048	B6	Dysentery, all forms	6	3	—	3	—	3	0	0	—	0	—	0
050-051	B7	Scarlet fever and streptococcal sore throat...	5	2	1	2	1	1	0	0	0	0	0	0
055	B8	Diphtheria	8	7	1	—	—	—	0	0	0	—	—	—
056	B9	Whooping-cough	26	3	4	19	6	13	1	0	0	1	1	1
057	B10	Meningococcal infections	45	17	4	24	8	16	1	1	0	1	1	1
080	B12	Acute poliomyelitis	12	2	2	8	3	5	0	0	0	0	0	0
085	B14	Measles	22	9	3	10	2	8	0	0	0	0	0	1
030-039, 041-044, 049, 052-054, 058-074, 081- 084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	151	62	26	63	15	48	3	3	3	3	2	3
140-205	B18	Malignant neoplasms	10,119	4,259	1,526	4,334	1,688	2,646	198	221	182	184	201	174
210-239	B19	Benign and unspecified neoplasms	145	65	20	60	24	36	3	3	2	3	3	2
260	B20	Diabetes mellitus	477	171	73	233	95	138	9	9	9	10	11	9
290-293	B21	Ananias	269	104	35	130	49	81	5	5	4	6	6	5
240-254, 270-289, 294-299	B46.1	Other general diseases	526	208	72	246	96	150	10	11	9	10	11	10
330-334	B22	Vascular lesions affecting central nervous system	9,087	3,442	1,417	4,228	1,708	2,520	178	179	169	180	204	166
340	B23	Non-meningococcal meningitis	72	33	8	31	13	18	1	2	1	1	2	1
300-326, 341-398	B46.2	Other diseases of nervous system	960	398	129	433	162	271	19	21	15	18	19	18
400-402	B24	Rheumatic fever	44	19	8	17	5	12	1	1	1	1	1	1
410-416	B25	Chronic rheumatic heart disease	878	380	138	360	144	216	17	20	16	15	17	14
420-422	B26	Arteriosclerotic and degenerative heart disease	17,307	6,340	2,664	8,303	3,265	5,038	338	330	318	353	390	332
430-434	B27	Other diseases of heart	1,139	413	218	508	172	336	22	21	26	22	21	22
440-443	B28	Hypertension with heart disease	891	337	152	402	153	249	17	18	18	17	18	16
444-447	B29	Hypertension without heart disease	835	296	128	411	169	242	16	15	15	17	20	16
450-468	B46.3	Other circulatory disease	1,424	522	189	713	262	451	28	27	23	30	31	30
480-483	B30	Influenza	316	155	43	118	35	83	6	8	5	5	4	5
490-493	B31	Pneumonia (except of newborn)	1,881	891	294	696	220	476	37	46	35	30	26	31
500-502	B32	Bronchitis	2,025	1,038	353	634	243	391	40	54	42	27	29	26
470-475, 510-527	B46.4	Other respiratory diseases	634	221	127	286	87	199	12	11	15	12	10	13

* Including paratyphoid fever, erysipelas, septicaemia and tetanic encephalitis. † Including Small Burghs and Landward.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1952—continued

INTERNATIONAL NOS.		NUMBERS.							DEATH-RATE PER 100,000 OF POPULATION					
Detailed List	Abbreviated List	CAUSES OF DEATH		Counties			Land-ward	Scotland	Counties		Large Burghs	Counties		Land-ward
		Scotland	Counties of Cities	Large Burghs	Counties of Cities and Large Burghs†	Small Burghs			Counties of Cities	Large Burghs		Counties of Cities and Large Burghs†		
540, 541 550-553 560, 561, 570 543 571, 572 581 580, 582-586 530-539, 542, 544, 545, 573-578, 587 590-594 610 600-609, 611-637 640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689 690-749 750-759 760-762 763 764 765-768 769-776 794 780-793, 795 E963, E970-979 E810-835 E840-845 E800-802, E850-962, E964-965, E980-999	B33 B34 B35 B36.1 B36.2 B37 B46.5 B46.6 B38 B39 B46.7 B40.0 B40.1 B46.8 B41 B42 B43.1 B43.2 B43.3 B44 B45.0 B45.1 BE49 E810-835 BE47 BE48.0 BE48.1	Ulcer of stomach and duodenum ... Appendicitis ... Intestinal obstruction and hernia ... Gastritis and duodenitis ... Diarrhea (except of newborn) ... Cirrhosis of liver ... Other diseases of liver ... Other digestive diseases ... Nephritis and nephrosis ... Hyperplasia of prostate ... Other diseases of genito-urinary system ... Puerperal sepsis including post-abortive sepsis ... Other puerperal causes ... Diseases of skin and organs of locomotion ... Congenital malformations ... Birth injuries, post-natal asphyxia and atelectasis ... Pneumonia of newborn ... Diarrhea of newborn ... Other infections of the newborn ... Other diseases peculiar to early infancy ... Senility ... Causes ill-defined and unknown ... Suicide ... Motor vehicle accidents ... Other road transport accidents ... Other violence (BE50) ...	639 118 424 18 310 166 265 173 568 453 310 22 70 233 610 670 113 24 10 829 1,025 898 281 451 32 1,771	256 36 151 9 134 82 100 89 190 142 134 7 25 93 245 261 49 13 2 276 234 359 143 157 14 665	91 20 63 5 55 25 44 23 85 58 41 4 11 26 104 105 18 2 1 171 175 154 42 69 5 280	292 62 210 4 121 59 121 61 293 253 135 11 34 114 261 304 46 9 7 382 616 385 96 225 13 826	115 19 76 1 42 21 48 29 98 99 60 2 9 50 89 123 21 3 133 194 117 64 64 5 267	177 43 134 3 79 38 73 32 195 154 75 9 25 64 172 181 25 3 4 249 422 268 56 161 8 559	12 2 8 0 6 7 5 3 11 9 6 0 1 12 13 13 2 0 0 16 21 18 7 9 1 35	13 2 8 0 7 4 5 5 10 7 7 0 1 13 2 1 0 0 20 12 19 5 8 1 35	11 2 8 1 7 3 5 3 10 10 5 0 1 12 13 13 2 0 0 16 21 18 7 8 1 33	12 3 9 0 5 3 6 3 12 11 15 3 2 0 0 16 26 16 4 5 8 1 35	14 2 9 0 5 5 6 3 12 11 7 0 1 5 6 11 3 0 0 23 28 14 4 1 1 32	12 3 9 0 5 3 5 2 13 12 5 1 2 4 11 12 2 0 16 28 18 5 11 1 37

**TABLE 37.—Deaths from Selected Causes and in Age-groups
in Scotland, 1950-1952**

International Nos. Abbreviated List	CAUSES OF DEATH	1952	1951	1950				
B1	Tuberculosis of respiratory system	1,409	1,886	2,439	—	—	—	—
B2	Tuberculosis, other forms	203	293	336	—	—	—	—
B3	Syphilis and its sequelæ	110	149	170	—	—	—	—
B4	Typhoid fever	1	1	—	—	—	—	—
B6	Dysentery, all forms	6	15	14	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	5	1	4	—	—	—	—
B8	Diphtheria	8	5	3	—	—	—	—
B9	Whooping-cough	26	98	61	—	—	—	—
B10	Meningococcal infections	45	44	35	—	—	—	—
B12	Acute poliomyelitis	12	24	64	—	—	—	—
B14	Measles	22	25	38	—	—	—	—
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	151	179	175	—	—	—	—
B18	Malignant neoplasms	10,119	9,840	10,029	—	—	—	—
B19	Benign and unspecified neoplasms	145	169	221	—	—	—	—
B20	Diabetes mellitus	477	559	565	—	—	—	—
B21	Anæmias	269	345	357	—	—	—	—
B46.1	Other general diseases	526	614	569	—	—	—	—
B22	Vascular lesions affecting central nervous system	9,087	9,122	8,732	—	—	—	—
B23	Non-meningococcal meningitis	72	59	58	—	—	—	—
B46.2	Other diseases of nervous system	960	1,167	1,120	—	—	—	—
B24	Rheumatic fever	44	49	57	—	—	—	—
B25	Chronic rheumatic heart disease	878	900	942	—	—	—	—
B26	Arteriosclerotic and degenerative heart disease	17,307	18,447	17,662	—	—	—	—
B27	Other diseases of heart	1,139	1,324	1,249	—	—	—	—
B28	Hypertension with heart disease	891	831	450	—	—	—	—
B29	Hypertension without heart disease	835	648	539	—	—	—	—
B46.3	Other circulatory disease	1,424	1,219	1,257	—	—	—	—
B30	Influenza	316	958	386	—	—	—	—
B31	Pneumonia (except of newborn)	1,881	2,297	2,117	—	—	—	—
B32	Bronchitis	2,025	2,488	2,259	—	—	—	—
B46.4	Other respiratory diseases	634	657	632	—	—	—	—
B33	Ulcer of stomach and duodenum	639	619	629	—	—	—	—
B34	Appendicitis	118	118	154	—	—	—	—
B35	Intestinal obstruction and hernia	424	394	370	—	—	—	—
B36.1	Gastritis and duodenitis	18	34	36	—	—	—	—
B36.2	Diarrhoea (except of newborn)	310	438	477	—	—	—	—
B37	Cirrhosis of liver	166	169	163	—	—	—	—
B46.5	Other diseases of liver	265	302	271	—	—	—	—
B46.6	Other digestive diseases	173	225	172	—	—	—	—
B38	Nephritis and nephrosis	568	650	699	—	—	—	—
B39	Hyperplasia of prostate	453	425	509	—	—	—	—
B46.7	Other diseases of genito-urinary system	310	376	339	—	—	—	—
B40.0	Puerperal sepsis including post-abortion sepsis	22	28	23	—	—	—	—
B40.1	Other puerperal causes	70	71	83	—	—	—	—
B46.8	Diseases of skin and organs of locomotion	233	246	240	—	—	—	—
B41	Congenital malformations	610	602	613	—	—	—	—
B42	Birth injuries, post-natal asphyxia and atelectasis	670	628	647	—	—	—	—
B43.1	Pneumonia of newborn	113	166	146	—	—	—	—
B43.2	Diarrhoea of newborn	24	34	35	—	—	—	—
B43.3	Other infections of the newborn	10	9	14	—	—	—	—
B44	Other diseases peculiar to early infancy	829	884	958	—	—	—	—
B45.0	Senility	1,025	1,292	1,283	—	—	—	—
B45.1	Causes ill-defined and unknown	898	1,071	997	—	—	—	—
BE49	Suicide	281	276	269	—	—	—	—
BE47	Motor vehicle accidents	451	516	489	—	—	—	—
BE48.0	Other road transport accidents	32	49	41	—	—	—	—
BE48.1	Other violence (BE 50)	1,771	1,743	1,799	—	—	—	—
	ALL CAUSES	61,510	65,778	63,996	—	—	—	—
	AGES AT DEATH							
Under 1		3,181	3,391	3,569	—	—	—	—
1-4		539	664	694	—	—	—	—
5-9		282	309	279	—	—	—	—
10-14		162	200	207	—	—	—	—
15-24		787	895	1,148	—	—	—	—
25-34		1,213	1,432	1,574	—	—	—	—
35-44		2,188	2,426	2,569	—	—	—	—
45-54		5,224	5,444	5,350	—	—	—	—
55-64		9,500	9,942	9,891	—	—	—	—
65-74		16,274	17,232	16,547	—	—	—	—
75-84		17,002	18,197	17,014	—	—	—	—
85 and over		5,158	5,596	5,152	—	—	—	—
Not stated		—	—	2	—	—	—	—
	ALL AGES	61,510	65,778	63,996	—	—	—	—

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnote Table 35 (page 126).

TABLE 38.—Death-rates from Selected Causes and in Age-Groups
in Scotland, 1950-1952

International Nos. Abbreviated List	CAUSES OF DEATH	1952	1951	1950					
		Death-rate per 100,000 of population							
B1	Tuberculosis of respiratory system	28	37	47	—	—	—	—	—
B2	Tuberculosis, other forms	4	6	7	—	—	—	—	—
B3	Syphilis and its sequelæ	2	3	3	—	—	—	—	—
B4	Typhoid fever	0	0	—	—	—	—	—	—
B6	Dysentery, all forms	0	0	0	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	0	0	0	—	—	—	—	—
B8	Diphtheria	0	0	0	—	—	—	—	—
B9	Whooping-cough	1	2	1	—	—	—	—	—
B10	Meningococcal infections	1	1	1	—	—	—	—	—
B12	Acute poliomyelitis	0	0	1	—	—	—	—	—
B14	Measles	0	0	1	—	—	—	—	—
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	3	4	3	—	—	—	—	—
B18	Malignant neoplasms	198	192	194	—	—	—	—	—
B19	Benign and unspecified neoplasms	3	3	4	—	—	—	—	—
B20	Diabetes mellitus	9	11	11	—	—	—	—	—
B21	Anæmia	5	7	7	—	—	—	—	—
B46.1	Other general diseases	10	12	11	—	—	—	—	—
B22	Vascular lesions affecting central nervous system	178	178	169	—	—	—	—	—
B46.2	Non-meningococcal meningitis	1	1	1	—	—	—	—	—
B24	Other diseases of nervous system	19	23	22	—	—	—	—	—
B24	Rheumatic fever	1	1	1	—	—	—	—	—
B25	Chronic rheumatic heart disease	17	18	18	—	—	—	—	—
B26	Arteriosclerotic and degenerative heart disease	338	361	341	—	—	—	—	—
B27	Other diseases of heart	22	26	24	—	—	—	—	—
B28	Hypertension with heart disease	17	16	9	—	—	—	—	—
B29	Hypertension without heart disease	16	13	10	—	—	—	—	—
B46.3	Other circulatory disease	28	24	24	—	—	—	—	—
B30	Influenza	6	19	7	—	—	—	—	—
B31	Pneumonia (except of newborn)	37	45	41	—	—	—	—	—
B32	Bronchitis	40	49	44	—	—	—	—	—
B46.4	Other respiratory diseases	12	13	12	—	—	—	—	—
B33	Ulcer of stomach and duodenum	12	12	12	—	—	—	—	—
B34	Appendicitis	2	2	3	—	—	—	—	—
B35	Intestinal obstruction and hernia	8	8	7	—	—	—	—	—
B36.1	Gastritis and duodenitis	0	1	1	—	—	—	—	—
B36.2	Diarrhœa (except of newborn)	6	9	9	—	—	—	—	—
B37	Cirrhosis of liver	3	3	3	—	—	—	—	—
B46.5	Other diseases of liver	5	6	5	—	—	—	—	—
B46.6	Other digestive diseases	3	4	3	—	—	—	—	—
B38	Nephritis and nephrosis	11	13	14	—	—	—	—	—
B39	Hyperplasia of prostate	9	8	10	—	—	—	—	—
B46.7	Other diseases of genito-urinary system	6	7	7	—	—	—	—	—
B40.0	Puerperal sepsis including post-abortion sepsis	0	1	0	—	—	—	—	—
B40.1	Other puerperal causes	1	1	2	—	—	—	—	—
B46.8	Diseases of skin and organs of locomotion	5	5	5	—	—	—	—	—
B41	Congenital malformations	12	12	12	—	—	—	—	—
B42	Birth injuries, post-natal asphyxia and atelectasis	13	12	13	—	—	—	—	—
B43.1	Pneumonia of newborn	2	3	3	—	—	—	—	—
B43.2	Diarrhœa of newborn	0	1	1	—	—	—	—	—
B43.3	Other infections of the newborn	0	0	0	—	—	—	—	—
B44	Other diseases peculiar to early infancy	16	17	19	—	—	—	—	—
B45.0	Senility	20	25	25	—	—	—	—	—
B45.1	Causes ill-defined and unknown	18	21	19	—	—	—	—	—
BE49	Suicide	5	5	5	—	—	—	—	—
BE47	Motor vehicle accidents	9	10	9	—	—	—	—	—
BE48.0	Other road transport accidents	1	1	1	—	—	—	—	—
BE48.1	Other violence (BE 50)	35	34	35	—	—	—	—	—
	ALL CAUSES	1,203	1,286	1,237	—	—	—	—	—
	AGES AT DEATH	Death-rate per 1,000 of age-group population							
Under 1	37.2	37.7	39.0	—	—	—	—	—
1-4	1.5	1.7	1.8	—	—	—	—	—
5-9	0.7	0.8	0.7	—	—	—	—	—
10-14	0.4	0.5	0.5	—	—	—	—	—
15-24	1.1	1.2	1.5	—	—	—	—	—
25-34	1.7	2.0	2.2	—	—	—	—	—
35-44	3.0	3.3	3.4	—	—	—	—	—
45-54	7.7	8.1	8.1	—	—	—	—	—
55-64	19.2	20.4	19.8	—	—	—	—	—
65-74	46.5	49.3	48.5	—	—	—	—	—
75-84	114.0	124.3	110.3	—	—	—	—	—
85 and over	257.3	306.2	227.2	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—
	ALL AGES	12.03	12.86	12.37	—	—	—	—	—

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnote Table 35 (page 126).

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1952. Quinquennial Averages

YEAR	NUMBER OF DEATHS FROM													
	Typhoid Fever	Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
								All Forms	Respira-tory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	—	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	—	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	—	—	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	—	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	61	3	5	1,237	337	1,447	517	5,678	3,930	6,329	4,507	6,402	1,342	2,606
1926	39	3	—	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	—	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	—	—	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	—	—	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	30	1	0	707	184	791	479	4,663	3,206	6,938	4,160	6,664	978	2,916
1931	20	1	—	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	—	—	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	—	—	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	—	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	—	—	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	22	0	—	545	253	626	435	3,917	2,906	7,498	3,439	5,397	961	2,781
1936	27	—	—	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	—	—	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	—	—	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	—	—	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	—	—	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	19	—	—	311	95	388	463	3,658	2,776	8,019	3,405	4,667	1,028	3,277
1941	7	—	—	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	—	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	—	—	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	—	—	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	—	—	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	10	—	5	94	21	283	269	3,974	3,009	8,688	2,679	3,057	1,077	4,352
1946	8	—	—	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	—	—	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	—	—	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	—	—	—	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	—	1	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50‡	3	0	1	55	5	109	37	3,649	3,111	9,323	2,402	2,609	756	2,620
1951	1	—	—	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	—	22	5	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481a, page 164)

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis"

‡Deaths from 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1952. Quinquennial Averages

YEAR	Typhoid Fever		Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrhoeal Diseases †	Violence
									All Forms	Respiratory					
1855-60	92			36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72	
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82	
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76	
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73	
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67	
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70	
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73	
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69	
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63	
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65	
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63	
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55	
1922	1	0	—	55	5	29	11	119	83	125	117	169	25	50	
1923	1	0	—	23	7	20	10	118	82	130	74	99	24	51	
1924	1	—	—	33	8	33	9	116	80	134	100	158	24	53	
1925	1	0	—	11	8	36	10	111	77	137	86	120	24	58	
1921-25	1	0	0	26	7	30	11	117	81	130	92	131	28	53	
1926	1	0	—	19	7	10	10	100	70	137	78	120	22	55	
1927	1	0	—	14	4	18	10	100	71	143	87	137	20	61	
1928	1	—	—	21	3	22	10	97	68	142	74	126	21	60	
1929	0	—	—	3	2	19	10	95	68	147	111	182	20	62	
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63	
1926-30	1	0	—	15	4	16	10	96	68	143	86	137	20	60	
1931	0	0	—	13	3	20	7	87	62	148	80	112	18	56	
1932	0	—	—	18	5	9	8	84	61	153	75	126	23	58	
1933	0	—	—	1	6	16	7	80	60	153	74	111	22	58	
1934	0	0	—	21	7	8	12	75	57	153	57	96	17	57	
1935	1	—	—	3	4	11	10	74	57	157	65	105	18	55	
1931-35	0	0	—	11	5	13	9	80	59	153	70	110	20	57	
1936	1	—	—	12	3	8	8	74	55	159	69	103	24	57	
1937	0	—	—	2	2	14	9	74	56	157	73	123	21	61	
1938	0	—	—	11	2	4	9	69	52	162	50	80	19	58	
1939	0	—	—	0	1	8	8	70	54	161	55	65	20	68	
†1940	0	—	—	5	1	4	14	82	62	170	97	99	19	77	
1936-40	0	—	—	6	2	8	10	74	56	162	69	94	21	64	
†1941	0	—	—	2	1	15	11	85	63	174	67	79	23	115	
†1942	0	—	1	3	1	2	6	82	62	179	52	60	22	69	
†1943	0	—	—	2	0	7	5	83	62	185	62	76	19	67	
†1944	0	—	—	1	0	4	4	82	62	186	50	59	27	57	
†1945	0	—	—	2	0	3	3	79	60	192	52	47	23	53	
1941-45	0	—	0	2	0	6	6	82	62	183	57	64	23	72	
†1946	0	—	—	2	0	2	2	79	64	180	55	61	16	51	
1947	0	—	—	1	0	4	1	80	66	176	50	56	25	51	
1948	0	—	—	1	0	1	1	75	66	181	38	42	14	50	
1949	0	—	—	0	0	2	0	67	60	185	45	50	10	50	
1950	—	0	0	1	0	1	0	54	47	194	45	47	8	50	
1946-50	0	0	0	1	0	2	1	71	61	182	47	51	15	50	
1951	0	—	—	0	0	2	0	43	37	192	53	55	7	51	
1952	0	0	—	0	0	1	0	32	28	198	41	41	4	50	

*, †, §. See footnotes, Table 39. ‡ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poison in Scotland in 1952

ACCIDENTAL POISONING

<i>International No. Detailed List</i>		M.	F.	Total
870	Morphine and other opium derivatives:— Chloral, bromide and laudanum	—	1	1
871	Barbituric acid and its derivatives:— Amylobarbitone sodium (Sodium amytal)	2	3	5
	Barbital...	—	1	1
	Barbitone ...	—	1	1
	Barbituric acid ...	1	—	1
	Butobarbitone ...	—	1	1
	Cyclobarbitone ...	—	2	2
	Pentobarbitone ("Nembutal")	2	—	2
	Phenobarbitone ...	1	3	4
	"Seconal" ...	2	1	3
	Barbiturate, unspecified	5	5	10
872	Aspirin and salicylates:— Aspirin ...	1	1	2
874	Analgesic and soporific drugs:— Narcotic unspecified ...	1	1	2
	Sleeping tablets unspecified ...	—	1	1
876	Strychnine ...	2	—	2
877	Belladonna, hyoscyne and atropine:— Belladonna and aconite ...	1	—	1
	Belladonna, aconite and chloroform liniment ...	1	—	1
	Carried forward ...	19	21	40

<i>International No. Detailed List</i>		M.	F.	Total
878	Brought forward ...	19	21	40
	Other and unspecified drugs:— Digitalis ...	—	1	1
	Digoxin ...	—	1	1
	Ferrous sulphate (Fersolate) ...	1	1	2
880	Alcohol:— Ethyl alcohol ...	1	—	1
	Alcohol (unspecified) ...	1	—	1
882	Industrial solvents:— Trichlorethylene ...	1	—	1
883	Corrosive aromatics, acids and caustic alkalis:— Creosote ...	1	—	1
	Sulphuric acid ...	1	—	1
888	Other and unspecified solid and liquid substances:— Anti-histamine (unspecified) ...	—	1	1
	Permanganate ...	1	—	1
	Yellow phosphorus ...	—	1	1
	Unspecified ...	—	1	1
890	Gases in domestic use ...	91	98	189
892	Other carbon monoxide gas:— Carbon monoxide ...	2	1	3
893	Cyanide gas ...	1	—	1
894	Other specified gases and vapours:— Carbon dioxide ...	1	—	1
	Gas poisoning (unspecified) ...	1	—	1
	Total ...	122	126	248

SUICIDAL AND SELF-INFLICTED POISONING

<i>International No. Detailed List</i>		M.	F.	Total
970	Analgesic and soporific substances:— Amylobarbitone sodium (Sodium amytal) ...	1	3	4
	Aspirin ...	2	—	2
	Aspirin and codeine ...	—	1	1
	Butobarbitone (Soneryl) ...	1	—	1
	Carbital ...	—	1	1
	Medinal ...	1	—	1
	Morphine ...	1	—	1
	Nembutal ...	2	—	2
	Phenobarbitone (Luminal) ...	4	3	7
	Seconal, Medinal and Phenobarbitone ...	1	—	1
	Sodium seconal... ..	—	2	2
	Barbiturate, unspecified	1	—	1
	Veronal ...	1	—	1
	Carried forward ...	14	11	25

<i>International No. Detailed List</i>		M.	F.	Total
971	Brought forward ...	14	11	25
	Other solid and liquid substances:— Ammonia ...	1	—	1
	Camphor and phenol ...	—	1	1
	Lysol ...	3	3	6
	Sodium chlorate ...	1	—	1
972	Gases in domestic use ...	76	51	127
	Total ...	95	66	161

DEATHS UNDER ANÆSTHETICS (SECONDARY CAUSE)

<i>Name of Anæsthetic</i>	M.	F.	Total
Chloroform and ether	1	—	1
Ether	1	1	2
Ether and ethyl chloride	—	2	2
Ether and nitrous oxide	8	8	16
Ether, nitrous oxide and intraval	1	—	1
Ether, nitrous oxide and "pentothal"	3	—	3
Ether, nitrous oxide, "pentothal" and cyclopropane	—	1	1
Ether, nitrous oxide, "pentothal" and curare	1	—	1
Ether, nitrous oxide, "pentothal", curare and trichlorethylene	—	1	1
Ether, nitrous oxide, "pentothal" and flaxedil	1	—	1
Ether, nitrous oxide and flaxedil	—	1	1
Ether, nitrous oxide, flaxedil and thiopentone	1	1	2
Ether, "pentothal" and curare	1	—	1
Ether, "pentothal" and scoline	—	1	1
Ether, "pentothal", cyclopropane, and flaxedil	1	1	2
Ether and novocaine	1	—	1
Ether and trichlorethylene	3	—	3
Ether and thiopentone	1	—	1
Nitrous oxide	2	4	6
Nitrous oxide and "pentothal"	1	2	3
Nitrous oxide, "pentothal" and curare	—	1	1
Nitrous oxide, "pentothal", curare and trichlorethylene	—	1	1
Nitrous oxide, "pentothal" and flaxe- dil	1	—	1
Nitrous oxide, "pentothal", flaxedil and pethidine	1	1	2
Nitrous oxide, flaxedil, hydrochloride and procaine	1	—	1
Nitrous oxide, flaxedil and thiopen- tone	1	1	2
Nitrous oxide, atropine, flaxedil, pethidine and trichlorethylene	1	—	1
Nitrous oxide and nupercaine	1	—	1
Carried forward	33	27	60

<i>Name of Anæsthetic</i>	M.	F.	Total
Brought forward ...	33	27	60
Nitrous oxide and paraldehyde ...	1	—	1
Nitrous oxide and trichlorethylene... ..	2	1	3
Nitrous oxide and pethidine ...	—	1	1
Nitrous oxide, pethidine and tubarine ...	1	—	1
Nitrous oxide, pethidine, procaine, mid, thiopentone and tubarine ...	—	1	1
Ethyl chloride ...	2	—	2
"Pentothal" ...	5	2	7
"Pentothal" and curare ...	—	1	1
"Pentothal", curare and pethidine ...	—	1	1
"Pentothal" and cyclopropane ...	—	2	2
"Pentothal" and ethidine ...	—	1	1
"Pentothal", intraval and thiopentone ...	3	—	3
"Pentothal" and scoline ...	2	—	2
"Pentothal" and trichlorethylene ...	1	—	1
"Pentothal" and tubarine ...	—	1	1
Thiopentone ...	1	1	2
Thiopentone and cyclopropane ...	2	—	2
Thiopentone and flaxedil ...	1	—	1
Thiopentone, flaxedil, prostigmin and atropine ...	1	—	1
Thiopentone, flaxedil and trichlorethylene ...	—	1	1
Thiopentone sodium, pethidine, flaxedil and hyoscyne ...	1	—	1
Cyclopropane ...	1	3	4
Cyclopropane and curare ...	1	—	1
Procaine (novocaine and planocaine) ...	—	4	4
Nupercaine ...	—	3	3
Novutox ...	—	1	1
Amethocaine ...	2	—	2
Amethocaine, flaxedil and procaine ...	1	—	1
Pethidine ...	1	—	1
Pethidine and flaxedil ...	—	1	1
Trichlorethylene ...	1	—	1
Zylocaine ...	—	1	1
Anæsthetic not stated ...	2	5	7
Total ...	65	58	123

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES														85 and over	Not stated						
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-	80-
			-1																					
	ALL CAUSES—Both Sexes	61510	3181	219	124	99	97	282	162	315	472	540	673	879	1309	2131	3093	4063	5437	7246	9028	9728	7274	5158
	
		31401	1819	118	68	52	54	176	91	164	247	281	345	453	707	1226	1861	2330	3134	3842	4522	4791	3262	1858
	Males	30109	1362	101	56	47	43	106	71	151	225	259	328	426	602	905	1232	1733	2303	3404	4506	4937	4012	3300
	
	
	Females
	
	
	I. INFECTIVE AND PARASITIC DISEASES	1162	50	24	14	14	10	16	13	14	49	59	76	71	77	116	122	119	110	109	54	35	6	4
		836	43	25	12	7	15	14	12	52	100	96	83	59	60	46	38	43	42	27	27	19	12	4
	
	TUBERCULOSIS (001-019)	941	13	16	10	3	5	9	9	13	46	56	70	67	73	101	107	95	83	82	45	32	5	1
		671	12	12	5	3	11	5	11	51	96	93	80	57	34	33	35	22	19	17	11	5	2	
	
	Respiratory Tuberculosis (001-008)	847	9	7	2	2	1	3	4	7	39	51	68	66	70	95	102	90	79	79	39	29	5	1
		562	7	4	1	3	3	6	38	85	88	75	52	52	53	26	32	29	20	16	12	9	1	2
	
001	Respiratory with occupational disease of lung ...	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	8	-	1	1	-
	
	
002	Pulmonary ...	821	9	6	2	2	1	3	4	7	38	50	66	65	70	94	99	88	76	71	39	27	4	-
		555	6	4	-	-	3	2	6	37	85	88	75	52	53	26	32	28	19	15	12	9	1	2
	
003	Pleural ...	6	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	1	-	-	-	-
	
	
004	Primary complex with symptoms ...	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	
	
005	Tracheobronchial glandular with symptoms ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	
	
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	
	
007	Other respiratory ...	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	
	
008	Unspecified site ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	
	
(a)	Tuberculosis—other forms (010-019)	94	4	9	8	1	4	6	5	6	7	5	2	1	3	6	5	5	4	3	6	3	2	1
		109	5	8	4	3	8	2	5	13	11	5	5	1	4	8	1	6	2	3	5	2	4	1
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system ...	M. { 47 53 F.	4 5 8	8 8 4	1 1 1	4 4 8	4 1 3	4 1 3	4 4 7	3 7 7	2 8 8	1 3 3	1 1 1	2 2 1	1 2 1	2 2 1	1 1 1	2 3 1	1 1 1	1 2 2	1 2 1	1 2 1	1 1 1	1 1 1	
011	Intestines, peritoneum and mesenteric glands ...	M. { 8 12 F.	—	—	—	—	1 1 1	1 1 1	—	—	2 2 2	1 1 1	1 1 1	1 1 1	1 2 1	1 2 1	1 1 1	1 1 1	1 1 1	1 2 2	1 2 1	1 2 1	1 1 1	1 1 1	
	<i>Bones and Joints, active or unspecified—</i>																								
012.0	Vertebral column ...	M. { 9 15 F.	—	—	—	—	—	—	—	3 3 3	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	1 2 1	2 2 1	2 3 1	1 1 1	1 2 2	1 2 1	1 2 1	1 1 1	1 1 1	
012.3	Other bones and joints (012.1 & 2) ...	M. { 4 3 F.	—	—	—	—	—	—	—	1 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	1 2 1	1 1 1	1 1 1	1 1 1	1 2 2	1 2 1	1 1 1	1 1 1	1 1 1	
	<i>Late effects of Bones and Joints—</i>																								
013.0	Vertebral column ...	M. { 1 1 F.	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	
013.3	Other bones and joints (013.1 & 2) ...	M. { — — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
014	Skin and subcutaneous cellular tissue ...	M. { 1 — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	—	—	—	—	
015	Lymphatic system ...	M. { 1 4 F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	—	—	—	
016	Genito-urinary system ...	M. { 15 12 F.	—	—	—	—	—	—	1 1 1	2 1 1	2 1 1	1 1 1	1 2 2	1 1 1	2 1 1	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1	3 1 1	—	—	—	
017	Adrenal glands ...	M. { 2 1 F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	—	—	—	—	
018	Other organs ...	M. { — 2 F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
019	Disseminated tuberculosis ...	M. { 6 6 F.	—	1 1 1	—	—	—	—	1 1 1	1 1 1	—	—	—	—	—	—	—	—	—	—	1 1 1	—	—	—	
	<i>Syphilis and its sequelae (020-029)—Total</i>																								
020	Congenital syphilis ...	M. { 76 34 F.	1 1 1	—	—	—	—	—	—	—	—	—	—	—	2 2 2	4 4 4	5 5 5	19 6 6	19 4 4	17 2 2	3 1 1	5 2 2	1 1 1	—	
021	Early syphilis ...	M. { — — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
022	Aneurysm of aorta ...	M. { 34 11 F.	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	—	—	—	—	—	1 1 1	4 1 1	1 1 1	—	
023	Other cardiovascular syphilis ...	M. { 8 1 F.	—	—	—	—	—	—	—	—	—	—	—	—	1 1 1	1 1 1	—	—	—	—	—	—	—	—	

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	CAUSES OF DEATH	All Ages	AGES																			85 and over	Not Stated			
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-			80-		
			-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	
	I. INFECTIVE AND PARASITIC DISEASES—continued																									
	<i>Syphilis and its sequelæ (020-029)—continued</i>																									
024	Tabes dorsalis ... { M. F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-
025	General paralysis of insane ... { M. F.	17	-	-	-	-	-	-	-	-	-	1	1	1	2	2	5	4	3	1	-	-	-	-	-	-
026	Other syphilis of central nervous system { M. F.	8	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	4	-	-	-	-	-	-	-
027	Other forms of late syphilis ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
028	Latent syphilis... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
029	Syphilis unqualified ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	<i>Gonococcal infection and other venereal diseases (030-039)—</i>																									
030	Acute or unspecified gonorrhea { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
031	Chronic gonococcal infection of genito-urinary system { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
032	Gonococcal infection of joint { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(1)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
037	Lymphogranuloma venereum	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
038	Granuloma inguinale venereal	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
039	Other and unspecified venereal diseases	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Infectious Diseases commonly arising in intestinal tract (040-049)—</i>																									
040	Typhoid fever	M. F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
041	Paratyphoid fever	M. F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—
042	Other salmonella infections	M. F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
043	Cholera	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
044	Brucellosis (undulant fever)	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045	Bacillary dysentery	M. F.	4	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
046	Amoebiasis	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
047	Other protozoal dysentery	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
048	Unspecified forms of dysentery	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
049	Food poisoning (infection and intoxication)	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050	Other Bacterial Diseases (050-064)— Scarlet fever	M. F.	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
051	Streptococcal sore throat	M. F.	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
052	Erysipelas	M. F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not Stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
053	I. INFECTIVE AND PARASITIC DISEASES— <i>continued</i> <i>Other Bacterial Diseases (050-064)—continued</i> Septicæmia and pyæmia ... { M. F.	25 16	10 3	1 —	1 —	—	—	—	2	—	—	—	—	1	1	—	—	3	3	—	1	—	—	1	
054	Bacterial toxæmia ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
055	Diphtheria ... { M. F.	5 3	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
056	Whooping-cough ... { M. F.	10 16	9 3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
057	Meningococcal infections ... { M. F.	20 25	10 12	3 6	1 3	5	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
058	Plague ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
059	Tularamia ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
060	Leprosy... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
061	Tetanus... { M. F.	10 2	—	—	—	—	3	1	—	1	—	—	—	—	—	—	3	1	—	1	—	—	—	—	
062	Anthrax ... { M. F.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
063	Gas gangrene ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
064	Other bacterial diseases { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(a)	(h)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b) <i>Spirochaetal diseases, except syphilis</i> (070-074) —	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
070	Vincent's infection	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
071	Relapsing fever { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
072	Leptospirosis icterohemorrhagica (Weil's disease) { M. F.	7	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1	1	1	—	—	—	—	—
073	Yaws { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
074	Other spirochaetal and leptospiro- chaetal infections { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases attributable to viruses (080-096)</i>																									
080	Acute poliomyelitis { M. F.	8 4	—	—	1	—	1	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
081	Late effects of acute poliomyelitis { M. F.	3	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
082	Acute infectious encephalitis { M. F.	5 5	—	1	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
083	Late effects of acute infectious encephalitis { M. F.	15 15	—	—	—	—	—	—	—	—	—	—	1	—	3	2	—	1	8	1	2	—	—	—
084	Smallpox { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles { M. F.	11 11	5 4	3 2	1 1	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
086	Rubella (German measles) { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
087	Chickenpox { M. F.	1 1	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
088	Herpes Zoster { M. F.	3 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
089	Mumps { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
090	Dengue { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
091	Yellow fever { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
I. INFECTIVE AND PARASITIC DISEASES—<i>continued</i>																									
<i>Diseases attributable to Viruses (080-096)— continued</i>																									
092	Infectious hepatitis ... { M. F.	11	1	-	-	-	1	1	-	-	-	1	1	1	1	1	1	2	-	1	-	-	-	-	
093	Glandular fever (infectious mono- nucleosis) ... { M. F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
094	Rabies ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
095	Trachoma ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
096	Other diseases attributable to viruses { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Typhus and other rickettsial diseases (100-108)—</i>																									
100	Louse-borne epidemic typhus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	Flea-borne endemic typhus (murine) { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	Brill's disease, not specified as louse- or flea-borne typhus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
104	Tick-borne typhus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
105	Mite-borne typhus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolhynian fever (trench fever)	M. F.
107	Typhus, unspecified ...	M. F.
108	Other rickettsial diseases ...	M. F.
	<i>Malaria</i> (110-117)—																								
110	Vivax malaria (benign tertian)	M. F.
111	Malariae malaria (quartan) ...	M. F.
112	Falciparum malaria (malignant tertian) ...	M. F.
113	Ovale malaria ...	M. F.
114	Mixed malarial infections ...	M. F.
115	Blackwater fever ...	M. F.
116	Other and unspecified forms of malaria ...	M. F.
117	Recurrent induced malaria ...	M. F.
	<i>Other infective and parasitic diseases</i> (120-138)—																								
120	Leishmaniasis ...	M. F.
121	Trypanosomiasis ...	M. F.
122	Other protozoal diseases ...	M. F.
123	Schistosomiasis ...	M. F.
124	Other trematode infestation ...	M. F.
125	Hydatid disease ...	M. F.

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not Stated			
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
	I. INFECTIVE AND PARASITIC DISEASES—continued																							
	<i>Other infective and parasitic diseases (120-138)—continued</i>																							
126	Other cestode infestation ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
127	Filariasis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichiniasis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	Ankylostomiasis ... { M. F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
130	Infestation with worms of other, mixed and unspecified type ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	Dermatophytosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Actinomycosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	Coccidioidomycosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other fungus infections ... { M. F.	3 1	-	-	-	1 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
135	Scabies ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Other arthropod infestation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138 (a)	Other infective and parasitic diseases (b) { M. F.	3 (c)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 (u)	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
II. NEOPLASMS	TOTAL { M. F.	5233 5031	6 4	3 4	10 4	6 7	5 5	22 11	8 6	12 10	16 18	34 29	41 47	81 110	156 199	302 292	500 412	556 489	661 576	787 715	830 793	709 687	365 398	118 201	
	MALIGNANT NEOPLASMS (140-205)	5172 4947	2 2	3 4	10 4	6 7	4 5	22 8	8 6	12 10	16 18	34 29	41 47	78 110	153 195	297 285	489 404	549 485	657 568	779 701	828 783	702 685	365 393	117 198	
	<i>Malignant neoplasm of buccal cavity and pharynx (140-148)—</i>																								
140	Lip	18 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	2	5	—	3	
141	Tongue	61 23	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	5	3	7	12	16	9	5	
142	Salivary gland	7 12	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	3	1	1	1	1	2	
143	Floor of mouth	32 5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	6	5	8	3	1	
144.a	Palate upper alveoli	22 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	5	7	5	—	
144.b	Cheek internal	9 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	—	3	1	
145	Oral mesopharynx	15 4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	2	5	4	1	—	
146	Nasopharynx	8 2	—	—	—	—	—	1	—	—	1	—	—	—	1	1	1	—	1	1	1	1	—	—	
147	Hypopharynx	8 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	2	1	1	—	—	
148.a	Pharynx	29 10	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	3	1	6	4	5	4	2	
148.b	Throat	11 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	2	4	—	—	
	<i>Malignant neoplasm of digestive organs and peritoneum (150-159)—</i>																								
150	Esophagus	190 148	—	—	—	—	—	—	—	—	—	—	—	1	3	2	5	21	12	29	30	36	30	12	9
151	Stomach	982 831	—	—	—	—	—	—	—	—	—	—	6	4	14	30	58	77	99	133	150	177	143	74	17
			—	—	—	—	—	—	—	—	—	—	4	2	7	11	19	57	61	93	137	161	142	86	51

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																	85 and over	Not stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
II. NEOPLASMS—continued																									
<i>Malignant neoplasm of digestive organs and peritoneum (150-159)—continued</i>																									
152.a	Duodenum ...	M. 4 F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
152.b	Small intestine...	M. 13 F. 16	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	1	1	1	1	1	1	-
153.a	Large intestine	M. 503 F. 646	-	-	-	-	-	-	-	-	-	1	1	2	8	19	26	33	46	80	101	100	64	22	-
153.b	Undefined intestine	M. 94 F. 127	-	-	-	-	-	-	-	-	-	-	-	2	2	1	6	7	14	9	18	20	11	4	-
154	Rectum ...	M. 334 F. 228	-	-	-	-	-	-	-	-	1	1	1	4	3	17	17	28	34	53	68	57	42	8	-
<i>Biliary passages and liver stated to be primary—</i>																									
155.a	Liver ...	M. 51 F. 53	-	-	-	1	-	-	-	-	-	-	2	1	2	5	7	7	7	7	7	8	2	1	-
155.b	Gall bladder	M. 18 F. 56	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	8	6	10	9	6	3	3	-
155.c	Bile ducts	M. 17 F. 21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	5	3	3	3	1	-
156	Liver, secondary and unspecified	M. 21 F. 40	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	3	6	5	1	7	1	2	-
157	Pancreas	M. 197 F. 188	-	-	-	-	-	-	-	-	-	2	-	6	5	13	28	36	25	41	22	15	4	4	-
158	Peritoneum	M. 11 F. 23	-	-	-	-	1	-	-	-	-	-	-	2	1	1	2	4	4	3	2	4	1	1	-
159	Unspecified digestive organs ...	M. 2 F. (c)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b) Malignant neoplasm of respiratory system (160-165) —	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
160	Nose, nasal cavities, middle ear, and accessory sinuses ... { M. F. }	9 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 2	3 2	2 1	1 —	2 1	—	—
161	Larynx ... { M. F. }	79 23	—	—	—	—	—	—	—	—	—	—	1	1	2	5	1	10 1	9 2	13 4	13 2	5 2	2	—	
	<i>Trachea, bronchus, lung specified as primary—</i>																								
162.a	Trachea... { M. F. }	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	
162.b	Bronchus ... { M. F. }	720 142	—	—	—	—	—	—	—	—	1	1	5 3	13 4	33 7	69 17	120 13	122 86	123 82	122 69	64 15	37 15	10 5	1 3	
162.c	Lung ... { M. F. }	508 99	—	—	—	—	—	—	—	—	—	3	2	8 4	16 8	53 3	86 4	82 12	69 19	58 16	36 22	10 3	—	—	
162.d	Pleura ... { M. F. }	2 1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	
	<i>Lung and bronchus, unspecified as primary or secondary—</i>																								
163.a	Trachea... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163.b	Bronchus ... { M. F. }	20	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	5	2	4	3	1	1	—	
163.c	Lung ... { M. F. }	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	3	6	4	2	2	—	
163.d	Pleura ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
164	Mediastinum ... { M. F. }	10 14	—	—	—	—	—	—	1	—	—	—	—	1	—	—	3	2	2	3	2	1	2	3	
165	Thoracic organs secondary ... { M. F. }	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	<i>Malignant neoplasm of breast and genitourinary organs (170-181) —</i>																								
170	Breast ... { M. F. }	8 823	—	—	—	—	—	—	—	—	—	2	1	8	51	65	100	95	1	113	1	3	1	—	
171	Cervix uteri ... F.	228	—	—	—	—	—	—	—	—	—	1	4	6	17	24	26	7	35	25	28	15	15	5	
172	Corpus uteri ... F.	27	—	—	—	—	—	—	—	—	—	—	1	—	2	2	7	4	5	1	5	—	—	—	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																			85 and over	Not stated		
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-			75-	80-
II. NEOPLASMS—continued																									
Malignant neoplasm of breast and genito- urinary organs (170-181)—continued																									
173	Uterus, other parts including chorion- epithelioma	F. 14	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	1	1	2	3	-	-	
174	Uterus, unspecified	F. 206	-	-	-	-	-	-	-	-	1	3	4	8	18	16	30	35	18	36	24	8	5	-	
175	Ovary, Fallopian tube, broad ligament	F. 226	-	-	-	-	-	1	2	-	-	1	5	9	38	30	33	29	24	25	19	6	4	-	
176	Other and unspecified female genital organs	F. 49	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	8	10	5	8	7	3	-
177	Prostate	M. 304	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	26	53	78	76	43	15	-	
178	Testis	M. 24	-	-	-	-	2	-	1	1	5	3	1	3	1	3	1	2	-	1	-	-	-	-	
179. ^a	Penis	M. 15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	1	5	-	-	-	
179. ^b	Scrotum	M. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
179. ^c	Other male genital organs	M. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
180	Kidney	M. 66 F. 56	-	1	1	1	1	2	-	-	-	-	1	1	3	7	6	7	6	13	10	6	2	-	
181. ^a	Bladder	M. 168 F. 70	-	-	-	-	1	-	-	-	-	-	1	-	-	7	10	18	16	28	37	26	15	9	-
181. ^b	Other urinary organs	M. 3 F. 2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	8	10	19	13	11	2	-
Malignant neoplasm of other and un- specified sites (190-199)—																									
190	Melanoma of skin	M. 16 F. 9	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	1	1	2	3	-	-	-	-
191. ^a (a)	Skin of face	M. 14 F. 10	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	3	1	5	-	1	3
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
191.b	Anus ...	M. { F.	6 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	
191.c	Skin, other parts	M. { F.	19 25	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	5	6	2	2		
192	Eye ...	M. { F.	9 6	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	3	1	1	4	3	1		
193.a	Brain ...	M. { F.	78 77	1	1	3	1	2	2	3	1	2	3	8	9	3	21 12	6	5	10	7	2	3	-		
193.b	Spinal cord	M. { F.	6 5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-		
193.c	Other parts of nervous system	M. { F.	2 1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-		
194	Thyroid gland	M. { F.	11 43	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	5	2	6	2	1		
195	Other endocrine glands	M. { F.	7 10	-	1	-	-	-	-	-	-	-	-	1	1	2	1	-	1	2	1	1	-	-		
196.a	Jaw	M. { F.	11 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	2	1		
196.b	Spine	M. { F.	11 11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	3	4	1	-		
196.c	Other bones	M. { F.	38 40	-	1	1	-	-	2	2	3	2	2	2	4	5	3	5	6	3	4	6	2	2		
197	Connective tissue	M. { F.	12 11	-	-	-	-	1	1	1	1	1	-	-	-	1	-	2	-	2	4	1	1	1		
198	Lymph nodes, secondary and un- specified	M. { F.	5 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-		
199.a	Other sites	M. { F.	34 35	1	-	-	-	-	-	-	-	1	2	-	1	2	2	4	2	4	6	7	5	1		
199.b	Unspecified	M. { F.	11 8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	3	2	1	-		
Neoplasms of lymphatic and hematopoietic tissues (200-205)—																										
200	Lymphosarcoma and reticulosarcoma	M. { F.	50 30	-	1	-	-	1	-	2	1	1	1	4	3	7	3	5	6	2	6	2	2	1	-	
201	Hodgkin's disease	M. { F.	68 46	-	-	-	-	2	-	1	2	4	5	8	11	14	8	3	3	6	3	2	-	-	-	
202	Other forms of lymphoma (reticulosis)	M. { F.	15 7	-	-	-	-	-	-	-	-	1	2	2	1	1	3	1	1	1	1	2	1	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																		85 and over	Not Stated			
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
	II. NEOPLASMS—continued																								
	Neoplasms of lymphatic and hematopoietic tissues (200-205)—continued																								
203	Multiple myeloma (plasmacytoma) ... { M. F.	17 13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	3	4	2	-	-	-	
204.0	Lymphatic leukemia ... { M. F.	41 27	-	-	4	1	2	1	1	2	-	2	1	2	2	5	4	4	4	3	6	4	2	1	
204.1	Myeloid leukemia ... { M. F.	25 32	-	-	-	2	1	2	1	-	1	1	2	3	2	6	1	2	-	3	2	1	1	-	
204.4	Other and unspecified (204.2 & 3) ... { M. F.	42 45	1	2	3	1	1	2	-	1	5	3	2	1	-	3	1	2	4	4	4	3	1	1	
205	Mycosis fungoides ... { M. F.	4 1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
	Benign neoplasm (210-229)—																								
210	Buccal cavity and pharynx ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
211	Other parts of digestive system ... { M. F.	5 6	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	1	-	2	-	
212	Respiratory system ... { M. F.	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
213	Breast ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
214	Uterine fibromyoma ... { F.	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	
215	Other uterus ... { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
216	Ovary ... { F.	19	-	-	-	-	-	-	-	1	1	1	-	1	2	3	-	1	2	2	3	-	2	1	
217	Other female genital organs ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
218	Male genital organs ... { M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		
219.a	Bladder	M. F.	9 4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	1	2	-	-			
219.b	Kidney and other urinary organs ...	M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-			
220	Melanoma of skin	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
221	Pilonidal cyst	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
222	Other skin	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
223	Brain and other parts of nervous system	M. F.	16 15	2	-	-	1	1	1	1	1	2	1	1	1	1	2	2	2	3	1	-	-	1			
224	Endocrine glands	M. F.	3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-			
225	Bone and cartilage	M. F.	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
226	Lipoma	M. F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
227	Other muscular and connective tissue ...	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
228	Hæmangioma and lymphangioma ...	M. F.	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-			
229	Other and unspecified organs and tissues	M. F.	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1			
Neoplasm of unspecified nature (230-239)—																											
230	Digestive organs	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
231	Respiratory organs	M. F.	1 1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-			
232	Breast	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
233	Uterus	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
234	Ovary	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
235	Other female genital organs ...	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	II. NEOPLASMS—continued																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
280	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—continued	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281	Avitaminoses and other metabolic diseases (280-289)—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282	Beriberi... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283	Pellagra ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	Scurvy ... { M. F.	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	1
285	Active rickets ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286	Late effects of rickets ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287	Osteomalacia ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288	Other avitaminoses and nutritional deficiency states ... { M. F.	11 6	1	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	3 2	2	-	1	-	-	1
289	Obesity, not specified as of endocrine origin ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290. ^a	Gout ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	Other metabolic diseases ... { M. F.	13 11	2 1	1	-	-	-	1	-	1	2	1	-	1	1	1	1	3 1	2 1	1	-	-	-	-	-
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																								
	TOTAL { M. F.	114 209	1 4	1	-	1	-	2 3	1	2	1	1	4	1	2	4	6	3 7	10 21	13 37	25 39	21 33	18 20	7	11
	Pernicious anaemia ... { M. F.	58 97	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	3	5	14	17	14	5	
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290 ^b	Sub-acute combined degeneration without mention of pernicious anemia	{ M. F. } 3 9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	-	-
291	Iron deficiency anemias (hypochromic anemias) ...	{ M. F. } 4 7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	1	-	-
292	Other anemias of specified type ...	{ M. F. } 21 42	3	-	-	-	-	2	-	1	-	-	1	-	1	3	1	4	1	3	5	3	2	1	-
293	Anamia of unspecified type ...	{ M. F. } 6 22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	3	1	2	4
294	Polycythamia ...	{ M. F. } 2 3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-
295	Hamophilia ...	{ M. F. } 4	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
296	Purpura and other hamorrhagic conditions ...	{ M. F. } 6 13	1	-	-	1	-	1	-	1	-	1	1	-	-	-	1	1	-	1	1	-	1	1	-
297	Agranulocytosis ...	{ M. F. } 2 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
298	Diseases of spleen ...	{ M. F. } 8 15	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	1	2	-	-	1	-
299	Other diseases of blood and blood-forming organs ...	{ M. F. } -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
Psychoses (300-309)—																									
	TOTAL { M. F. }	53 79	4 1	2 1	- -	1 1	1 1	2 1	2 1	2 1	2 3	-	1 3	1 1	2 4	2 3	3 4	6 9	4 8	6 4	2 8	3 5	6 13	1 7	-
300	Schizophrenic disorders (dementia præcox) ...	{ M. F. } 1 8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-
301	Manic-depressive reaction ...	{ M. F. } 4 13	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	1	-	1	1	-	-
302	Involitional melancholia ...	{ M. F. } -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303	Paranoia and paranoid states ...	{ M. F. } 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
304	Senile psychosis ...	{ M. F. } 12 25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	1	7

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List.	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not Stated					
			AGES																							
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— <i>continued</i>																									
	<i>Psychoses (300-309)—continued</i>																									
305	Presenile psychosis ... { M. F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-
306	Psychosis with cerebral arteriosclerosis ... { M. F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307	Alcoholic psychosis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
308	Psychosis of other demonstrable etiology ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
309	Other and unspecified psychoses ... { M. F.	4 8	-	-	-	-	-	-	-	-	-	-	-	1 2	-	1	-	2	1	1	1	-	-	-	-	-
	<i>Psychoneurotic disorders (310-318)—</i>																									
310	Anxiety reaction without mention of somatic symptoms ... { M. F.	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
311	Hysterical reaction without mention of anxiety reaction ... { M. F.	1 3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
312	Phobic reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(s)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
318	Psychoneurotic disorders, other, mixed, and unspecified types	{ M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
<i>Disorders of character, behaviour and intelligence (320-326)—</i>																										
320	Pathological personality	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
321	Immature personality...	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
322	Alcoholism ...	{ M. F.	10 4	-	-	-	-	-	-	-	-	-	1 1	-	1	2	2	2	2	2	1	-	-	-	-	
323	Other drug addiction ...	{ M. F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
324	Primary childhood behaviour disorders ...	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
325	Mental deficiency ...	{ M. F.	16 7	4 1	2 1	1 1	2 1	2 1	2 1	2 1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	
326	Other and unspecified disorders	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																										
		Total { M. F.	4311 5676	25 22	9 9	1 3	2 2	3 1	13 9	7 10	17 11	25 12	15 26	27 25	28 36	57 64	85 123	149 216	233 292	398 430	617 784	796 1018	923 1144	604 830	277 609	
<i>Vascular lesions affecting central nervous system (330-334)—</i>		{ M. F.	3859 5228	1 2	2 2	-	-	1 1	1 1	1 2	2 2	5 9	7 7	13 12	17 17	34 46	56 110	201 365	263 391	365 751	751 966	883 1104	582 797	267 594		
330	Subarachnoid hæmorrhage ...	{ M. F.	69 102	1 1	1 1	-	-	1 1	-	1 1	2 3	3 1	5 5	5 4	7 4	7 15	9 10	6 12	7 14	5 8	3 14	2 8	1 2	-	-	
331	Cerebral hæmorrhage ...	{ M. F.	1813 2553	1 1	2 2	-	-	-	-	-	4 1	2 4	8 11	6 33	25 33	34 69	67 124	127 162	200 239	289 382	374 475	375 509	212 319	89 205	-	
332	Cerebral embolism and thrombosis ...	{ M. F.	1705 2319	1 1	-	-	-	-	-	-	-	2 2	2 2	1 1	2 8	12 11	30 47	64 79	143 123	242 306	333 432	437 523	299 433	139 350	-	
333	Spasm of cerebral arteries ...	{ M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																		85 and over	Not Stated			
			AGES																						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
334	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— <i>continued</i> <i>Vascular lesions affecting central nervous system (330-334)—continued</i> Other and ill-defined vascular lesions affecting central nervous system { M. F.	271 254	-	-	-	-	1	-	-	-	-	-	-	1	3	4	4	15	33	36	67	69	39	-	
340	<i>Inflammatory diseases of central nervous system (340-345)—</i> Meningitis, except meningococcal and tuberculous ... { M. F.	44 28	15 13	5 1	1 2	1 -	4 1	2 3	2 -	3 -	-	2 1	1 -	-	1	2	1	4	-	1	1	3	-	-	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses { M. F.	4 2	1 1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
342	Intracranial and intraspinal abscess { M. F.	11 7	-	-	-	-	1 2	1 1	1 2	1 -	1 -	1 -	1 -	1	1	1	-	1	1	2	-	1	-	-	-
343	Encephalitis, myelitis, and encephalo- myelitis (except acute infectious) { M. F.	16 20	2 -	1 2	1 1	1 1	1 1	1 2	2 -	2 -	-	1 1	2 -	1	2	1	1	4	-	-	1	1	1	-	-
344	Late effects of intracranial abscess or pyogenic infection ... { M. F.	2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	
345	Multiple sclerosis ... { M. F.	72 85	-	-	-	-	-	-	-	-	1	2	2	6	12	9	11	10	9	7	2	2	1	-	-
350	<i>Other diseases of central nervous system (350-357)—</i> Paralysis agitans ... { M. F.	77 82	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	5	8	15	20	17	6	-	-
351	Cerebral spastic infantile paralysis ... { M. F.	14 8	-	1	-	-	-	2	1	2	2	2	1	1	1	1	1	1	-	-	1	-	1	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis ...	M. { F.	42 62	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	5	4	1	11 10 11	18 13	1	3
353	Epilepsy ...	M. { F.	60 66	2 1	3 5	1 1	-	3 5	1 3	6 2	7 6	4 8	8 8	2 5	2 5	5 6	3 4	3	3	2	2	3 3	3	2	1
354	Migraine ...	M. { F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
355	Other diseases of brain ...	M. { F.	36 45	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	3	3	4 4 7	2 7	9 7	6 5	
356	Motor neurone disease and muscular atrophy ...	M. { F.	37 19	-	-	-	-	-	-	1	1	1	1	1	2	5	11 3	5	5	3	2 2 4	1 1 4	1 1	1	1
357	Other diseases of spinal cord ...	M. { F.	9 3	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	2	1	-	1	-	
<i>Diseases of nerves and peripheral ganglia (360-369)—</i>																									
360	Facial paralysis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
361	Trigeminal neuralgia ...	M. { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
362	Brachial neuritis ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
363	Sciatica ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
364	Polyneuritis and polyradiculitis ...	M. { F.	9 3	-	1	-	-	-	-	-	1	-	1	3	-	1	-	-	-	1	2 1	1	-	-	
365	Erythroedema polynurctica ...	M. { F.	2 5	2 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
366	Other and unspecified forms of neuralgia and neuritis ...	M. { F.	2 5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	1	
367	Other diseases of cranial nerves ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
368	Other diseases of peripheral nerves except autonomic ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
369	Diseases of peripheral autonomic nervous system ...	M. { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES														85 and over	Not Stated								
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-	
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— <i>continued</i>																									
	<i>Inflammatory diseases of eye (370-379)—</i>																									
370	Conjunctivitis and ophthalmia ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
371	Blepharitis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
372	Hordeolum (stye) ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
373	Iritis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
377	Inflammation of optic nerve and retina ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
378	Inflammation of lachrymal glands and ducts ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
379	Other inflammatory diseases of eye ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Other diseases and conditions of eye (380-389)—</i>																									
380	Refractive errors ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381 (a)	Corneal ulcer ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
382	Corneal opacity ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
383	Pterygium ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
384	Strabismus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
385	Cataract ... { M. F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	
386	Detachment of retina ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
387	Glaucoma ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
388	Other diseases of eye ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
389	Blindness ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Diseases of ear and mastoid process (390-398)—</i>																										
390	Otitis externa ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
391	Otitis media without mention of mastoiditis ... { M. F.	11 1	2 1	-	-	-	1 -	-	-	3 -	1 -	1 -	-	-	-	1 -	-	1 -	-	-	-	-	1 -	-	-	-
392	Otitis media with mastoiditis ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
393	Mastoiditis without mention of otitis media ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
394	Other inflammatory diseases of ear ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
395	Ménière's disease ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
396	Other diseases of ear and mastoid process ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
397	Deaf mutism ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
398	Other deafness ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	CAUSES OF DEATH	All Ages	AGES																			85 and over	Not Stated		
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-			75-	80-
	VII. DISEASES OF THE CIRCULATORY SYSTEM		11494 11024	M. F.	1 2	-	-	1	2	7 13	21 16	24 23	44 25	64 60	92 95	183 119	356 206	595 294	848 552	1213 788	1513 1245	1908 1848	2114 2138	1544 1947	962 1648
	<i>Rheumatic fever (400-402)—</i>																								
400	Without mention of heart involvement { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
401	With heart involvement ... { M. F.	21 22	-	-	-	1	2	7 3	5 1	1 1	1 1	1 1	2 1	2 1	1 1	1 1	1 1	1 1	3 1	1	1	1	1	-	-
402	Chorea ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	HEART DISEASE (410-443) TOTAL { M. F.	10371 9844	1 2	-	-	-	-	1	-	5 9	13 11	18 19	38 22	57 55	78 83	161 103	320 185	548 261	787 490	1131 717	1394 1126	1746 1664	1892 1930	1350 1730	829 1436
	<i>Chronic rheumatic heart disease (410-416)—</i>																								
410	Mitral valve ... { M. F.	205 466	-	-	-	-	-	-	-	1	4 13	6 8	21 34	16 39	12 40	15 40	20 52	19 36	18 54	15 42	21 36	16 36	11 29	7 12	-
411	Aortic valve specified as rheumatic { M. F.	9 5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	-	2	-	-	-	-
412	Tricuspid valve ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	Pulmonary valve specified as rheumatic ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
414	Other endocarditis specified as rheumatic ... { M. F.	28 36	-	-	-	-	-	-	1	-	2	2	-	2	5	1	5	2	2	4	4	3	1	2	-
415	Other myocarditis specified as rheumatic ... { M. F.	18 27	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	1	4	5	3	5	2	-
416	Other heart disease specified as rheumatic ... { M. F.	31 52	-	-	-	-	-	-	-	4	1	2	-	1	3	6	6	2	3	2	3	1	5	1	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
Arteriosclerotic and degenerative heart disease (420-427)—																									
420.0	Arteriosclerotic heart disease ... { M. F. }	68 51	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	4	9	7	14	16	10	6	—
420.1	Coronary thrombosis (420.2) ... { M. F. }	4923 2815	—	—	—	—	—	—	—	2	2	4	21	43	110	230	414	570	768	793	834	711	301	120	7
421	Chronic endocarditis not specified as rheumatic ... { M. F. }	233 247	—	—	—	—	—	—	3	3	—	2	2	2	8	12	13	29	33	26	46	28	14	10	—
422.0	Fatty degeneration of heart ... { M. F. }	9 36	—	—	—	—	—	—	—	—	—	—	—	2	3	6	3	7	2	1	1	2	1	—	—
422.1	Myocardial degeneration with arterio-sclerosis ... { M. F. }	2097 2606	—	—	—	—	—	—	—	—	—	—	—	1	1	5	18	27	68	182	341	517	552	387	—
422.2	Other myocardial degeneration ... { M. F. }	1862 2360	1	—	—	—	—	—	—	—	—	3	4	4	9	16	34	71	127	219	337	447	346	244	—
Other diseases of heart (430-434)—																									
430	Acute and subacute endocarditis ... { M. F. }	14 18	—	—	—	—	—	—	—	1	3	1	3	1	—	4	—	1	1	—	—	—	—	—	—
431	Acute myocarditis not specified as rheumatic ... { M. F. }	47 72	—	—	—	—	1	—	—	—	—	2	—	1	2	—	6	5	4	9	8	6	2	3	—
432	Acute pericarditis specified as non-rheumatic ... { M. F. }	2 4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
433	Functional disease of heart ... { M. F. }	127 190	—	2	—	—	—	—	—	—	—	2	1	1	3	7	8	15	16	16	40	35	29	17	—
434	Other and unspecified diseases of heart ... { M. F. }	332 333	2	—	—	—	—	—	—	2	2	1	3	5	4	10	16	26	35	43	50	58	51	26	—
Hypertensive disease (440-447)—																									
440	Essential benign hypertension with heart disease ... { M. F. }	1 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
441	Essential malignant hypertension with heart disease ... { M. F. }	3 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
442	Hypertensive heart disease with arteriolar nephrosclerosis ... { M. F. }	39 39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5	6	5	7	6	—
443	Other and unspecified hypertensive heart disease ... { M. F. }	323 475	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	45	57	63	61	38	16	—
444	Essential benign hypertension without mention of heart ... { M. F. }	86 152	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	6	16	13	16	14	7	3

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	AGES																85 and over	Not Stated					
			Ages																						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
445	Essential malignant hypertension without mention of heart ... { M. { F. {	34 24	-	-	-	-	-	-	1	-	1	1	3	7	6	6	4	4	4	3	1	-	-	-	-
446	Hypertension with arteriolar nephrosclerosis without mention of heart ... { M. { F. {	141 95	-	-	-	-	-	-	-	2	2	2	6	3	12	9	15	11	14	14	13	24	16	12	-
447	Other hypertensive disease without mention of heart ... { M. { F. {	147 156	-	-	-	-	-	-	-	-	-	-	-	5	3	4	8	18	23	29	29	19	9	-	
450	Diseases of arteries (450-456)— General arteriosclerosis ... { M. { F. {	512 516	-	-	-	-	-	-	-	-	-	1	-	-	1	2	8	10	44	81	135	132	98	-	
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm ... { M. { F. {	21 26	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	6	4	3	2	3	4	-	
452	Other aneurysm, except of heart and aorta ... { M. { F. {	15 10	-	-	-	-	-	-	-	1	-	-	1	1	1	2	2	1	4	1	1	-	-	-	
453	Peripheral vascular disease ... { M. { F. {	12 5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	-	2	1	1	2	-	
454	Arterial embolism and thrombosis ... { M. { F. {	7 12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	3	5	1	
455	Gangrene of unspecified cause ... { M. { F. {	21 21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	5	7	6	4	
456	Other diseases of arteries ... { M. { F. {	7 8	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	2	1	-	1	-	-	-	
460	Diseases of veins and other diseases of circulatory system (460-468)— Varicose veins of lower extremities ... { M. { F. {	2 9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	2	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hæmorrhoids { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
462	Varicose veins of other specified sites { M. F.	3 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1	1 1	2	—	1	—	—	1	—
463	Phlebitis and thrombophlebitis of lower extremities { M. F.	7 14	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	2	1	1	1	—	—	—
464	Phlebitis and thrombophlebitis of other sites { M. F.	7 15	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—
465	Pulmonary embolism and infarction { M. F.	53 64	—	—	—	—	—	—	—	—	—	—	1	2	1	4	9	7	7	7	6	7	6	5	—
466	Other venous embolism and thrombosis { M. F.	18 18	—	—	—	—	—	—	—	—	—	1	1	2	1	1	3	2	8	13	3	2	1	—	—
467	Other diseases of circulatory system { M. F.	7 3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	1	—	—
468	Certain diseases of lymph nodes and lymph channels { M. F.	2 3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. DISEASES OF THE RESPIRATORY SYSTEM		253 194	31 24	11 8	3 7	9 5	8 15	4 5	10 6	4 5	10 10	4 10	22 14	26 26	43 45	114 58	176 67	246 98	330 142	337 192	380 280	389 331	259 258	157 239	—
Acute upper respiratory infections (470-475)—																									
470	Acute nasopharyngitis (common cold) { M. F.	— 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
471	Acute sinusitis { M. F.	1 —	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
472	Acute pharyngitis { M. F.	1 —	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
473	Acute tonsillitis { M. F.	2 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
474	Acute laryngitis and tracheitis { M. F.	5 6	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
475	Acute upper respiratory infection of multiple or unspecified sites { M. F.	8 2	6 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	Ages																		85 and over	Not Stated		
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-			75-	80-
			-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-
480	VIII. DISEASES OF THE RESPIRATORY SYSTEM— <i>continued</i> <i>Influenza</i> (480-483)—	TOTAL { M. F.	141 175	6 6	1 1	1 1	1 1	1 1	1 3	—	2 5	6 —	2 1	4 4	9 2	12 10	9 13	13 17	13 18	15 27	17 23	19 23	10 20	
		With pneumonia ... { M. F.	49 59	2 2	1 1	1 1	1 1	—	1 3	—	1 —	3 —	1 1	2 3	4 4	1 2	3 6	6 7	4 9	6 9	6 6	5 3	2 5	
		With other respiratory complications { M. F.	28 41	1 3	—	—	1 1	—	—	—	1 2	—	—	—	—	3 6	3 1	3 3	2 6	5 1	2 6	2 9	2 5	
		Unqualified ... { M. F.	59 72	3 1	—	—	—	—	—	—	3 —	2 —	1 —	2 1	1 —	7 4	2 6	6 4	7 7	8 10	9 11	11 11	6 10	
481.a	With digestive manifestations, but without respiratory symptoms { M. F.	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	1 —	—	—	—	—		
481.b	With nervous manifestations, but without digestive or respiratory symptoms { M. F.	4 1	—	—	—	—	—	—	—	—	—	1 —	—	—	2 —	—	—	—	—	—	—	—		
482	<i>Pneumonia</i> (490-493)—	TOTAL { M. F.	993 888	203 163	6 5	3 7	6 4	2 4	4 3	1 6	2 5	11 8	12 5	13 21	26 25	37 24	61 38	80 48	123 70	140 111	118 124	60 89		
490	Lobar ... { M. F.	187 172	14 11	—	—	—	—	1 1	3 2	1 1	2 1	2 5	4 7	1 11	9 23	8 11	23 11	22 21	27 23	28 24	18 14	8 16		
491	Broncho ... { M. F.	673 829	158 140	19 17	5 4	3 2	3 4	1 3	1 —	—	1 2	7 5	5 10	11 11	15 11	23 15	33 24	35 31	47 40	79 74	95 92	84 77	45 68	
492	Primary atypical ... { M. F.	12 5	3 2	—	—	—	—	—	—	—	—	—	—	—	1 —	—	1 —	1 —	—	4 —	1 —	—		
493	Other and unspecified	TOTAL { M. F.	121 82	28 10	1 2	1 2	1 1	—	2 —	—	2 1	2 2	2 2	2 2	1 —	6 1	5 3	7 6	10 9	17 13	15 8	7 5		
500	<i>Bronchitis</i> (500-502)—	TOTAL { M. F.	1291 734	31 17	4 4	1 1	2 2	—	2 —	—	1 —	3 5	8 4	17 14	59 20	99 19	129 39	196 66	195 112	187 146	194 104	98 96		
	Acute Bronchitis ... { M. F.	158 147	27 13	3 4	1 —	1 —	—	—	2 —	—	—	—	2 —	1 —	2 —	3 1	7 4	10 6	16 15	23 17	25 32	19 22		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
501.a	Bronchitis, unqualified	84 M. 62 F.	—	1	—	—	—	1	—	—	—	—	—	—	1	3	6	2	6	11	13	17	7	9	—
501.b	Bronchitis unqualified, with heart disease	88 M. 76 F.	—	—	—	—	—	—	—	—	—	—	—	1	1	2	8	7	10	15	17	17	6	7	—
502.a	Chronic bronchitis	403 M. 200 F.	—	—	—	—	1	—	—	—	—	—	1	2	9	25	37	52	77	62	47	49	25	16	—
502.b	Chronic bronchitis with heart disease	558 M. 249 F.	—	—	—	—	—	—	—	—	1	—	2	4	6	27	45	57	93	91	89	86	41	16	—
<i>Other diseases of respiratory system (510-527)—</i>																									
510	Hypertrophy of tonsils and adenoids	2 M. 3 F.	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
511	Peritonsillar abscess (quinsy)	2 M. 2 F.	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—
512	Chronic pharyngitis and nasopharyngitis	— M. — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
513	Chronic sinusitis	— M. — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
514	Deflected nasal septum	— M. — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
515	Nasal polyp	— M. — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
516	Chronic laryngitis	— M. — F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
517	Other diseases of upper respiratory tract	5 M. 1 F.	1	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—
518	Empyema	7 M. 1 F.	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	1	1	—	—	—	—
519	Pleurisy	17 M. 15 F.	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	1	4	1	1	5	2	—
520	Spontaneous pneumothorax	— M. 2 F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
521	Abscess of lung	7 M. 4 F.	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1	2	1	—	—	—	—	—	—
522	Pulmonary congestion and hypostasis	58 M. 91 F.	2	—	—	—	—	—	—	1	—	—	—	2	—	1	5	2	3	1	11	12	11	14	—
			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	11	19	16	28	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos.	CAUSES OF DEATH	All Ages	AGES																		85 and over	Not Stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-	
523	VIII. DISEASES OF THE RESPIRATORY SYSTEM— <i>continued</i> <i>Other diseases of respiratory system—continued</i> Pneumoconiosis due to silica and silicates (occupational) ... { M. F. ... } Other specified pneumoconiosis and pulmonary fibrosis of occupational origin { M. F. ... } Other chronic interstitial pneumonia { M. F. ... } Bronchiectasis ... { M. F. ... } Other diseases of lung and pleural cavity ... { M. F. ... }	129	-	-	-	-	-	-	-	-	-	-	-	-	5	8	19	31	27	25	10	3	1	-		
524		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
525		16 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	5	1	2	2	1	2	1	-
526		84 68	-	-	1	1	-	-	2	1	2	2	4	7	9	7	7	12	8	5	9	7	3	5	-	-
527		51 32	2 3	2 1	1 1	-	-	-	-	1	-	-	-	1	1	3	8	7	9	4	8	4	1	1	4	-
	IX. DISEASES OF THE DIGESTIVE SYSTEM																									
	TOTAL { M. F. ... }	1172 941	110 60	12 10	5 4	3 1	5 9	4 3	4 5	7 14	14 9	14 16	37 29	40	65 49	102 55	114 73	126 74	134 118	137 150	122 131	69 79	37 47	-	-	
	Diseases of buccal cavity and œsophagus (530-539)—																									
530	Dental caries ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
531	Abscesses of supporting structures of teeth ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
532	Other inflammatory diseases of supporting structures of teeth { M. F. ... }	2 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
533	Disorders of occlusion, eruption and tooth development { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
534	Toothache from unspecified cause ... { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	

(e)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
535	Other diseases of teeth and supporting structures ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
536	Stomatitis ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
537	Diseases of salivary glands ...	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
538	Other diseases of buccal cavity ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
539	Diseases of œsophagus ...	6	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of stomach and duodenum (540-545)—</i>																								
540	Ulcer of stomach ...	185	93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
541	Ulcer of duodenum ...	299	62	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
542	Gastrojejunal ulcer ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
543	Gastritis and duodenitis ...	7	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
544	Disorders of function of stomach ...	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
545	Other diseases of stomach and duodenum ...	16	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Appendicitis (550-553)—</i>																								
550	Acute appendicitis ...	56	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
551	Appendicitis unqualified ...	8	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
552	Other appendicitis ...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
553	Other diseases of appendix ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	Ages																		85 and over	Not Stated			
				-1	1	2	3	4	5	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-
		IX. DISEASES OF THE DIGESTIVE SYSTEM—continued																								
		Hernia of abdominal cavity (560-561)—																								
560		Without mention of obstruction ... { M. F.	25 28	2 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	- 1	1 -	5 2	2 5	3 1	1 5	1 6	3 2	2 2	2 -	
561		With obstruction ... { M. F.	55 76	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 3	2 5	6 7	5 12	10 17	9 12	8 8	4 6		
		Other diseases of intestines and peritonium (570-578)—																								
570		Intestinal obstruction, without mention of hernia ... { M. F.	127 113	15 5	- 1	- -	- -	- 1	- 1	- -	1 -	1 2	2 2	2 2	4 2	6 3	3 3	8 6	10 5	9 7	15 18	17 16	8 13	9 10		
571.0		Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—																								
		Between 4 weeks and 2 years ... { M. F.	87 56	80 50	7 6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
571.1		Over 2 years ... { M. F.	20 36	- -	- 1	1 1	3 2	- -	- -	- -	- -	1 2	2 1	2 2	2 1	3 3	1 6	4 5	2 3	4 14	1 10	7 9	3 6	1 4		
572		Chronic enteritis and ulcerative colitis ... { M. F.	39 72	- -	- -	- -	- -	- -	- -	- -	- 1	1 2	2 1	6 3	1 3	3 6	1 5	1 5	3 3	14 14	10 10	9 9	6 6	2 4		
573		Functional disorders of intestines ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
574		Anal fissure and fistula ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
575		Abscess of anal and rectal regions ... { M. F.	1 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- 1	- 2	1 1		
576		Peritonitis ... { M. F.	22 18	3 1	1 -	- -	- -	- -	- -	- -	1 -	1 -	- -	2 -	- -	2 -	1 2	5 2	2 2	1 2	2 2	2 2	5 1	2 1		
577		Peritoneal adhesion ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritonium	M. 12 F. 15	—	1	—	—	—	—	—	—	—	—	—	1	—	—	3	—	—	1	3	2	1	2	—
<i>Diseases of liver, gall-bladder, and pancreas (580-587)—</i>																									
580	Acute and subacute yellow atrophy... ..	M. 7 F. 17	1	—	—	1	1	—	—	1	—	—	—	—	1	2	2	3	1	—	1	2	—	—	1
581	Cirrhosis of liver	M. 100 F. 66	1	2	—	—	—	—	—	—	1	—	2	6	4	7	15	14	13	16	6	8	5	2	
582	Suppurative hepatitis and liver abscess	M. 4 F. 3	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—	
583	Other diseases of liver	M. 6 F. 5	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	—	
584	Cholelithiasis	M. 17 F. 58	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	5	4	11	14	8	3	2	
585	Cholecystitis without mention of calculi	M. 33 F. 93	—	—	—	—	—	—	—	—	1	2	1	2	3	1	2	2	2	3	6	7	5	—	
586	Other diseases of gall-bladder and biliary ducts	M. 12 F. 10	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	3	3	—	2	1	
587	Diseases of pancreas	M. 14 F. 28	2	2	1	—	—	1	—	—	—	—	1	—	—	—	2	1	1	4	1	—	—	—	
X. DISEASES OF THE GENITO-URINARY SYSTEM																									
M. 879 F. 452																									
<i>Nephritis and nephrosis (590-594)—</i>																									
590	Acute nephritis	M. 14 F. 22	—	2	—	—	1	3	2	3	—	—	2	1	1	1	1	1	1	3	1	2	—	—	
591	Nephritis with oedema, including nephrosis	M. 14 F. 8	1	—	1	—	1	3	1	—	—	—	1	1	2	1	—	1	2	1	1	—	—	—	
592	Chronic nephritis	M. 204 F. 242	—	—	—	—	—	—	—	4	7	6	3	11	10	17	11	18	17	31	27	15	13	14	
593	Nephritis not specified as acute or chronic	M. 32 F. 29	—	—	—	—	—	1	1	2	1	1	1	2	1	1	2	3	1	2	2	7	8	1	
594	Other renal sclerosis	M. 2 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

Internal Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	
	X. DISEASES OF THE GENITO- URINARY SYSTEM—continued																								
	<i>Other diseases of urinary system (600-609)—</i>																								
600	Infections of kidney ... { M. F.	49 71	1	—	—	—	—	—	—	1	—	2	1	—	3	3	3	2	6	4	5	7	5	6	—
601	Hydronephrosis ... { M. F.	17 5	—	—	—	—	—	1	2	—	—	3	—	—	—	1	1	2	2	1	2	2	—	1	—
602	Calculi of kidney and ureter ... { M. F.	14 11	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	2	1	3	1	1	—	2	—
603	Other diseases of kidney and ureter ... { M. F.	4 5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
604	Calculi of other parts of urinary system ... { M. F.	2 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
605	Cystitis ... { M. F.	26 15	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	5	7	4	2	—
606	Other diseases of bladder ... { M. F.	14 2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4	4	1	—
607	Urethritis (non-venereal) ... { M. F.	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
608	Stricture of urethra ... { M. F.	4 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
609	Other diseases of urethra ... { M. F.	7 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	1	—
	<i>Diseases of male genital organs (610-617)—</i>																								
610	Hyperplasia of prostate ... M.	453	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	28	56	88	115	100	62	—
611	Prostatitis ... M.	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	8	3	3	—
612	Other diseases of prostate ... M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		
613	Hydrocele	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
614	Orchitis and epididymitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
615	Redundant prepuce and phimosis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
616	Sterility, male	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
617	Other diseases of male genital organs	M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
<i>Diseases of breast, ovary, Fallopian tube and parametrium (620-626)</i> —																											
620	Chronic cystic disease of breast ...	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
621	Other diseases of breast	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
622	Acute salpingitis and oöphoritis ...	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
623	Chronic salpingitis and oöphoritis ...	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
624	Salpingitis and oöphoritis, unqualified	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
625	Other diseases of ovary and Fallopian tube	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
626	Diseases of parametrium and pelvic peritoneum	F.	13	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	1	3	-	-	-	-		
<i>Diseases of uterus and other female genital organs (630-637)</i> —																											
630	Infective disease of uterus, vagina and vulva	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
631	Uterovaginal prolapse	F.	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	-	-	1	-	-	-		
632	Malposition of uterus	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
633	Other diseases of uterus	F.	8	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-		
634	Disorders of menstruation	F.	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-		
635	Menopausal symptoms	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
636	Sterility, female	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
637	Other diseases of female genital organs	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos	CAUSES OF DEATH	All Ages	AGES															85 and over	Not stated						
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-			55-	60-	65-	70-	75-	80-
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH AND THE PUERPERIUM	Total F.																							
	Complications of pregnancy (640-649)—																								
640	Pyelitis and pyelonephritis of pregnancy F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy ... F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
642.2	Eclampsia (642.3) ... F.	6	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
642.4	Hyperemesis gravidarum ... F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
642.5	Other toxæmias of pregnancy (642.0 & 1) F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
643	Placenta prævia ... F.	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
644	Other hæmorrhage of pregnancy ... F.	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
645	Ectopic pregnancy ... F.	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
646	Anæmia of pregnancy ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
647	Pregnancy with malposition of fœtus in uterus ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
648	Other complications arising from pregnancy ... F.	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
649	Pregnancy associated with other conditions ... F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Abortion (650-652)—																								
650	Without mention of sepsis or toxæmia F.	7	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-
651	With sepsis ... F.	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	With toxæmia, without mention of sepsis ... F.	3	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
660	<i>Delivery without complication (660)—</i> Delivery without complication ... F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
670.a	<i>Delivery with specified complication (670-678)—</i> Placenta prævia F.	3	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
670.b	Other hemorrhage of pregnancy ... F.	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
671	Retained placenta F.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
672	Other postpartum hemorrhage ... F.	11	—	—	—	—	—	—	—	—	—	2	4	1	3	1	—	—	—	—	—	—	—	—	—
673	Abnormality of bony pelvis ... F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
674	Disproportion or malposition of fetus ... F.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
675	Prolonged labour of other origin ... F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
676	Laceration of perineum, without mention of other laceration ... F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
677	Other trauma F.	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
678	Other complications of childbirth ... F.	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	<i>Complications of the puerperium (680-689)—</i>																								
680	Puerperal urinary infection without other sepsis. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
681	Sepsis of childbirth and the puerperium. F.	3	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
682	Puerperal phlebitis and thrombosis. F.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
683	Pyrexia of unknown origin during the puerperium F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
684	Puerperal pulmonary embolism ... F.	14	—	—	—	—	—	—	—	—	—	6	4	3	1	—	—	—	—	—	—	—	—	—	—
685	Puerperal eclampsia F.	8	—	—	—	—	—	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	—	—	—
686	Other forms of puerperal toxæmia ... F.	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
687	Cerebral hemorrhage in the puerperium. F.	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
688	Other and unspecified complications of the puerperium F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
689	Mastitis and other disorders of lactation F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	AGES														85 and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				AGES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	
702	Occupational dermatitis ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
703	Other dermatitis ... { F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	
704	Pemphigus ... { F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	
705	Erythematous conditions ... { F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	2	2	-	
706	Psoriasis and similar disorders ... { F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	
707	Lichen planus ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
708	Pruritus and related conditions ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
709	Corns and callosities ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
710	Other hypertrophic and atrophic conditions of skin ... { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	
711	Other dermatoses ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
712	Diseases of nail ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
713	Diseases of hair and hair follicles ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
714	Diseases of sweat and sebaceous glands ... { F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
715	Chronic ulcer of skin ... { F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	
716	Other diseases of skin ... { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																										
Total { M. { F.		61	-	-	-	-	-	1	1	2	1	1	1	1	1	3	3	3	4	8	7	6	15	5	2	-
Arthritis and rheumatism except rheumatic fever (720-727)—		109	1	-	-	-	-	1	1	1	-	-	-	-	6	3	2	4	8	20	22	21	8	8	-	-
720	Acute arthritis due to pyogenic organisms ... { F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	...	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos.	Detailed List	CAUSES OF DEATH	All Ages	Ages														85 and over	Not stated							
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-			50-	55-	60-	65-	70-	75-	80-
		XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—continued																								
		<i>Arthritis and rheumatism except rheumatic fever—continued</i>																								
721		Acute non-pyogenic arthritis ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
722		Rheumatoid arthritis and allied conditions ... { M. F.	25 65	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	2	2	5	4	3	5	4	2
723		Osteo-arthritis (arthrosis) and allied conditions ... { M. F.	5 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	2	2	—
724		Other specified forms of arthritis ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
725		Arthritis, unspecified ... { M. F.	1 8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
726		Muscular rheumatism ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
727		Rheumatism, unspecified ... { M. F.	1 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
		<i>Osteomyelitis and other diseases of bone and joints (730-738)—</i>																								
730		Osteomyelitis and peritostitis ... { M. F.	4 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
731		Osteitis deformans ... { M. F.	9 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
732		Osteochondrosis ... { M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
733		Other diseases of bone ... { M. F.	2 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		
734	Internal derangement of knee joint ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
735	Displacement of intervertebral disc ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
736	Affection of sacro-iliac joint ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
737	Ankylosis of joint ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
738	Other diseases of joint ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<i>Other diseases of musculoskeletal system</i> (740-749) —																											
740	Bunion ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
742	Synovitis, bursitis, and tenosynovitis of occupational origin { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
743	Infective myositis and other inflammatory diseases of tendon and fascia { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
744	Other diseases of muscle, tendon and fascia ... { M. F.	6 4	- 1	-	-	-	-	-	-	2 1	-	1	-	-	1	-	-	-	-	2 1	1	-	-	-	-	-	
745	Curvature of spine ... { M. F.	6 1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-		
746	Flat foot ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
747	Hallux valgus and varus ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
748	Clubfoot ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
749	Other deformities ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	<i>Birth injuries, asphyxia and infections of newborn (760-769)—</i>																								
760	Intracranial and spinal injury at birth ... { M. 115 F. 93	115 93	115 93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
761	Other birth injury ... { M. 31 F. 19	31 19	31 19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
762	Post-natal asphyxia and atelectasis ... { M. 252 F. 160	252 160	252 160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763	Pneumonia of newborn ... { M. 71 F. 42	71 42	71 42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	Diarrhoea of newborn ... { M. 14 F. 10	14 10	14 10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765	Ophthalmia neonatorum ... { M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
766	Periphagus neonatorum ... { M. 1 F. —	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
767	Umbilical sepsis ... { M. 1 F. 1	1 1	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
768	Other sepsis of newborn ... { M. 5 F. 2	5 2	5 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769	Neonatal disorders arising from maternal toxæmia ... { M. 30 F. 21	30 21	30 21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Other diseases peculiar to early infancy (770-776)—</i>																								
770	Hæmolytic disease of newborn (Erythroblastosis) ... { M. 39 F. 28	39 28	38 28	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771	Hæmorrhagic disease of newborn ... { M. 29 F. 11	29 11	29 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
772	Nutritional maladjustment ... { M. 1 F. 1	1 1	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773. ^a	Congenital debility without immaturity ... { M. 27 F. 20	27 20	27 20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773. ^b	Congenital debility with immaturity ... { M. 18 F. 11	18 11	18 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773. ^c	Other ill-defined diseases peculiar to early infancy ... { M. 10 F. 6	10 6	10 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																	85 and over	Not stated				
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-
774	XV. CERTAIN DISEASES OF EARLY INFANCY—continued Other diseases peculiar to early infancy (770-776)—continued Immaturity with mention of any other subsidiary condition ... { M. F. }	16 14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
775	Immaturity subsidiary to some other cause ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
776	Immaturity, unqualified ... { M. F. }	316 231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	XVI. SYMPTOMS, SENILITY AND IL-DEFINED CONDITIONS TOTAL { M. F. }	901 1022	52 38	6 3	1 4	1 1	2 1	2 1	3 5	1 2	2 5	8 2	10 4	22 10	42 22	43 19	58 35	75 50	105 64	161 164	170 230	139 360	-	-	
780.a	Symptoms referable to systems or organs (780-789)— Certain symptoms referable to nervous system and special senses:— Convulsions under 5 ... { M. F. }	37 27	33 21	3 1	1 4	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
780.b	Other certain symptoms referable to nervous system and special senses ... { M. F. }	2 4	-	-	-	-	-	-	-	-	-	-	-	-	1 1	1 1	-	-	-	-	-	-	-	-	
781	Other symptoms referable to nervous system and special senses ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
782.4	Cardiovascular and lymphatic systems— Heart failure ... { M. F. }	188 166	2 1	1 -	-	-	1 -	-	-	1 2	4 1	4 -	6 3	11 13	17 8	23 18	29 27	35 21	32 30	11 17	10 16	-	-		
782.5	Syncope ... { M. F. }	43 21	1 -	-	-	-	1 -	-	-	-	-	2 1	-	3 -	3 4	4 5	6 4	9 1	3 3	8 2	4 -	-	-		
782.9	Other symptoms of cardiovascular and lymphatic systems (782.0-3 and 6-8) ... { M. F. }	4 -	-	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-		
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system ... { M. F.	6 1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-
784	Upper gastro-intestinal tract... { M. F.	9 8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	2	2	1	2	3
785	Abdomen and lower gastro-intestinal system ... { M. F.	5 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	
786	Genito-urinary system ... { M. F.	13 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	5	2	
787	Limbs and back ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
788	Other general symptoms ... { M. F.	1 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
789	Abnormal urinary constituents of unspecified cause ... { M. F.	2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	
Senility and ill-defined diseases (790-795)—																									
790	Nervousness and debility ... { M. F.	1 1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
791	Headache ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
792	Uraemia unqualified ... { M. F.	30 22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	5	8	6	8	
793	Observation, without need for further medical care ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	3	5	3	
794	Senility without mention of psychosis { M. F.	368 657	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	37	83	129	114	
795.0	Other ill-defined (795.1) ... { M. F.	174 89	15 9	1 1	-	-	-	1	-	1	-	1	2	2	4	10	4	20	18	22	17	18	14	3	
795.5	Unknown or unspecified (795.2-4) ... { M. F.	18 16	1 4	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	2	1	5	2	1	1	
EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)																									
Total { M. F.		1554 981	95 74	18 10	20 12	19 15	16 8	78 23	38 11	65 25	100 22	77 14	82 13	76 17	97 24	104 37	122 36	94 42	104 44	86 54	77 90	83 135	54 143	49 132	
Railway accidents (E800-E802)—																									
E800	Railroad employee ... { M. F.	18	-	-	-	-	-	-	-	1	2	2	-	-	1	3	4	4	1	-	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
E801	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—continued Railway accidents (E800-E802)—continued Passenger { M. F.	3 1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
E802	Other and unspecified person ... { M. F.	22 6	-	-	-	1	1	2	-	-	1	-	3	2	5	2	1	1	3	-	2	1	-	-	
E810	MOTOR VEHICLE ACCIDENTS { F. (E810-E835) { M. TOTAL	326 125	-	4	15	10	9	20	7	12	36	26	22	14	20	15	14	10	24	14	15	14	3	2	
E811	Motor vehicle traffic accidents (E810-E825)— Collision with railway train ... { M. F.	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
E812	Collision with street car ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
E813	Pedestrian { M. F.	159 97	-	4	15	10	9	33	6	4	4	4	2	3	5	5	4	4	13	6	12	2	2	2	
E814	Pedal cyclist { M. F.	23 4	-	2	3	5	8	4	10	2	9	5	2	-	3	-	4	7	6	9	8	3	1	1	
E815	Rider or passenger of motor cycle in collision with non-motor vehicle or object { M. F.	11	-	-	-	-	-	-	-	1	3	1	3	1	2	-	3	1	5	1	-	-	-	-	
E816	Rider or passenger of motor cycle in collision with other motor vehicle { M. F.	34 2	-	-	-	-	-	-	-	-	13	5	4	3	3	4	1	-	-	-	1	-	-	-	
E817	Two or more motor vehicles ... { M. F.	24 14	-	-	-	-	-	-	-	1	2	4	3	3	2	2	1	2	1	2	1	-	-	-	
E818	Occupant of motor vehicle in collision with pedestrian or pedal cycle { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	Collision with animal or animal- drawn vehicle (b) ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object { M. F. ... }	8 2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	1	-	-	-	
E820	While boarding and alighting { M. F. ... }	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-		
E821	Rider of motor cycle not involving collision { M. F. ... }	13	-	-	-	-	-	-	-	-	4	4	2	-	1	-	1	1	-	-	-	-	-		
E822	Overturning in roadway { M. F. ... }	2 2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-		
E823	Running off roadway { M. F. ... }	11 1	-	-	-	-	-	-	-	-	3	-	2	3	2	1	-	1	-	-	-	-	-		
E824	Other non-collision motor vehicle traffic accident { M. F. ... }	17 1	-	-	-	-	-	3	-	1	-	1	3	1	1	-	1	1	1	2	-	1	1		
E825	Unspecified nature { M. F. ... }	7 1	-	-	-	-	-	-	-	1	2	-	1	-	1	2	-	1	-	-	-	-	-		
Motor vehicle non-traffic accidents (E830-E835)—																									
E830	Pedestrian { M. F. ... }	6	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-		
E831	Pedal cyclist { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E832	Rider or passenger of motor cycle { M. F. ... }	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
E833	Two or more motor vehicles { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E834	While boarding and alighting { M. F. ... }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-		
E835	Other and unspecified nature { M. F. ... }	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-		
Other road vehicle accidents (E840-E845)—																									
E840	Street car accident to pedestrian { M. F. ... }	7 6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	3	1		
E841	Other street car accident except collision with motor vehicle { M. F. ... }	2 1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	1	-	-	-		
E842	Accident to pedestrian caused by pedal cycle { M. F. ... }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—continued

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			-1	1- 2-	3-	4-	5-	10- 15-	20- 25-	30- 35-	40- 45-	50- 55-	60- 65-	70- 75-	80-										
E843	EXVIL ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—continued Other road vehicle accidents (E840-E845)— continued Accident to rider of pedal cycle not involving collision with a motor vehicle { M. F.	11	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	-	-	1	-	1	-	1	-
E844	Accident to pedestrian caused by other non-motor road vehicle { M. F.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E845	Other non-motor road vehicle { M. F.	3 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
E850	Water transport accidents (E850-E858)— Submersion of occupant of small boat { M. F.	5	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
E851	Other water transport injury by submersion { M. F.	6	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-
E852	Fall on stairs and ladders in water transport { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E853	Other falls from one level to another in water transport... { M. F.	6	-	-	-	-	-	-	-	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
E854	Falls on same level in water transport { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E855	Unspecified falls in water transport... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E856	Machinery accident in water trans- port { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E857	Other specified accidents in water transport... (b) { M. F.	4 (c)	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E858	Water transport accident of unspecified cause ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E860	<i>Aircraft accidents (E860-E866)—</i>	17	-	-	-	-	-	-	-	5	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
E861	Accident to personnel in military aircraft ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E862	Injury to occupant by accident to commercial "transport" aircraft ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	Other injury in commercial "transport" aircraft ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	Injury to occupant by accident to other aircraft ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E865	Aircraft accident at airfield to person not in aircraft ... { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E866	Aircraft accident elsewhere to person not in aircraft ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E868	Other and unspecified aircraft accidents ... { M. F. }	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ACCIDENTAL POISONING ... { M. F. }	122	2	4	2	1	1	1	1	2	5	9	9	11	4	13	15	4	7	8	10	8	5	2	-
	(E870-E895) ... { M. F. }	126	-	2	2	2	-	-	-	2	3	3	5	5	5	15	8	10	8	7	14	18	13	5	-
	<i>Accidental poisoning by solid and liquid substances (E870-E898)—</i>																								
E870	Morphine and other opium derivatives ... { M. F. }	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E871	Barbituric acid and derivatives ... { M. F. }	13	-	-	-	-	-	-	-	-	1	2	2	1	2	3	3	-	1	2	1	3	-	-	-
E872	Aspirin and salicylates ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E873	Bromides ... { M. F. }	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E874	Other analgesic and soporific drugs ... { M. F. }	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E875	Sulphonamides ... { M. F. }	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E876	Strychnine ... { M. F. }	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E877	Belladonna, hyoscyne and atropine ... { M. F. }	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-	
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)			(t)	(u)	(v)	(w)	(x)
E878	Other and unspecified drugs ... { M. F.	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E879	Noxious foodstuffs ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E880	Alcohol ... { M. F.	2	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E881	Petroleum products ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E882	Industrial solvents ... { M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E883	Corrosive aromatics, acids and caustic alkalis ... { M. F.	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E884	Mercury and its compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E885	Lead and its compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E886	Arsenic, and antimony, and their compounds ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E887	Fluorides ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E888	Other and unspecified solid and liquid substances ... (b) { M. F.	1 3 (c)	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
<i>Accidental poisoning by gases and vapours (E890-E904)—</i>																									
E890	Utility (illuminating) gas ...	91 98	—	1	1	—	—	—	—	—	—	—	—	—	—	1	9	11	4	6	10	6	5	—	
E891	Motor vehicle exhaust gas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E892	Other carbon-monoxide gas ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E893	Cyanide gas ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E894	Other specified gases and vapours ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E895	Unspecified gases and vapours ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Accidental falls (E900-E904)—</i>																									
E900	On stairs ...	29 13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	1	2	6	5	4	—	
E901	From ladders ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	3	1	—	
E902	From one level to another ...	78 30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	6	2	3	1	3	4	—	
E903	On same level ...	27 45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	4	4	3	3	2	—	
E904	Unspecified falls ...	113 308	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	8	4	12	23	31	—	
<i>Other accidents (E910-E936)—</i>																									
E910	Blow from falling object ...	87 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	12	8	10	3	1	—	—	
E911	Caused by vehicle ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	
E912	Caused by machinery...	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	5	3	2	1	—	—	—	
E913	Caused by cutting and piercing instruments ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E914	Caused by electrical current ...	14 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
E915	Caused by explosion of pressure vessel { M. ... { F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E916	Caused by fire and explosion of combustible material { M. ... { F. ...	25 24	-	-	1	6	2	1	1	2	1	2	1	1	2	1	1	2	2	1	3	5	3	1	-
E917	Caused by hot substance, corrosive liquid, and steam { M. ... { F. ...	28 61	1	2	1	2	-	-	-	-	-	-	-	-	4	1	-	2	2	1	4	3	2	-	
E918	Caused by radiation { M. ... { F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E919	Caused by firearm { M. ... { F. ...	16 1	-	-	-	-	-	2	3	2	1	-	-	2	-	-	3	1	1	1	-	-	-	-	
E920	Foreign body entering eye and adnexa { M. ... { F. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E921	Inhalation and ingestion of food causing obstruction or suffocation { M. ... { F. ...	57 34	48 27	3	-	1	-	-	-	1	-	1	-	1	-	-	-	1	2	-	-	1	-	-	
E922	Inhalation and ingestion of other object causing obstruction or suffocation { M. ... { F. ...	3 1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
E923	Foreign body entering other orifice { M. ... { F. ...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
E924	Accidental mechanical suffocation in bed and cradle { M. ... { F. ...	30 28	27 27	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
E925	Accidental mechanical suffocation in other and unspecified circumstances { M. ... { F. ...	23 9	8 9	-	-	-	1	-	-	2	3	1	-	1	1	1	1	2	1	-	-	1	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age { M. F. }	7 5	7 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals { M. F. }	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
E929	Accidental drowning and submersion { M. F. }	162 40	-	2	2	3	2	18	17	14	8	7	7	5	6	15	16	9	8	9	3	6	3	2	-
E930	High and low air pressure { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E932	Excessive cold { M. F. }	5 1	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-
E933	Hunger, thirst and exposure { M. F. }	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
E934	Cataclysm { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E935	Lightning { M. F. }	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E936	Other and unspecified accidents { M. F. }	23 4	-	-	-	-	-	1	2	2	2	2	2	1	2	-	2	2	1	-	2	2	1	1	-
<i>Complications due to non-therapeutic medical and surgical procedures (E940-E946)—</i>																									
E940	Generalized vaccinia following vaccination { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E941	Post-vaccinal encephalitis { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E942	Other complications of smallpox vaccination... .. { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E943	Post-immunization jaundice and hepatitis { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E944	Other complications of prophylactic inoculation { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E945	Complications of anesthesia for non-therapeutic purpose { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated					
			-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-			60-	65-	70-	75-	80-
E946	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)— <i>continued</i> <i>Complications due to nontherapeutic medical and surgical procedures (E940-E946)—continued</i> Other complications due to non- therapeutic medical and surgical procedures { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950	<i>Therapeutic misadventure and late compli- cations of therapeutic procedures (E950- E959)—</i> In surgical treatment ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E951	In infusion or transfusion ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E952	In local applications ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E953	In administration of drugs or biologicals ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E954	In anaesthesia ... { M. F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E955	Other and unspecified therapeutic misadventure ... { M. F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E956	Late complication of surgical operation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E957	Late complication of amputation stump ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E958	Late complication of irradiation ... { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E959	Late complications of other forms of treatment ... (b) { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b) Late effects of injury and poisoning (E960-E965)—	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E960	Motor vehicle accident ... { M. F. }	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E961	Accidental poisoning ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E962	Other accidental injury ... { M. F. }	4	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	1	—	—	—	—
E963	Self-inflicted injury ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E964	Injury purposely inflicted by another person (not in war) ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E965	Injuries due to war operations ... { M. F. }	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—
E970	SUICIDE AND SELF INFLICTED INJURY (E970-E979) TOTAL { M. F. }	189	—	—	—	—	—	—	—	4	6	3	7	13	21	17	28	22	24	19	16	6	3	—	—
E970	Poisoning by analgesic and soporific substances ... { M. F. }	14	—	—	—	—	—	—	—	—	—	—	—	3	2	1	2	3	2	1	1	1	—	—	
E971	Poisoning by other solid and liquid substances ... { M. F. }	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	2	1	—	—	—	
E972	Poisoning by gases in domestic use ... { M. F. }	76	—	—	—	—	—	—	—	2	1	1	3	4	10	7	13	7	8	9	8	1	2	—	
E973	Poisoning by other gases ... { M. F. }	51	—	—	—	—	—	—	—	—	3	1	2	2	3	2	6	6	5	8	8	5	—	—	
E974	Injury by hanging and strangulation ... { M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E974	Injury by hanging and strangulation ... { M. F. }	37	—	—	—	—	—	1	—	—	2	1	—	2	4	5	4	3	8	2	3	3	—	—	
E975	Injury by submersion (drowning) ... { M. F. }	14	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	2	3	3	—	2	1	—	
E975	Injury by submersion (drowning) ... { M. F. }	11	—	—	—	—	—	—	—	—	—	1	—	1	1	3	—	1	1	—	2	1	—	—	
E976	Injury by firearms and explosives ... { M. F. }	19	—	—	—	—	—	—	—	1	2	—	2	2	1	3	3	3	1	—	1	—	—	—	
E977	Injury by cutting and piercing instruments ... { M. F. }	13	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	4	—	3	2	—	1	—	
E977	Injury by cutting and piercing instruments ... { M. F. }	4	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—	
E978	Injury by jumping from high place ... { M. F. }	5	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	—	1	—	—	—	—	
E979	Injury by other and unspecified means ... { M. F. }	6	—	—	—	—	—	—	—	—	—	2	—	1	1	—	1	—	1	—	—	—	—	—	

Table 42.—Causes of Death by Age-groups—Scotland, 1952 (Males and Females)—*continued*

International Nos. Detailed List	CAUSES OF DEATH	All Ages	AGES																85 and over	Not stated							
			1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-			65-	70-	75-	80-			
			(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)			(q)	(r)	(s)	(t)	(u)	(v)	(w)
E980	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—<i>continued</i> <i>Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—</i> Non-accidental poisoning by another { person { M. F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E981		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E982		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E983		5 8	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E984		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990	<i>Injury resulting from operations of war (E990-E995)—</i> Gas and chemicals { F. }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E991		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E992		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E993		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(k)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E994	Marine mine, depth charge, and torpedo	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E995	Explosion of artillery shell ...	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E996	Explosion of undetermined origin ...	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E997	Aircraft destruction ...	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E998	Other and unspecified means ...	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E999	Occurring after cessation of hostilities	M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 43.—Causes of Death by Months—Scotland, 1952

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
		ALL CAUSES—Both Sexes ...	61510	6382	6158	5854	5270	4632	4368	4352	4057	4404	4769	4485	6775
		<i>All Tuberculosis (001-019) TOTAL</i>	1612	191	202	202	138	125	118	99	94	85	105	90	163
001-008	1	Respiratory system ...	1409	175	180	175	122	109	93	85	78	78	87	79	148
010	2	Meninges and central nervous system ...	100	10	12	14	8	4	15	7	6	6	6	7	5
011	3	Intestines, peritoneum and mesenteric glands ...	20	—	3	1	1	2	4	2	2	—	2	—	3
012, 013	4	Bones and joints ...	33	3	3	4	1	3	4	3	4	1	3	3	1
014-019	5	All other forms ...	50	3	4	8	6	7	2	2	4	—	7	1	6
		<i>Syphilis (020-029) TOTAL</i>	110	13	15	7	11	11	6	9	10	9	7	7	5
020	6	Congenital syphilis ...	3	1	—	1	—	—	1	—	—	—	—	—	—
021	7	Early syphilis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis ...	12	—	1	1	—	3	—	—	3	1	1	—	2
025	9	General paralysis of insane ...	22	2	4	—	2	4	—	—	1	4	3	2	—
022-023	10	All other syphilis ...	73	10	10	5	9	4	5	9	6	4	3	5	3
026-029		Gonococcal infection ...	—	—	—	—	—	—	—	—	—	—	—	—	—
030-035		Typhoid fever ...	1	—	—	—	—	—	—	—	—	—	1	—	—
040	12	Paratyphoid fever and other salmonella infections ...	4	—	—	—	—	—	2	—	1	1	—	—	—
041, 042	13	Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Brucellosis (undulant fever) ...	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Dysentery, all forms ...	6	1	—	1	3	—	—	—	1	—	—	—	—
045-048	16	Scarlet fever ...	1	—	—	—	—	—	—	—	—	1	—	—	—
050	17	Streptococcal sore throat ...	4	—	—	—	—	—	—	—	—	1	—	—	3
051	18	Erysipelas ...	1	—	—	—	—	1	—	—	—	—	—	—	—
052	19	Septicæmia and pyæmia ...	41	6	4	1	5	2	—	5	5	2	—	5	6
053	20	Diphtheria ...	8	2	—	2	—	—	—	—	—	—	2	—	2
055	21	Whooping-cough ...	26	4	7	4	1	2	1	—	—	1	1	1	4
056	22	Meningococcal infections ...	45	3	6	5	2	4	4	2	1	3	—	8	7
057	23	Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Leprosy ...	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Tetanus ...	12	1	1	—	2	—	—	—	5	—	2	1	—
061	26	Anthrax ...	1	—	1	—	—	—	—	—	—	—	—	—	—
062	27	Acute poliomyelitis ...	12	—	—	1	2	1	—	2	1	3	2	3	1
080	28	Acute infectious encephalitis ...	10	—	—	1	2	1	—	—	1	1	2	—	2
082	29	Late effects of acute poliomyelitis and acute infectious encephalitis ...	33	3	4	1	5	2	2	3	3	4	3	1	2
081, 083	30	Smallpox ...	—	3	—	—	—	—	—	—	—	—	—	—	—
084	31	Measles ...	22	3	2	3	3	2	4	1	—	—	2	—	—
085	32	Yellow fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Infectious hepatitis ...	21	5	—	—	2	1	4	2	1	1	1	1	3
092	34	Rabies ...	—	—	—	—	—	—	—	—	—	—	—	—	—
094	35	Typhus and other rickettsial diseases ...	1	1	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Malaria ...	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Schistosomiasis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Hydatid disease ...	1	—	—	—	—	—	—	—	—	—	—	—	1
125	39	Filariasis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Ankylostomiasis ...	1	—	—	—	—	—	—	—	—	—	1	—	—
129	41	Other diseases due to helminths ...	1	1	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130, 036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	<i>All other diseases classified as infective and parasitic ...</i>	24	3	1	5	2	3	2	2	1	1	—	3	1
		<i>Malignant neoplasms (140-205) TOTAL</i>	10119	888	849	807	852	791	803	855	863	887	871	785	868
140-148	44	Buccal cavity and pharynx ...	295	33	24	27	23	19	26	25	28	27	20	15	28
150	45	Esophagus ...	338	29	24	22	24	32	30	19	24	36	40	26	32
151	46	Stomach ...	1813	166	155	152	163	139	147	149	153	150	157	141	141
152, 153	47	Intestine (except rectum) ...	1404	134	108	130	132	105	107	125	128	111	115	88	121
154	48	Rectum ...	562	65	47	45	53	44	36	43	49	50	47	42	41
161	49	Larynx ...	102	7	7	9	3	7	12	5	8	7	12	10	15
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	1521	118	127	106	135	125	121	138	129	131	122	137	132
170	51	Breast ...	831	71	76	62	59	63	69	65	73	75	71	82	65
171	52	Cervix uteri ...	228	18	13	19	22	15	22	19	25	20	20	12	23
172-174	53	Uterus other and unspecified parts of uterus ...	247	20	19	20	15	30	9	25	24	31	16	19	19
177	54	Prostate ...	304	26	27	25	33	17	36	26	11	31	27	16	29
190-191	55	Skin ...	102	9	7	5	3	1	5	6	14	9	13	10	10

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
		<i>Malignant neoplasms (140-205)</i> —continued													
196, 197 155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199 204	56	Bone and connective tissue ...	136	6	14	14	12	11	7	9	14	11	11	10	17
200-203, 205	57	Other and unspecified sites ...	1773	141	157	136	143	136	140	162	154	156	160	140	148
210-239	58	Leukæmia and aleukæmia ...	212	20	21	17	10	15	20	14	15	20	18	17	25
	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	251	25	23	18	22	22	16	25	14	22	22	20	22
	60	Benign neoplasms and neoplasms of unspecified nature ...	145	7	7	15	11	13	13	11	7	14	14	15	18
250, 251 252	61	Non-toxic goitre ...	1	—	—	—	—	—	—	—	—	—	—	1	—
	62	Thyrotoxicosis with or without goitre ...	29	1	3	2	—	—	3	4	1	1	4	4	4
260	63	Diabetes mellitus ...	477	55	46	38	38	39	29	27	25	30	55	32	63
280-286	64	Avitaminosis and other deficiency states ...	20	4	—	1	2	4	—	3	—	1	—	2	3
290	65a	Pernicious and other hyperchromic anæmias ...	167	19	19	17	15	18	9	14	14	11	9	13	9
291-293 240-245, 253, 254, 270-277, 287-289, 294-299 300-309 310-324, 326	65b	Other anæmias ...	102	12	6	7	4	13	10	13	4	13	6	9	5
	66	Allergic disorders; all other endocrine, metabolic and blood diseases	476	49	47	46	44	42	39	28	37	32	33	27	52
	67	Psychoses ...	87	8	8	6	5	6	6	5	7	5	13	5	13
	68	Psychoneuroses and disorders of personality ...	22	2	2	3	3	—	1	3	1	1	2	3	1
325	69	Mental deficiency ...	23	3	3	1	1	1	2	2	—	1	3	2	4
330	70a	Subarachnoid hæmorrhage ...	171	9	16	9	17	12	10	18	13	14	15	19	19
331	70b	Cerebral hæmorrhage ...	4366	451	380	391	351	337	340	308	316	326	381	315	470
332	70c	Cerebral embolism and thrombosis	4024	431	407	363	330	319	274	351	250	321	283	272	423
333, 334	70d	Other vascular lesions affecting central nervous system ...	526	41	48	41	48	25	35	41	39	33	52	52	71
340	71	Non-meningococcal meningitis ...	72	7	9	7	4	7	4	6	4	6	7	3	8
345	72	Multiple sclerosis ...	157	22	11	11	11	18	11	12	10	14	12	11	14
353	73	Epilepsy ...	126	6	15	20	12	10	9	8	5	6	15	9	11
370-379	74	Inflammatory diseases of eye ...	3	—	—	—	—	1	—	—	—	—	—	2	—
385	75	Cataract ...	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393 350	77	Otitis media and mastoiditis ...	14	1	2	—	1	2	—	—	2	2	2	—	2
341-344, 351, 352, 354-369, 380-384, 386, 388- 390, 394- 398	78a	Paralysis agitans ...	159	18	19	20	13	11	11	13	8	9	6	9	22
	78b	All other diseases of the nervous system and sense organs ...	369	50	40	29	32	27	33	31	32	16	25	18	36
400-402	79	Rheumatic fever ...	44	2	5	5	2	1	5	3	3	3	1	5	9
		Heart disease (410-443) ... TOTAL	20215	2183	2145	1944	1744	1464	1409	1309	1261	1361	1531	1504	2360
410-416 420	80	Chronic rheumatic heart disease	878	118	96	73	71	65	55	51	59	62	64	77	87
	81a	Arteriosclerotic heart disease (including coronary disease) ...	7857	778	776	694	659	574	584	508	549	567	612	633	923
421	81b	Chronic endocarditis not specified as rheumatic ...	480	70	57	48	30	44	33	27	35	28	27	24	57
422.0	81c	Fatty degeneration of heart ...	45	9	3	5	9	3	4	—	—	3	3	3	3
422.1	81d	Myocardial degeneration with arteriosclerosis ...	4703	504	502	494	425	327	311	303	265	308	361	367	536
422.2	81e	Other myocardial degeneration	4222	488	477	449	388	292	278	279	230	258	290	275	518
430-432	82a	Acute non-rheumatic heart disease ...	157	15	15	14	15	12	10	12	15	7	10	12	20
433-434	82b	Other and unspecified diseases of heart ...	982	107	107	91	89	69	77	68	53	61	76	70	114
440-443	83	Hypertension with heart disease	891	94	112	76	58	78	57	61	55	67	88	43	102
444-447	84	Hypertension without mention of heart ...	835	88	69	61	73	65	62	62	63	62	76	68	86
450	85a	General arteriosclerosis ...	1028	94	85	101	75	67	92	73	71	78	76	81	135
451-456	85b	Other diseases of arteries ...	165	11	17	20	14	15	15	11	10	9	13	10	20
460-468	86	Other diseases of circulatory system	231	26	19	34	12	16	16	15	22	22	22	12	15
470-475	87	Acute upper respiratory infections	28	2	4	2	4	4	1	2	2	2	—	2	3

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
480-483	88	Influenza	316	18	49	127	51	20	4	4	-	3	7	5	28
490	89	Lobar pneumonia	359	50	43	59	36	25	10	9	12	16	25	26	48
491	90	Bronchopneumonia	1302	140	176	195	131	76	58	54	44	56	77	79	216
492, 493	91	Primary atypical, other and unspecified pneumonia	220	19	36	29	22	14	11	10	9	9	20	18	23
500	92	<i>Bronchitis</i> (500-502) TOTAL	2025	258	322	244	183	119	79	69	58	68	106	122	397
		Acute	305	44	55	26	26	15	7	8	5	11	16	21	71
501 <i>b</i> , 502 <i>b</i>	93 <i>a</i>	Chronic and unqualified with heart disease secondary ...	971	127	148	126	94	54	48	38	30	30	43	49	184
501 <i>a</i> , 502 <i>a</i>	93 <i>b</i>	Chronic and unqualified—otherwise defined	749	87	119	92	63	50	24	23	23	27	47	52	142
510	94	Hypertrophy of tonsils and adenoids	5	1	1	1	1	-	-	-	-	-	-	-	1
518, 521	95	Empyema and abscess of lung ...	19	4	2	2	2	1	3	-	2	1	-	1	1
519	96	Pleurisy	32	7	2	4	-	3	2	2	-	4	2	4	2
511-517, 520, 522-527	97	All other respiratory diseases ...	550	67	65	65	43	49	27	27	22	31	44	53	57
530-535	98	Diseases of teeth and supporting structures	3	-	1	-	-	1	-	-	-	1	-	-	-
540	99	Ulcer of stomach	278	33	29	19	14	22	17	30	16	15	24	20	39
541	100	Ulcer of duodenum	361	38	40	35	28	32	30	16	14	29	27	26	46
543	101	Gastritis and duodenitis ...	18	4	1	1	2	2	3	-	1	-	1	3	-
550-553	102	Appendicitis	118	12	11	5	8	10	15	11	8	10	10	8	10
560, 561, 570	103	Intestinal obstruction and hernia	424	34	33	41	34	45	30	35	30	36	33	29	44
571.0	104 <i>a</i>	Gastro-enteritis between 4 weeks and 2 years	143	17	10	10	21	17	9	9	6	11	9	9	15
571.1	104 <i>b</i>	Gastro-enteritis over 2 years ...	56	8	4	7	2	1	5	8	5	4	9	3	-
572	104 <i>c</i>	Chronic enteritis and ulcerative colitis	111	9	8	9	9	6	15	7	10	8	6	10	14
581	105	Cirrhosis of liver	166	12	18	11	14	15	11	6	15	12	13	21	21
584, 585	106	Cholelithiasis and cholecystitis ...	201	17	11	10	19	22	17	21	13	16	17	12	26
583, 586	107 <i>a</i>	Other diseases of liver	64	3	7	4	4	7	4	5	5	8	6	4	7
536-539, 542, 544, 545, 573-578, 587	107 <i>b</i>	Other diseases of digestive system	170	22	23	17	16	11	15	12	9	8	17	9	11
590	108	Acute nephritis	36	5	6	3	-	6	3	2	1	3	2	2	3
591-594	109	Chronic, other and unspecified nephritis	532	51	52	51	44	38	43	27	29	35	39	47	76
600	110	Infections of kidney	120	12	6	9	9	13	10	12	6	12	9	10	12
602, 604	111	Calculi of urinary system ...	28	5	2	-	1	3	3	2	-	2	2	3	5
610	112	Hyperplasia of prostate ...	453	54	46	43	28	42	39	32	36	36	29	30	38
620, 621	113	Diseases of breast	-	-	-	-	-	-	-	-	-	-	-	-	-
605, 606	114 <i>a</i>	Diseases of bladder	57	4	5	5	7	1	5	7	1	6	3	7	6
601, 603, 607-609, 611-617, 622-637	114 <i>b</i>	Other diseases of genito-urinary system	105	8	8	7	15	5	14	8	9	8	6	8	9
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	19	1	-	2	3	1	3	1	3	-	-	4	1
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	22	3	2	-	6	4	1	1	1	-	3	1	-
643, 644, 670	117 <i>a</i>	Hæmorrhage of pregnancy and childbirth	10	1	2	-	1	-	-	2	2	-	-	2	-
671, 672	117 <i>b</i>	Postpartum hæmorrhage ...	12	-	1	1	-	1	-	4	1	1	1	-	2
650	118	Abortion without mention of sepsis or toxæmia	7	-	1	-	1	-	1	1	1	-	1	-	1
645-649, 660, 673-680, 683, 687-689	119	Abortion with sepsis	1	-	-	-	1	-	-	1	-	-	-	-	-
	120	Other complications of pregnancy, childbirth and the puerperium...	19	-	3	1	1	1	4	1	-	1	2	3	2
690-698	121	Infections of skin and subcutaneous tissue	19	3	2	1	3	2	-	2	2	1	1	1	1
720-725	122	Arthritis and spondylitis ...	118	12	6	12	11	6	7	8	10	6	8	11	21

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—continued

International Classification		CAUSES OF DEATH	Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"														
726, 727	123	Muscular rheumatism and rheumatism unspecified...	5	-	-	-	-	-	-	1	-	-	1	-	3
730	124	Osteomyelitis and periostitis...	9	1	-	-	2	2	-	1	-	-	1	1	1
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities...	7	-	3	-	-	-	-	-	-	1	-	-	3
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system...	75	8	7	7	12	5	2	6	4	3	8	5	8
		<i>Congenital malformations and certain diseases of early infancy (750-776)</i>													
		TOTAL	2256	233	176	191	210	204	168	165	189	179	174	159	208
751	127	Spina bifida and meningocoele...	152	11	11	22	16	12	10	11	15	10	7	13	14
754	128	Congenital malformations of circulatory system...	196	18	22	17	12	17	8	19	10	20	21	15	17
750, 752, 753, 755-759	129	All other congenital malformations...	262	23	23	21	15	28	24	14	23	26	25	16	24
760, 761	130	Birth injuries...	258	22	16	18	28	23	20	24	21	24	21	22	19
762	131	Post-natal asphyxia and atelectasis...	412	43	28	34	49	27	30	30	42	26	29	33	41
763	132a	Pneumonia of newborn...	113	15	12	8	11	9	13	10	7	7	4	4	13
764	132b	Diarrhoea of newborn...	24	3	2	2	3	4	2	1	-	2	1	1	3
765-768	132c	Other infections of newborn...	10	2	2	1	-	-	2	1	2	-	-	-	-
770	133	Hæmolytic disease of newborn...	67	7	6	7	6	4	3	5	2	6	7	9	5
769, 771	134	All other defined diseases of early infancy...	93	12	8	6	5	11	9	9	7	7	5	6	8
772	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified...	669	77	46	55	65	69	47	41	60	51	54	40	64
773-776	135	Senility without mention of psychosis...	1025	113	116	99	95	77	67	75	71	69	88	77	78
794	136	Ill-defined and unknown causes "E" code alternative classification of accidents, poisonings and violence (external causes) Violence (800-999)	898	125	87	96	71	46	55	66	50	62	74	59	107
780-793	137	TOTAL	2535	242	211	191	216	196	187	235	178	237	209	191	242
E810-E835	138	Motor vehicle accidents...	451	21	28	30	24	31	43	65	37	64	36	42	30
E840-E845	139a	Other road transport accidents...	32	3	4	3	3	4	-	1	-	4	2	1	7
E800-E802	139b	Other transport accidents...	92	7	6	6	7	11	10	9	7	7	11	4	7
E850-E866	140	Accidental poisoning...	248	45	18	19	20	18	13	25	13	16	18	15	28
E870-E895	141	Accidental falls...	648	75	53	43	54	46	51	51	53	58	49	42	73
E900-E904	142	Accident caused by machinery...	35	3	6	-	8	-	4	8	-	-	2	4	-
E912-E916	143	Accident caused by fire and explosion of combustible material...	49	2	9	1	-	6	1	-	1	2	3	3	21
E917-E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation...	89	18	12	11	8	6	6	3	4	4	6	8	3
E919	145	Accident caused by firearm...	17	1	1	-	-	2	1	7	1	1	-	1	2
E929	146	Accidental drowning and submersion...	202	12	18	20	16	26	15	32	17	10	16	9	11
E921-E925	147a	Accidental mechanical suffocation, etc. ...	186	17	20	14	17	12	12	7	9	15	21	16	26
E910-E911, E913-E915, E920, E926-E928, E930-E962	147b	All other accidental causes...	182	20	13	14	20	11	10	11	18	25	14	16	10
E963-E970, E979	148	Suicide and self-inflicted injury...	281	17	21	30	36	22	20	15	17	28	26	27	22
E964-E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)...	19	-	2	-	2	1	1	1	1	3	4	3	1
E965-E990-E999	150	Injury resulting from operations of war...	4	1	-	-	1	-	-	-	-	-	1	-	1

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1952

International Classification		CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	61,510	3,181	539	282	162	787	1,213	2,188	5,224	9,500	16,274	22,160	
		Males	31,401	1,919	292	176	91	411	626	1,160	3,087	5,464	8,364	9,911	
		Females	30,109	1,262	247	106	71	376	587	1,028	2,137	4,036	7,910	12,249	
		<i>All Tuberculosis (001-019)</i>	941	13	34	9	9	59	126	140	208	178	127	38	
		Respiratory system	671	12	31	5	11	147	173	114	67	57	36	18	
001-008	010	Meninges and central nervous system	847	9	12	3	4	46	119	136	197	169	118	34	
		Intestines, peritoneum and mesenteric glands	562	7	8	3	6	123	163	105	58	49	28	12	
011		Bones and joints	47	4	21	4	4	5	2	3	2	1	3	3	
012, 013		All other forms	53	5	21	1	3	15	3	2	2	1	—	—	
014-019		<i>Syphilis (020-029)</i>	8	—	—	—	—	2	1	1	1	1	3	—	
		Congenital syphilis	12	—	—	—	—	2	1	1	4	2	3	1	
020		Early syphilis	14	—	—	—	—	5	2	3	2	3	6	2	
021		Tabes dorsalis	19	—	—	—	—	4	3	2	3	3	3	1	
024		General paralysis of insane	25	—	—	—	—	2	4	3	2	2	3	3	
025		All other forms	25	—	—	—	—	2	1	4	9	9	20	4	
022, 023	028-029	<i>Syphilis (020-029)</i>	76	1	1	—	—	1	—	2	9	10	6	5	
		All other syphilis	34	1	1	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	2	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	6	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	17	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	2	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	6	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	17	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	5	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	52	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	21	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	3	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	3	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
025		All other forms	1	—	—	—	—	—	—	—	—	—	—	—	
022, 023	028-029	<i>Syphilis (020-029)</i>	5	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
020		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
021		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
024		General paralysis of insane	1	—	—										

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.
051	18	Streptococcal sore throat	F.
052	19	Erysipelas	M.	1	...
053	20	Septicæmia and pyæmia	F.	2	...
055	21	Diphtheria	M.	3	...
056	22	Whooping-cough	M.
057	23	Meningococcal infections	M.
058	24	Plague	M.
080	25	Leprosy	M.
081	26	Tetanus	M.
082	27	Anthrax	M.
080	28	Acute poliomyelitis	M.
082	29	Acute infectious encephalitis	M.
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.
084	31	Smallpox	M.
085	32	Measles	M.
091	33	Yellow fever	M.
092	34	Infectious hepatitis	M.
094	35	Rabies	M.
100-108	36	Typhus and other rickettsial diseases	M.
110-117	37	Malaria	M.
123	38	Schistosomiasis	M.
125	39	Hydatid disease	M.
127	40	Filariasis	M.
129	41	Ankylostomiasis	M.
124, 126, 128, 130	42	Other diseases due to helminths	M.

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44A.—continued

[illegible]

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
204	58	Leukæmia and aleukæmia	108 F.	1	10	7	2	3	9	7	15	16	22	12	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	104 F.	1	8	3	1	3	4	16	14	19	19	13	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	154 F.	—	—	3	—	8	8	17	33	22	27	8	—
250, 251	61	Non-toxic goitre	97 F.	4	1	—	—	2	2	11	12	23	23	6	—
252	62	Thyrototoxicosis with or without goitre	61 F.	2	—	3	1	3	3	2	16	11	10	8	—
260	63	Diabetes mellitus	84 F.	4	—	—	—	—	—	8	15	12	24	10	—
280-286	64	Avitaminosis and other deficiency states	— F.	—	—	—	—	—	—	—	—	—	—	1	—
290	65a	Pernicious and other hyperchromic anæmias	23 F.	—	—	—	—	—	—	—	2	3	—	—	—
291-293	65b	Other anæmias	142 F.	—	—	—	—	—	2	—	3	7	5	1	—
240-245, 253, 254, 270, 277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	385 F.	—	2	—	1	—	1	6	11	21	44	48	—
300-309	67	Psychoses	12 M.	1	—	1	—	—	1	—	15	89	132	89	—
310-324, 326	68	Psychoneuroses and disorders of personality	8 F.	—	—	—	—	—	—	—	1	2	6	2	—
325	69	Mental deficiency	61 F.	—	—	—	—	—	—	—	1	4	20	3	—
330	70a	Subarachnoid hemorrhage	106 F.	—	—	—	—	—	1	3	4	10	43	44	—
331	70b	Cerebral hemorrhage	81 F.	—	—	—	—	—	2	1	7	15	11	9	—
332	70c	Cerebral embolism and thrombosis	71 F.	3	—	—	—	—	—	—	—	—	—	17	—
333, 334	70d	Other vascular lesions affecting central nervous system	277 F.	5	—	—	—	—	5	19	31	54	71	39	—
340	71	Non-meningococcal meningitis	64 F.	—	—	—	—	—	1	26	49	59	5	10	—
345	72	Multiple sclerosis	14 F.	—	—	—	—	—	3	4	5	14	10	24	—
353	73	Epilepsy	18 F.	—	—	—	—	—	—	2	4	5	2	1	—
370-379	74	Inflammatory diseases of eye	16 F.	4	4	2	2	—	3	1	—	—	1	—	—
385	75	Cataract	7 F.	1	2	1	2	—	—	—	1	1	1	—	—
387	76	Glaucoma	69 F.	—	—	—	—	—	—	—	16	13	13	5	—
391-393	77	Otitis media and mastoiditis	102 F.	1	2	1	1	—	2	5	25	26	23	11	—
350	78a	Paralysis agitans	1813 F.	—	—	—	—	—	3	4	101	327	663	676	—
			2,553 F.	1	2	—	2	2	4	10	193	401	867	1,033	—
			1,705 F.	1	—	—	—	2	2	8	44	207	575	875	—
			2,319 F.	—	—	—	—	—	—	9	32	202	738	1,306	—
			272 F.	—	—	—	—	—	—	2	58	19	69	176	—
			254 F.	—	—	—	—	—	—	—	7	25	76	145	—
			44 F.	15	7	4	3	5	2	1	8	4	2	3	—
			28 F.	13	3	1	2	1	1	18	20	19	9	1	—
			72 F.	85	—	—	—	1	10	4	26	15	12	4	—
			60 F.	2	2	3	1	13	13	12	8	5	5	5	—
			66 F.	1	3	5	3	8	16	10	10	5	1	4	—
			— F.	—	—	—	—	—	—	—	—	—	—	—	—
			— F.	—	—	—	—	—	—	—	—	—	—	—	—
			3 F.	—	—	—	—	—	—	—	—	—	—	1	—
			— F.	—	—	—	—	—	—	—	—	—	—	2	—
			— F.	—	—	—	—	—	—	—	—	—	—	—	—
			13 F.	2	1	—	—	4	4	3	1	—	—	—	—
			77 F.	1	—	—	—	—	—	—	—	—	—	1	—
			82 F.	—	—	—	—	—	—	—	—	—	—	—	—
			— F.	—	—	—	—	—	—	—	—	—	—	23	—
			— F.	—	—	—	—	—	—	—	—	—	—	43	—

TABLE 44A.—continued

International Classification	Detailed List	Intermediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398			All other diseases of the nervous system and sense organs	186	5	3	4	3	13	6	12	31	28	42	39	—
400-402	75b		Rheumatic fever	183	5	7	3	2	8	8	7	18	29	39	57	—
	79		Heart disease (410-443)	21	—	—	4	3	10	2	2	—	—	1	—	—
410-416	80		Chronic rheumatic heart disease...	23	—	—	4	3	6	2	2	—	—	2	—	—
420	81a		Arteriosclerotic heart disease (including coronary disease)	10,371	1	3	1	5	31	95	239	868	1,918	3,140	4,071	—
421	81b		Chronic endocarditis not specified as rheumatic	9,844	2	—	—	9	50	77	186	446	1,207	2,790	5,096	—
422.0	81c		Fatty degeneration of heart	291	—	—	—	5	15	43	47	59	121	50	88	—
422.1	81d		Myocardial degeneration with arteriosclerosis	587	—	—	—	5	24	51	91	115	92	135	1,638	—
422.2	81e		Other myocardial degeneration	4,991	—	—	—	—	4	26	153	645	1,351	1,152	1,982	—
430-432	82a		Acute non-rheumatic heart disease	2,866	—	—	—	—	3	6	37	182	364	521	982	—
433, 434	82b		Other and unspecified diseases of heart	233	—	—	—	—	3	5	12	18	2	63	3	—
440-443	83		Hypertension with heart disease	247	—	—	—	—	—	—	—	—	—	—	—	—
444-447	84		Hypertension without mention of heart disease	9	—	—	—	—	—	—	—	—	—	—	—	—
450	85a		General arteriosclerosis	36	—	—	—	—	—	—	—	—	—	—	—	—
451-456	85b		Other diseases of arteries	2,097	—	—	—	—	—	—	—	—	—	—	—	—
460-468	86		Other diseases of circulatory system	2,097	—	—	—	—	—	—	—	—	—	—	—	—
470-475	87		Acute upper respiratory infections	2,606	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88		Influenza	1,862	—	—	—	—	—	—	—	—	—	—	—	—
490	89		Lobar pneumonia	2,360	—	—	—	—	—	—	—	—	—	—	—	—
(a)			(c)	63	—	—	—	—	—	—	—	—	—	—	—	—
				94	—	—	—	—	—	—	—	—	—	—	—	—
				459	—	—	—	—	—	—	—	—	—	—	—	—
				323	—	—	—	—	—	—	—	—	—	—	—	—
				298	—	—	—	—	—	—	—	—	—	—	—	—
				208	—	—	—	—	—	—	—	—	—	—	—	—
				497	—	—	—	—	—	—	—	—	—	—	—	—
				512	—	—	—	—	—	—	—	—	—	—	—	—
				316	—	—	—	—	—	—	—	—	—	—	—	—
				83	—	—	—	—	—	—	—	—	—	—	—	—
				82	—	—	—	—	—	—	—	—	—	—	—	—
				99	—	—	—	—	—	—	—	—	—	—	—	—
				132	—	—	—	—	—	—	—	—	—	—	—	—
				17	—	—	—	—	—	—	—	—	—	—	—	—
				11	—	—	—	—	—	—	—	—	—	—	—	—
				141	—	—	—	—	—	—	—	—	—	—	—	—
				175	—	—	—	—	—	—	—	—	—	—	—	—
				187	—	—	—	—	—	—	—	—	—	—	—	—
				172	—	—	—	—	—	—	—	—	—	—	—	—
				172	—	—	—	—	—	—	—	—	—	—	—	—
				(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	673	...	31	3	1	1	8	15	68	38	126	224	—
492, 493	91	Primary atypical, other and unspecified pneumonia	629	...	25	4	2	2	7	16	26	55	114	237	—
		<i>Bronchitis</i> (500-502)	133	...	31	2	2	2	2	4	8	13	28	40	—
		Acute	129	...	12	2	1	3	3	5	9	23	23	35	—
500	92	Chronic	1,291	...	31	7	—	2	5	25	158	325	382	355	—
501a-502a	93a	Chronic and unqualified with heart disease secondary	734	...	17	6	—	2	3	18	39	105	194	346	—
		Chronic and unqualified otherwise defined	158	...	27	5	—	2	5	3	5	17	39	59	—
510	94	Hypertrophy of tonsils and adenoids	147	...	13	6	—	1	2	1	10	32	80	173	—
518, 521	95	Emphysema and abscess of lung	646	...	—	—	—	1	2	11	82	167	210	173	—
519	96	Pleurisy	325	...	4	2	—	1	1	9	26	55	96	138	—
511-517, 520	97	All other respiratory diseases	487	...	1	1	—	1	3	11	71	141	133	123	—
522-527	98	Diseases of teeth and supporting structures	262	...	2	2	—	—	—	8	12	40	66	128	—
530-535	99	Ulcer of stomach	14	...	3	1	—	—	—	—	6	—	—	—	—
540	100	Ulcer of duodenum	17	...	—	—	—	—	—	—	2	—	—	—	—
541	101	Gastritis and duodenitis	15	...	—	—	—	—	—	—	1	—	—	—	—
543	102	Appendicitis	347	...	5	3	—	—	5	13	46	95	76	93	—
550-553	103	Intestinal obstruction and hernia	203	...	6	1	—	—	1	14	24	15	42	—	—
560, 561, 570	104a	Gastro-enteritis, between 4 weeks and 2 years	2	...	—	—	—	—	—	—	—	—	—	—	—
571.0	104b	Gastro-enteritis over 2 years	183	...	—	—	—	—	—	—	—	—	—	—	—
571.1	104c	Chronic enteritis and ulcerative colitis	283	...	—	—	—	—	—	—	—	—	—	—	—
572	105	Cirrhosis of liver	293	...	1	—	—	—	—	—	—	—	—	—	—
581	106	Cholelithiasis and cholecystitis	62	...	—	—	—	—	—	—	—	—	—	—	—
584-585	107a	Other diseases of liver	77	...	—	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586	107b	Other diseases of digestive system	11	...	—	—	—	—	—	—	—	—	—	—	—
536-539, 542, 544, 545, 573, 578, 587	108	Acute nephritis	64	...	—	—	—	—	—	—	—	—	—	—	—
590	109	Chronic, other and unspecified nephritis	17	...	—	—	—	—	—	—	—	—	—	—	—
591-594			280	...	—	—	—	—	—	—	—	—	—	—	—

TABLE 44A.—continued

[illegible]

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760-761	130	Birth injuries ...	M. 146 F. 112
762	131	Post-natal asphyxia and atelectasis ...	M. 252 F. 160
763	132a	Pneumonia of newborn ...	M. 71 F. 42
764	132b	Diarrhoea of newborn ...	M. 14 F. 10
765-768	132c	Other infections of newborn ...	M. 7 F. 3
770	133	Hamolytic disease of newborn ...	M. 39 F. 28
769, 771, 772	134	All other defined diseases of early infancy ...	M. 60 F. 33
773-776	135	III-defined diseases, peculiar to early infancy and immaturity unqualified ...	M. 387 F. 282
794	136	Senility without mention of psychosis ...	M. 88 F. 53
780-783, 795	137	III-defined and unknown causes ...	M. 52 F. 38
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999)													
E810-E835	138	Motor vehicle accidents ...	M. 95 F. 74
E840-E845	139a	Other road transport accidents ...	M. 24 F. 8
E800-E802, E850-E866	139b	Other transport accidents ...	M. 85 F. 7
E870-E895	140	Accidental poisoning ...	M. 122 F. 126
E900-E904	141	Accidental falls ...	M. 252 F. 396
E912	142	Accident caused by machinery ...	M. 35 F. 1
E916	143	Accidents caused by fire and explosion of combustible material ...	M. 25 F. 24
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	M. 28 F. 61
E919	145	Accident caused by firearm ...	M. 16 F. 1
E929	146	Accidental drowning and submersion ...	M. 162 F. 40
E921-E925	147a	Accidental mechanical suffocation, etc.	M. 114 F. 72
E910, E911, E913-E915, E920, E926-E928, E930-E962	147b	All other accidental causes ...	M. 164 F. 18
E963, E970-E979	148	Suicide and self-inflicted injury ...	M. 189 F. 92
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war) ...	M. 8 F. 11
E965, E990-E999	150	Injuries resulting from operations of war ...	M. 4 F. 4

TABLE 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups
(Glasgow, Edinburgh, Aberdeen and Dundee)—1952

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
			ALL CAUSES—Both Sexes	24,146	1,223	204	86	67	335	485	893	2,239	4,069	6,498	8,047	
			Males	12,324	690	109	52	38	152	243	464	1,348	2,377	3,372	3,470	
			Females	11,822	533	95	34	29	183	242	429	891	1,692	3,126	4,566	
			ALL Tuberculosis (001-019)													
			Respiratory system	M. 488	7	12	3	6	28	60	73	111	103	66	19	
				F. 337	9	19	3	3	32	74	55	59	30	17	11	
			Meninges and central nervous system	M. 454	6	6	2	3	24	54	71	109	98	61	18	
				F. 278	6	5	3	4	68	68	53	26	26	12	7	
			Intestines, peritoneum and mesenteric glands	M. 14	1	5	1	3	1	1	1	—	1	—	—	
				F. 29	3	14	—	2	8	1	—	—	—	—	—	
			Bones and joints	M. 3	—	—	—	—	1	1	1	1	1	1	1	
				F. 6	—	—	—	—	4	1	1	1	1	2	1	
			All other forms	M. 11	—	1	—	—	2	3	—	1	1	4	3	
				F. 14	—	—	—	2	1	2	—	1	2	2	2	
			Syphilis (020-029)	M. 40	—	—	—	—	—	—	2	4	20	12	5	
				F. 18	—	—	—	—	—	—	—	7	—	4	2	
			Congenital syphilis	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Early syphilis	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Tabes dorsalis	M. 2	—	—	—	—	—	—	—	—	1	1	1	
				F. 4	—	—	—	—	—	—	—	2	1	1	—	
			General paralysis of insane	M. 10	—	—	—	—	—	—	1	2	7	1	—	
				F. 4	—	—	—	—	—	—	—	2	—	—	—	
			All other syphilis	M. 28	—	—	—	—	—	—	1	2	12	11	2	
				F. 10	—	—	—	—	—	—	—	3	3	3	1	
			Gonococcal infection	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Typhoid fever	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Paratyphoid fever and other salmonella infections	M. 2	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Cholera	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Brucellosis (undulant fever)	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. —	—	—	—	—	—	—	—	—	—	—	—	
			Dysentery, all forms	M. —	—	—	—	—	—	—	—	—	—	—	—	
				F. 3	1	1	—	—	—	—	—	—	—	—	—	
			(a)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever
051	Streptococcal sore throat
052	Erysipelas
053	Septicæmia and pyæmia
055	Diphtheria
056	Whooping-cough
057	Meningococcal infections
058	Plague
060	Leprosy
061	Tetanus
062	Anthrax
080	Acute poliomyelitis
082	Acute infectious encephalitis
081, 083	Late effects of acute poliomyelitis and acute encephalitis
084	Smallpox
085	Measles
091	Yellow fever
092	Infectious hepatitis
094	Rabies
100-109	Typhus and other rickettsial diseases
110-117	Malaria
123	Schistosomiasis
125	Hydatid disease
127	Filariasis
129	Ankylostomiasis
124, 126, 128, 130	Other diseases due to helminths

NORR.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44B.—continued

International Classification	Detailed List	Intermediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Total
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43		All other diseases classified as infective and parasitic ... Malignant neoplasms (140-205)	4 5 2,242 2,017	1 1 1 5	1 6 5	6 6	4 3	11 13	—	—	1 346 270	594 449	678 640	2 483	—
140-148	44		Buccal cavity and pharynx ...	92	—	—	—	—	—	—	—	1 1	8 23	10 27	13 36	—
150	45		Esophagus ...	33 94	—	—	—	—	—	—	1 1	14 24	24 28	28 26	26 26	—
151	46		Stomach ...	72 393	—	—	—	—	—	—	1 1	15 56	25 108	25 125	26 80	—
152, 153	47		Intestine, except rectum ...	72 325	—	—	—	—	—	—	1 1	29 21	63 40	136 86	89 86	—
154	48		Rectum ...	239 327	—	—	—	—	—	—	1 1	29 10	51 30	114 41	118 23	—
161	49		Larynx ...	136 100	—	—	—	—	—	—	2 2	3 4	7 5	11 14	13 13	—
162, 163	50		Trachea, bronchus and lung not specified as secondary	45 6	—	—	—	—	—	—	—	—	2 1	1 171	2 55	—
170	51		Breast ...	678 136	—	—	—	—	—	—	2 6	15 31	49 1	31 82	24 50	—
171	52		Cervix uteri ...	328	—	—	—	—	—	—	3 10	71 26	86 25	15 15	8	—
172-174 177	53 54		Other and unspecified parts of uterus Prostate ...	88 100 102	—	—	—	—	—	—	4 1	26 3	25 19	15 33	8 41	—
190, 191	55		Skin ...	13 18	—	—	—	—	—	—	1 1	1 1	2 8	4 8	4 7	—
196, 197	56		Bone and connective tissue ...	29 24	—	—	—	—	—	—	1 1	3 2	8 3	8 10	7 7	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57		All other and unspecified sites	312 382	—	—	—	—	—	—	7 5	18 18	41 56	97 122	62 95	—
204	58		Leukemia and aleukemia ...	43 42	—	—	—	—	—	—	2 3	5 8	7 6	8 6	5 6	—
(a)	(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 63 F. 36	—	—	—	—	1	9	16	10	—	—	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	F. 23 M. 42	1	2	—	1	5	3	3	3	11	12	2	—
250, 251	61	Non-toxic goitre ...	F. 1	2	—	—	—	2	1	1	8	5	15	4	—
252	62	Thyroiditis with or without goitre ...	M. 1	—	—	—	—	—	—	—	—	—	—	1	—
260	63	Diabetes mellitus ...	M. 10 F. 52	—	—	—	—	1	2	1	2	3	3	15	—
280-286	64	Avitaminosis and other deficiency states	M. 119 F. 9	—	1	—	—	1	3	3	5	34	45	31	—
290	65a	Pernicious and other hyperchromic anemias	M. 24 F. 37	—	—	—	—	—	—	—	—	2	2	17	—
291-293	65b	Other anemias ...	M. 9 F. 34	2	—	—	—	1	2	1	3	3	22	8	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 75 F. 107	3	1	—	—	1	2	6	16	20	21	4	—
300-309	67	Psychoses ...	M. 31 F. 7	—	—	—	—	1	5	10	20	3	27	19	—
310-324, 326	68	Psychoneuroses and disorders of personality	M. 6 F. 4	1	3	—	—	—	2	2	2	8	4	5	—
325	69	Mental deficiency ...	M. 1 F. 6	—	—	—	—	—	—	—	1	1	1	1	—
330	70a	Subarachnoid hemorrhage ...	M. 31 F. 53	—	—	—	—	1	1	—	—	4	8	2	—
331	70b	Cerebral hemorrhage ...	M. 624 F. 868	—	1	—	—	2	2	4	13	14	15	2	—
332	70c	Cerebral embolism and thrombosis	M. 692 F. 914	—	1	—	—	2	5	8	39	121	235	215	—
333, 334	70d	Other vascular lesions affecting central nervous system	M. 142 F. 118	—	—	—	—	2	2	14	73	159	278	338	—
340	71	Non-meningococcal meningitis ...	M. 16 F. 17	7	3	—	—	—	—	4	20	77	279	539	—
345	72	Multiple sclerosis ...	M. 23 F. 80	7	2	—	—	1	1	1	4	9	4	1	—
353	73	Epilepsy ...	M. 28 F. 27	2	1	—	—	6	5	6	10	4	3	2	—
370-379	74	Inflammatory diseases of eye	M. 1 F. 1	—	3	—	—	5	4	4	5	4	1	1	—
385	75	Cataract ...	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M. 4 F. 1	—	—	—	—	1	—	—	—	—	—	1	—
350	78a	Paralysis agitans ...	M. 34 F. 34	2	1	—	—	—	—	1	—	—	—	—	—
				—	—	—	—	—	—	—	—	—	—	12	—
				—	—	—	—	—	—	—	—	—	—	5	—

TABLE 44B.—continued

International Classification	Detailed List	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398		All other diseases of the nervous system and sense organs	M. 74 F. 81	1	2	2	1	6	1	6	13	8	17	17	—
400-402	78b	Rheumatic fever	M. 11 F. 11	—	—	—	—	3	1	1	2	14	17	—	—
	79	Heart disease (410-443)	M. 3,762 F. 3,195	—	—	—	—	14	38	76	373	776	1,179	1,303	—
		Total	M. 3,762 F. 3,195	1	2	1	3	18	38	86	181	477	1,036	1,874	—
410-416	80	Chronic rheumatic heart disease	M. 255 F. 255	—	—	—	3	9	23	17	27	22	24	30	10
420	81a	Arteriosclerotic heart disease (including coronary disease)	M. 1,888 F. 1,157	—	—	—	—	1	10	44	265	554	615	399	—
421	81b	Chronic endocarditis not specified as rheumatic	M. 86 F. 91	—	—	—	—	2	3	14	16	235	460	374	—
422.0	81c	Fatty degeneration of heart	M. 2 F. 16	—	—	—	—	—	—	6	4	23	25	30	—
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 656 F. 947	—	—	—	—	—	—	4	4	3	5	—	—
422.2	81e	Other myocardial degeneration	M. 657 F. 840	—	—	—	—	—	3	5	24	37	166	741	—
430-432	82a	Acute non-rheumatic heart disease	M. 19 F. 35	—	—	—	—	2	2	2	5	4	210	544	—
433, 434	82b	Other and unspecified diseases of heart	M. 171 F. 188	—	2	—	—	2	7	1	5	6	8	10	—
440-443	83	Hypertension with heart disease	M. 158 F. 179	—	—	—	—	1	1	10	14	29	61	57	—
444-447	84	Hypertension without mention of heart disease	M. 130 F. 166	—	—	—	—	—	—	3	15	30	57	80	—
450	85a	General arteriosclerosis	M. 173 F. 183	—	—	—	—	—	—	2	3	30	68	65	—
451-456	85b	Other diseases of arteries	M. 41 F. 42	—	—	—	—	—	—	—	2	5	51	115	—
460-468	86	Other diseases of circulatory system	M. 41 F. 42	—	—	—	—	—	—	—	2	5	33	144	—
470-475	87	Acute upper respiratory infections	M. 6 F. 3	3	1	—	—	—	2	2	5	9	11	11	—
480-483	88	Influenza	M. 87 F. 83	—	—	—	—	—	1	1	5	3	14	18	—
490	89	Lobar pneumonia	M. 87 F. 83	—	—	—	—	—	—	6	4	11	13	17	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
481	90	Broncho pneumonia	M. ...	323	51	15	3	1	5	7	19	34	67	124	—
492, 493	91	Primary atypical, and other unspecified pneumonia ...	F. M. ...	299	43	8	—	2	3	4	14	30	70	124	—
		<i>Bronchitis</i> (500-502)	F. M. ...	61	14	—	—	1	—	2	5	8	12	18	—
			F. M. ...	38	2	1	—	1	2	3	9	6	11	19	—
			665	11	3	—	1	1	17	91	187	189	167	—
	92	Acute	373	2	3	—	1	2	9	23	60	105	168	—
			71	11	—	—	1	—	1	2	13	16	27	—
			65	1	3	—	1	—	1	1	4	18	36	—
501b, 502b	93a	Chronic and unqualified with heart disease secondary	F. M. ...	341	—	—	—	—	—	8	50	94	110	79	—
501a, 502a	93b	Chronic and unqualified otherwise defined ...	F. M. ...	176	—	—	—	—	—	6	14	32	52	72	—
			253	—	—	—	—	—	8	39	80	63	61	—
	94	Hypertrophy of tonsils and adenoids	F. M. ...	132	1	—	—	—	1	2	8	24	35	60	—
510	95	Empyema and abscess of lung	F. M. ...	1	—	—	—	—	—	—	—	—	—	—	—
518, 521	96	Pleurisy	F. M. ...	4	—	—	—	—	1	—	—	2	1	—	—
519			1	—	—	—	—	—	—	—	—	—	—	—
			5	—	—	—	—	—	—	—	2	1	1	—
			3	—	—	—	—	—	—	—	1	1	2	—
511-517, 520, 522-527	97	All other respiratory diseases	113	2	3	—	1	3	8	17	28	27	24	—
530-535	98	Diseases of teeth and supporting structures	F. M. ...	85	3	—	—	—	1	10	10	10	12	36	—
540	99	Ulcer of stomach	F. M. ...	76	—	—	—	—	—	5	15	18	25	13	—
541	100	Ulcer of duodenum	F. M. ...	39	—	—	—	—	1	1	7	5	12	12	—
			117	—	—	—	—	3	9	25	31	27	21	—
			22	1	—	—	—	1	2	3	3	3	13	—
543	101	Gastritis and duodenitis	F. M. ...	2	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	F. M. ...	17	—	—	—	—	1	—	—	1	2	1	—
560, 561, 570	103	Intestinal obstruction and hernia	F. M. ...	19	—	—	—	—	1	—	4	1	5	2	—
			73	6	—	—	—	1	3	4	15	4	18	—
			78	4	—	—	—	1	2	10	8	24	29	—
571.0	104a	Gastro-enteritis between 4 weeks and 2 years ...	F. M. ...	42	41	1	—	—	—	—	—	—	—	—	—
571.1	104b	Gastro-enteritis over 2 years	F. M. ...	24	22	2	—	—	—	—	—	—	—	—	—
572	104c	Chronic enteritis and ulcerative colitis ...	F. M. ...	8	—	—	—	—	1	—	—	4	1	3	—
581	105	Cirrhosis of liver	F. M. ...	11	—	—	—	—	1	1	1	1	3	3	—
584, 585	106	Cholelithiasis and cholecystitis	F. M. ...	14	—	—	—	—	2	1	1	4	3	4	—
580, 582, 583, 586			35	—	—	—	—	3	4	6	4	11	6	—
			50	—	—	—	—	1	6	12	15	8	7	—
			32	—	—	—	—	1	2	5	12	9	4	—
			24	—	—	—	—	—	3	3	7	23	20	—
			53	—	—	—	—	1	2	1	7	7	7	—
	107a	Other diseases of liver	F. M. ...	7	1	—	—	—	—	—	1	1	3	1	—
			16	—	—	—	—	—	1	2	4	4	3	—
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	38	2	1	—	2	1	2	6	11	7	6	—
590	108	Acute nephritis	F. M. ...	50	—	—	—	—	—	1	5	7	17	19	—
			2	—	—	—	—	—	—	—	1	1	1	—
			10	—	—	—	3	2	1	9	13	19	16	—
591-594	109	Chronic, other and unspecified nephritis	F. M. ...	79	1	1	—	3	4	12	17	17	22	17	—
			99	—	—	—	4	9	13	17	17	22	17	—

TABLE 44B.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75		
	600	110	Infections of kidney	M. 18 F. 37	—	—	—	—	1	3	2	2	2	3	6	—
	602, 604	111	Calculi of urinary system... ..	M. 7 F. 2	—	—	—	—	1	3	5	6	13	8	1	—
	610	112	Hyperplasia of prostate	M. 142	—	—	—	—	—	—	—	14	47	2	81	—
	620, 621	113	Diseases of breast	F. —	—	—	—	—	—	—	—	—	—	—	—	—
	605, 606	114a	Diseases of bladder	M. 17 F. 8	—	—	—	—	—	—	1	2	6	1	10	5
	601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	M. 28 F. 17	—	—	1	1	1	4	5	3	9	3	12	—
	640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F. 5	—	—	—	2	2	1	—	—	—	—	—	—
	642, 685, 688, 689	116	Toxæmias of pregnancy and the puerperium	F. 9	—	—	—	3	3	3	—	—	—	—	—	—
	643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth	F. 6	—	—	—	1	1	2	—	—	—	—	—	—
	671, 672	117b	Postpartum hæmorrhage	F. 2	—	—	—	1	1	1	—	—	—	—	—	—
	650	118	Abortion without mention of sepsis or toxæmia	F. 2	—	—	—	—	—	—	—	—	—	—	—	—
	651	119	Abortion with sepsis	F. —	—	—	—	—	—	—	—	—	—	—	—	—
	645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F. 4	—	—	1	—	4	1	—	—	1	1	—	—
	690-698	121	Infections of skin and subcutaneous tissue	M. 4 F. 8	1	—	—	—	1	—	1	1	2	5	1	—
	720-725	122	Arthritis and spondylitis	M. 37	—	1	—	—	1	2	2	2	16	13	—	—
	726, 727	123	Muscular rheumatism and rheumatism unspecified	M. — F. 1	—	—	—	—	—	—	—	—	—	—	—	—
	730	124	Osteomyelitis and periostitis	M. 3 F. 4	—	1	—	—	—	—	1	3	—	—	—	—
	737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M. 1 F. —	—	—	—	—	—	1	—	—	—	—	—	—
	700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M. 19 F. 12	—	2	—	1	1	2	1	2	5	8	—	—
	751	127	Congenital malformations and certain diseases of early infancy (750-776)	M. 461 F. 385	439	6	4	2	3	2	3	3	1	3	—	—
	754	128	Spina bifida and meningocele	M. 22 F. 36	19	1	1	1	1	—	—	—	—	—	—	—
	750, 752, 753, 755-759	129	Congenital malformations of circulatory system	M. 41 F. 40	33	2	4	1	1	3	—	—	—	—	—	—
		(a)	All other congenital malformations	M. 58 F. 48	47	3	—	1	1	2	3	3	1	3	—	—
		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)
760-761	130	Birth injuries
		Post-natal asphyxia and atelectasis
762	131	Pneumonia of newborn
763	132a	Diarrhœa of newborn
764	132b	Other infections of newborn
765-768	132c	Hæmolytic disease of newborn
770	133	All other defined diseases of early infancy
769, 771, 772	134	Ill-defined diseases peculiar to early infancy and im-
773-776	135	maturity unqualified
784	136	Senility without mention of psychosis
780-793, 795	137	Ill-defined and unknown causes
		"E" code.—Alternative classification of accidents, poisonings
		and violence (external causes)
		<i>Violence (E800-E999)</i>
		Motor vehicle accidents
E810-E835	138	Other road transport accidents
E840-E845	139a	Other transport accidents
E800-E802,	139b	Accidental poisoning
E850-E866		Accidental falls
E870-E895	140	Accident caused by machinery
E900-E904	141	Accidents caused by fire and explosion of combustible
E912	142	material
E916	143	Accident caused by hot substance, corrosive liquid, steam
E917, E918	144	and radiation
E919	145	Accident caused by firearm
E929	146	Accidental drowning and submersion
E921-E925	147a	Accidental mechanical suffocation, etc.
E910, E911,		All other accidental causes
E913-E915,		Suicide and self-inflicted injury
E920, E926-	148	Homicide and injury purposely inflicted by other persons
E928, E930-	149	(not in war)
E962		Injury resulting from operations of war
E963, E970-		
E979	148	
E964, E980-		
E985	149	
E965, E990-		
E999	150	

TABLE 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1952

International Classification		CAUSES OF DEATH	All Ages	Ages								65—	75 and over	Not stated
				-1	1—	5—	10—	15—	25—	35—	45—	55—		
Detailed List	Inter-mediate List "A"													
		ALL CAUSES—Both Sexes	9,620	576	80	45	25	122	213	373	824	1,635	2,536	3,191
		Males	5,044	327	46	27	16	59	112	205	482	958	1,368	1,444
		Females	4,576	249	34	18	9	63	101	168	342	677	1,168	1,747
		ALL Tuberculosis (001-019)	170	3	6	2	3	12	25	28	32	32	21	6
		Respiratory system	125	1	1	—	1	30	35	25	10	10	7	2
		Meninges and central nervous system	152	1	2	—	1	8	24	28	31	32	19	6
001-008	1		111	1	1	—	1	27	35	22	10	9	6	1
010	2		13	2	4	2	1	2	1	—	1	1	—	—
011	3		16	1	1	—	1	2	1	—	—	—	—	—
012, 013	4		1	—	—	—	—	—	—	1	—	—	1	—
014-019	5		2	—	—	—	—	—	—	—	—	—	—	—
		Intestines, peritoneum and mesenteric glands	1	—	—	—	—	—	—	—	—	—	—	—
		Bones and joints	1	—	—	—	—	—	—	—	—	—	—	—
		All other forms	3	—	—	—	—	—	—	—	—	—	—	—
		Syphilis (020-029)	11	1	2	—	—	1	1	1	2	6	1	—
020	6		1	1	—	—	—	—	—	—	—	—	—	—
021	7		1	—	—	—	—	—	—	—	—	—	—	—
024	8		1	—	—	—	—	—	—	—	—	—	—	—
025	9		1	—	—	—	—	—	—	—	—	—	—	—
		Congenital syphilis	1	—	—	—	—	—	—	—	—	—	—	—
		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—
		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—
		General paralysis of insane	3	—	—	—	—	—	—	—	—	—	—	—
022, 023	10		6	—	—	—	—	—	—	—	—	—	—	—
026-029	11		2	—	—	—	—	—	—	—	—	—	—	—
030-035	12		1	—	—	—	—	—	—	—	—	—	—	—
040	13		1	—	—	—	—	—	—	—	—	—	—	—
041, 042	14		1	—	—	—	—	—	—	—	—	—	—	—
043	15		1	—	—	—	—	—	—	—	—	—	—	—
044	16		1	—	—	—	—	—	—	—	—	—	—	—
045-048			1	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	M. F.	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—
051	Streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—
052	Erysipelas	1	—	—	1	—	—	—	—	—	—	—	—	—
053	Septicæmia and pyæmia	3	1	—	—	—	—	—	—	—	2	—	—	—
055	Diphtheria	4	2	—	—	—	—	—	—	—	—	—	—	—
056	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	Meningococcal infections	1	2	—	—	—	—	—	—	—	1	—	—	—
058	Plague	2	1	—	—	—	—	—	—	—	—	—	—	—
060	Leprosy	3	—	—	—	—	—	—	—	—	—	—	—	—
061	Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
062	Anthrax	—	—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
082	Acute infectious encephalitis	1	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis	2	—	—	—	—	—	—	—	—	1	3	—	—
084	Smallpox	5	—	—	—	—	—	—	—	—	1	1	—	—
085	Measles	3	—	—	—	—	—	—	—	—	1	1	—	—
091	Yellow fever	—	—	—	—	—	—	—	—	—	—	—	—	—
092	Infectious hepatitis	3	2	1	—	—	—	—	—	—	1	—	—	—
094	Rabies	—	—	—	—	—	—	—	—	—	1	—	—	—
100-108	Typhus and other rickettsial diseases	4	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—
123	Schistosomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
125	Hydatid disease	—	—	—	—	—	—	—	—	—	—	—	—	—
127	Filariasis	—	—	—	—	—	—	—	—	—	—	—	—	—
129	Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	Other diseases due to helminths	1	—	—	—	—	—	1	—	—	—	—	—	—

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44C.—continued

International Classification	Detailed List	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic... <i>Malignant neoplasms</i> (140-205)	— 808 718 34	— — — —	4 2	1 2	— — — —	6 3 1	15 11 1	38 51	131 122 2	195 156 4	289 196 14	159 175 12	—
140-148	44	Buccal cavity and pharynx ...	3	—	—	—	—	—	—	1	5	5	11	4	—
150	45	Esophagus ...	26	—	—	—	—	—	—	1	1	3	89	9	—
151	46	Stomach ...	21	—	—	—	—	—	2	8	18	41	38	35	—
152, 153	47	Intestines, except rectum ...	163	—	—	—	—	—	1	2	15	25	32	46	—
154	48	Rectum ...	127	—	—	—	—	—	2	4	10	15	23	25	—
161	49	Larynx ...	88	—	—	—	—	—	—	4	17	23	28	36	—
162, 163	50	Trachea, bronchus and lung not specified as secondary...	108	—	—	—	—	—	—	—	9	17	18	18	—
170	51	Breast ...	47	—	—	—	—	—	2	1	3	8	10	9	—
171	52	Cervix uteri ...	33	—	—	—	—	—	—	—	2	3	9	1	—
172-174	53	Other and unspecified parts of uterus ...	12	—	—	—	—	—	3	12	54	70	53	16	—
177	54	Prostate ...	6	—	—	—	—	—	2	5	5	4	8	3	—
180, 191	55	Skin ...	208	—	—	—	—	—	—	8	28	33	37	23	—
195, 197	56	Bone and connective tissue ...	25	—	—	—	—	—	—	—	—	—	—	—	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	129	—	—	—	—	—	3	8	9	8	5	7	—
204	58	Leukemia and aleukemia	40	—	—	—	—	—	1	7	8	8	22	14	—
(a)	(b)	(c)	11	—	—	—	—	1	—	—	—	1	2	4	—
			16	—	—	—	—	2	1	1	2	2	6	1	—
			13	—	—	—	—	1	1	1	2	3	1	—	—
			10	—	—	—	—	—	—	—	—	—	—	—	—
			116	—	—	—	—	—	3	8	15	31	29	27	—
			146	—	—	—	—	1	1	10	26	35	42	32	—
			16	—	—	—	—	1	1	1	3	5	3	1	—
			13	—	—	—	—	—	—	3	—	2	3	1	—
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system	M. 29 F. 16	—	—	—	—	1	1	3	10	5	6	3	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	F. 14 M. 16	1	—	—	—	1	2	2	3	4	5	2	—
250, 251	61	Non-toxic goitre	—	—	—	—	—	—	—	—	—	—	—	1	—
252	62	Thyroidosis with or without goitre	—	—	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus	1 3 M. 19 F. 54	—	—	—	—	—	1	1	1	1	6	5	—
280-286	64	Avitaminosis and other deficiency states	1 2 M. 2 F. 5	—	—	—	1	—	1	2	5	16	20	12	—
290	65a	Pernicious and other hyperchronic anemias	20 6 M. 20 F. 6	—	—	—	—	—	—	1	1	—	2	3	—
291-293	65b	Other anemias	4	—	—	—	—	—	—	—	—	—	4	10	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	27 38 M. 27 F. 38	2	1	1	—	1	2	4	3	7	8	1	—
300-309	67	Psychoses	1 5 M. 1 F. 5	—	—	—	—	1	1	4	4	9	9	1	—
310-324, 326	68	Psychoneuroses and disorders of personality	1 1 M. 1 F. 1	—	—	—	—	—	—	1	1	1	1	1	—
325	69	Mental deficiency	2 2 M. 2 F. 2	1	1	1	—	1	—	—	—	—	—	—	—
330	70a	Subarachnoid hemorrhage	12 12 M. 12 F. 12	—	—	—	—	—	2	1	2	6	2	1	—
331	70b	Cerebral hemorrhage	302 335 M. 302 F. 335	—	—	—	—	—	3	6	16	61	114	102	—
332	70c	Cerebral embolism and thrombosis	332 332 M. 332 F. 332	—	—	—	—	—	1	—	9	33	97	176	—
333, 334	70d	Other vascular lesions affecting central nervous system	32 36 M. 32 F. 36	—	—	—	—	—	—	—	10	40	114	172	—
340	71	Non-meningococcal meningitis	6 6 M. 6 F. 6	3	—	—	—	2	—	—	1	5	7	17	—
345	72	Multiple sclerosis	10 20 M. 10 F. 20	1	—	—	—	—	—	1	5	—	1	1	—
353	73	Epilepsy	6 3 M. 6 F. 3	—	1	1	—	—	2	4	5	4	4	1	—
370-379	74	Inflammatory diseases of eye	—	—	—	—	—	—	1	1	—	—	—	—	—
385	75	Cataract	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	1 12 M. 1 F. 12	—	—	—	—	—	—	1	—	—	—	—	—
350	78a	Paralysis agitans	10	—	—	—	—	—	—	—	2	—	3	4	—

TABLE 44C.—continued

International Classification	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354, 365, 380-384, 386, 388-390, 394-398	All other diseases of the nervous system and sense organs	M. 31 F. 21	2	1	1	1	1	2	1	4	6	11	5	—
400-402	Rheumatic fever	M. 5 F. 3	—	—	1	1	3	—	—	3	5	2	6	—
410-416	Heart disease (410-443)	M. 1,668 F. 1,504	—	1	—	—	5	18	49	123	346	516	610	—
420	Chronic rheumatic heart disease...	M. 47 F. 91	—	—	—	2	9	10	27	74	218	448	715	—
421	Arteriosclerotic heart disease (including coronary disease)	M. 771 F. 379	—	—	—	1	8	6	14	20	8	13	5	—
422.0	Chronic endocarditis not specified as rheumatic	M. 30 F. 34	—	—	—	1	1	7	34	98	229	241	161	—
422.1	Fatty degeneration of heart ...	M. 4 F. 1	—	—	—	—	—	—	2	7	9	10	115	—
422.2	Myocardial degeneration with arteriosclerosis	M. 342 F. 377	—	—	—	—	—	—	—	3	24	86	219	—
430-432	Other myocardial degeneration	M. 322 F. 405	—	—	—	—	—	—	3	7	20	86	268	—
433, 434	Acute non-rheumatic heart disease ...	M. 13 F. 15	—	1	—	2	1	2	1	14	41	109	166	—
440-443	Other and unspecified diseases of heart	M. 89 F. 101	—	—	—	—	—	1	2	1	3	7	2	—
444-447	Hypertension with heart disease	M. 54 F. 98	—	—	—	—	—	2	5	9	19	24	37	—
450	Hypertension without mention of heart disease	M. 64 F. 64	—	—	—	—	—	1	1	6	17	37	41	—
451-456	General arteriosclerosis ...	M. 76 F. 62	—	—	—	—	—	—	2	4	11	27	20	—
460-468	Other diseases of arteries	M. 10 F. 8	—	—	—	—	—	—	—	1	4	17	54	—
470-475	Other diseases of circulatory system ...	M. 14 F. 19	—	—	—	—	—	1	1	1	3	3	3	—
480-483	Acute upper respiratory infections	M. 2 F. 2	—	—	—	—	—	1	1	1	2	2	5	—
490	Influenza ...	M. 1 F. 23	—	—	—	—	—	1	1	3	6	6	2	—
(a)	Lobar pneumonia ...	M. 34 F. 22	3	1	—	—	2	—	2	5	7	10	5	—
(b)	(c)	F. 1	—	—	—	—	—	—	—	4	1	6	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. 104	35	4	1	1	—	—	2	6	11	20	25	—
492, 493	91	Primary atypical, other and unspecified pneumonia	F. 93	28	4	—	—	—	—	6	4	7	12	29	—
		<i>Brachitis</i> (500-502)	M. 13	6	2	—	—	—	—	1	2	4	6	6	—
			F. 244	3	1	—	—	—	—	4	8	60	76	58	—
			M. 199	3	—	—	—	—	—	4	1	15	30	58	—
500	92	Acute	F. 24	4	1	—	—	—	—	—	1	2	5	11	—
501b-502b	93a	Chronic and unqualified with heart disease secondary	F. 20	3	—	—	—	—	—	—	15	2	39	31	—
501a-502a	93b	Chronic and unqualified otherwise defined	M. 114	—	—	—	—	—	—	1	7	28	16	19	—
510	94	Hypertrophy of tonsils and adenoids	F. 96	1	—	—	—	—	—	2	12	32	32	16	—
518, 521	95	Empyema and abscess of lung	M. 48	—	—	—	—	—	—	3	1	5	14	25	—
519	96	Pleurisy	F. 2	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M. 39	1	—	—	—	—	—	—	—	—	—	—	—
530-535	98	Diseases of teeth and supporting structures	F. 24	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	F. 11	—	—	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	F. 46	1	—	—	—	—	—	—	—	—	—	—	—
543	101	Gastritis and duodenitis	F. 10	—	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Appendicitis	M. 3	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	103	Intestinal obstruction and hernia	F. 14	—	—	—	—	—	—	—	—	—	—	—	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years	M. 35	4	—	—	—	—	—	—	—	—	—	—	—
571.1	104b	Gastro-enteritis over 2 years	F. 28	18	—	—	—	—	—	—	—	—	—	—	—
572	104c	Chronic enteritis and ulcerative colitis	F. 12	11	—	—	—	—	—	—	—	—	—	—	—
581	105	Cirrhosis of liver	M. 8	—	—	—	—	—	—	—	—	—	—	—	—
584-585	106	Cholelithiasis and cholecystitis	F. 8	—	—	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586	107a	Other diseases of liver	F. 6	—	—	—	—	—	—	—	—	—	—	—	—
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	M. 10	2	—	—	—	—	—	—	—	—	—	—	—
590	108	Acute nephritis	F. 13	—	—	—	—	—	—	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M. 43	—	—	—	—	—	—	—	—	—	—	—	—
			F. 40	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44C.—continued

International Classification	CAUSES OF DEATH	All Ages	AGES								75 and over	Not stated
			1-	5-	10-	15-	25-	35-	45-	55-	65-	
Detailed List	Inter-mediate List "A"											
600	110	Inflections of kidney	—	—	—	—	1	—	1	1	1	4
602, 604	111	Calculi of urinary system... ..	—	—	—	—	1	—	1	4	2	2
610	112	Hyperplasia of prostate	—	—	—	—	1	—	—	—	1	1
620, 621	113	Diseases of breast	—	—	—	—	—	—	—	2	25	31
605, 606	114a	Diseases of bladder	—	—	—	—	—	1	1	—	—	—
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	—	1	—	—	1	—	2	—	1	5
642, 652, 685, 686	116	Toxamias of pregnancy and the puerperium	—	—	—	—	2	—	—	—	—	—
643, 644, 670	117a	Hamorrhage of pregnancy and childbirth	—	—	—	1	2	—	—	—	—	—
671, 672	117b	Postpartum hemorrhage	—	—	—	1	1	—	—	—	—	—
680	118	Abortion without mention of toxamia	—	—	—	1	1	2	—	—	—	—
651	119	Abortion with sepsis	—	—	—	—	—	—	—	—	—	—
645, 649, 660, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	—	—	—	—	3	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	—	—	—	—	—	—	—	—	1	—
720-725	122	Arthritis and spondylitis	—	—	—	—	—	—	—	1	2	2
726, 727	123	Muscular rheumatism and rheumatism unspecified	—	—	—	—	—	—	—	2	3	6
730	124	Osteomyelitis and periostitis	—	—	—	—	—	—	—	—	—	1
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	—	—	—	—	—	—	—	2	2	1
751	127	Congenital malformations and certain diseases of early infancy (750-776)	212	1	1	1	1	—	3	1	1	—
754	128	Spina bifida and meningocele	167	5	1	—	—	1	2	1	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system	21	7	—	—	—	—	—	—	—	—
(a)	(b)	All other congenital malformations	19	2	1	1	1	1	1	—	—	—
		(c)	8	1	—	—	—	—	—	—	—	—
		(d)	22	1	1	—	—	—	2	1	1	—
		(e)	17	2	—	—	—	—	1	—	—	—
		(f)	24	—	—	—	—	—	—	—	—	—
		(g)	26	—	—	—	—	—	—	—	—	—
		(h)	24	—	—	—	—	—	—	—	—	—
		(i)	24	—	—	—	—	—	—	—	—	—
		(j)	24	—	—	—	—	—	—	—	—	—
		(k)	24	—	—	—	—	—	—	—	—	—
		(l)	24	—	—	—	—	—	—	—	—	—
		(m)	24	—	—	—	—	—	—	—	—	—
		(n)	24	—	—	—	—	—	—	—	—	—
		(o)	24	—	—	—	—	—	—	—	—	—
		(p)	24	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760-761	130	Birth injuries
762	131	Post-natal asphyxia and atelectasis
763	132 ^a	Pneumonia of newborn
764	132 ^b	Diarrhoea of newborn
765-768	132 ^c	Other infections of newborn
770	133	Hamolytic disease of newborn
769, 771, 772	134	All other defined diseases of early infancy
773-776	135	III-defined diseases peculiar to early infancy and maturity unqualified
794	136	Senility without mention of psychosis
780-793, 795	137	III-defined and unknown causes
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)																							
		Violence (E800-E999)																							
		Motor vehicle accidents
		Other road transport accidents
		Other transport accidents
		Accidental poisoning
		Accidental falls
		Accident caused by machinery
		Accident caused by fire and explosion of combustible material
		Accident caused by hot substance, corrosive liquid, steam and radiation
		Accident caused by firearm
		Accidental drowning and submersion
		Accidental mechanical suffocation, etc.
E921-E925	147 ^a	All other accidental causes
E910, E911, E913-E915, E920, E926-E928, E930-E962	147 ^b	Suicide and self-inflicted injury
E963, E970-E979	148	Homicide and injury purposely inflicted by other persons (not in war)
E964, E980-E985	149	Injury resulting from operations of war
E965, E990-E999	150	

(a)	(b)	(c)	M.	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	...	—	1	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	1	—
053	20	Septicæmia and pyæmia	2	—	—	—	—	—	—	1	—	—	—	—	—
055	21	Diphtheria	3	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	3	3	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	2	1	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	6	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	—	—	—	—	—	—	—	—	—	—	1	—	—
061	26	Tetanus	3	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	2	—	—	—	—	—	1	1	—	—	—	—	—
082	29	Acute infectious encephalitis	...	1	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	...	3	—	1	—	—	—	—	—	1	—	—	—	—
084	31	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	2	1	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
094	35	Rabies	1	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	...	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	...	—	—	—	—	—	—	—	—	—	—	—	—	—
			M. F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44D.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ... <i>Malignant neoplasms (140-205)</i> Buccal cavity and pharynx ... Esophagus ... Stomach ... Intestines, except rectum ... Rectum ... Larynx ... Trachea, bronchus and lung not specified as secondary Breast ... Cervix uteri ... Other and unspecified parts of uterus Prostate ... Skin ... Bone and connective tissue ...	<div>M. 3 F. 1 TOTAL 806</div> <div>M. 37 F. 17 TOTAL 54</div> <div>M. 25 F. 21 TOTAL 46</div> <div>M. 155 F. 147 TOTAL 302</div> <div>M. 97 F. 142 TOTAL 239</div> <div>M. 64 F. 41 TOTAL 105</div> <div>M. 8 F. 6 TOTAL 14</div> <div>M. 163 F. 35 TOTAL 198</div> <div>M. 2 F. 164 TOTAL 166</div> <div>F. 41</div> <div>F. 42</div> <div>M. 57</div> <div>M. 11 F. 9 TOTAL 20</div> <div>M. 9 F. 13 TOTAL 22</div>	3 1 806 37 17 25 155 147 97 142 64 41 8 163 35 2 41 42 57 11 9 9 13	1 1 4 4 —										

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hamatopoietic system ...	M. 26 F. 17	—	—	—	—	—	—	3	9	5	3	2	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M. 10 F. 14	—	—	—	—	—	—	1	2	3	4	1	—
250, 251	61	Non-toxic goitre ...	M. — F. —	—	—	—	—	—	—	2	3	3	3	2	—
252	62	Thyroiditis with or without goitre ...	M. 2 F. 4	—	—	—	—	—	—	—	1	—	—	—	—
260	63	Diabetes mellitus ...	M. 34 F. 61	—	—	—	—	—	—	5	2	3	6	15	—
280-286	64	Avitaminosis and other deficiency states ...	M. — F. —	—	—	—	—	—	—	1	2	11	23	23	—
290	65a	Periculous and other hyperchronic anemias ...	M. 10 F. 22	—	—	—	—	—	—	—	—	—	—	—	—
291-293	65b	Other anemias ...	M. 7 F. 10	—	—	—	—	—	—	1	2	2	6	5	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 33 F. 52	1	—	—	—	—	—	3	6	12	10	4	—
300-309	67	Psychoses ...	M. 6 F. 10	—	—	—	—	—	—	5	10	15	12	3	—
310-324, 326	68	Psychoneuroses and disorders of personality ...	M. 1 F. 2	—	—	—	—	—	—	—	—	3	3	2	—
325	69	Mental deficiency ...	M. — F. 1	1	—	—	—	—	—	—	—	1	—	—	—
330	70a	Subarachnoid hemorrhage ...	M. 6 F. 23	—	—	—	—	—	—	1	1	1	2	5	—
331	70b	Cerebral hemorrhage ...	M. 340 F. 509	1	—	—	—	—	—	6	22	57	118	135	—
332	70c	Cerebral embolism and thrombosis ...	M. 333 F. 420	1	—	—	—	—	—	9	31	66	192	209	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M. 43 F. 34	—	—	—	—	—	—	4	5	39	105	177	—
340	71	Non-meningococcal meningitis ...	M. 9 F. 4	3	—	—	—	—	—	1	1	6	140	248	—
345	72	Multiple sclerosis ...	M. 22 F. 9	—	—	—	—	—	—	7	6	4	3	—	—
353	73	Epilepsy ...	M. 5 F. 11	—	—	—	—	—	—	3	3	1	1	1	—
370-379	74	Inflammatory diseases of eye ...	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract ...	M. 1 F. —	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis ...	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
350	78a	Paralysis agitans ...	M. 12 F. 16	—	—	—	—	—	—	2	1	2	5	4	—

TABLE 44D.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b	All other diseases of the nervous system and sense organs	M. 32 F. 34	1	2	2	2	2	1	2	7	3	6	8	3
400-402	79	Rheumatic fever	M. 2 F. 3	—	—	—	—	—	—	—	—	—	—	—	1
		Heart disease (410-443)	1,843 1,891	1	—	—	18	40	135	306	556	780	556	780	1,042
410-416	80	Chronic rheumatic heart disease...	M. 46 F. 88	—	—	—	8	9	26	66	170	241	10	24	24
420	81a	Arteriosclerotic heart disease (including coronary disease)	M. 894 F. 569	—	—	—	5	26	111	227	300	224	300	224	220
421	81b	Chronic endocarditis not specified as rheumatic	M. 36 F. 47	—	—	—	1	1	7	108	220	210	14	9	9
422.0	81c	Fatty degeneration of heart ...	M. 3 F. 6	—	—	—	—	—	—	—	—	1	14	21	2
422.1	81d	Myocardial degeneration with arteriosclerosis	M. 431 F. 533	—	—	—	—	—	—	—	—	5	94	319	94
422.2	81e	Other myocardial degeneration	M. 299 F. 447	1	—	—	2	1	3	8	19	94	174	416	174
430-432	82a	Acute non-rheumatic heart disease	M. 9 F. 19	—	—	—	1	1	1	2	2	2	8	21	6
433, 434	82b	Other and unspecified diseases of heart	M. 70 F. 74	—	—	—	1	1	1	2	16	28	30	30	28
440-443	83	Hypertension with heart disease	M. 55 F. 98	—	—	—	3	1	7	9	14	11	30	27	27
444-447	84	Hypertension without mention of heart disease	M. 83 F. 86	—	—	—	1	1	1	3	16	14	41	36	36
450	85a	General arteriosclerosis ...	M. 92 F. 103	—	—	—	—	—	—	—	14	23	29	31	31
451-456	85b	Other diseases of arteries	M. 9 F. 14	—	—	—	—	—	—	—	3	8	25	64	64
460-468	86	Other diseases of circulatory system	M. 13 F. 31	—	—	—	—	—	—	—	2	2	22	79	79
470-475	87	Acute upper respiratory infections	M. 1 F. 3	—	—	—	1	1	1	—	—	—	—	—	—
480-483	88	Influenza ...	M. 15 F. 20	1	1	1	1	1	1	1	1	1	4	3	2
490	89	Lobar pneumonia ...	M. 24 F. 19	1	—	—	1	1	1	2	2	2	6	6	8
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. F.	81	6	1	—	1	2	2	4	7	14	28	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M. F.	78	5	1	—	—	—	—	4	7	13	25	—
		Bronchitis (500-502)	M. F.	20	3	—	—	—	—	—	—	—	4	3	—
		Acute	M. F.	10	1	—	—	—	—	—	—	31	5	47	—
500	92	Chronic and unqualified with heart disease secondary	M. F.	8	3	—	—	—	—	—	1	16	22	46	—
501b-502b	93a	Chronic and unqualified otherwise defined	M. F.	149	6	—	—	—	—	—	1	2	5	6	—
501a-502a	93b	Hypertrophy of tonsils and adenoids	M. F.	94	4	—	—	—	—	—	1	2	8	13	—
510	94	Empyema and abscess of lung	M. F.	22	5	—	—	—	—	—	9	20	22	19	—
518, 521	95	Pleurisy	M. F.	71	2	—	—	—	—	—	1	8	9	18	—
519	96	All other respiratory diseases	M. F.	37	1	—	—	—	—	—	1	6	15	22	—
511-517, 520, 522-527	97	Diseases of teeth and supporting structures	M. F.	56	—	—	—	—	—	—	—	—	—	15	—
530-535	98	Ulcer of stomach	M. F.	31	—	—	—	—	—	—	—	—	—	5	—
540	99	Ulcer of duodenum	M. F.	2	—	—	—	—	—	—	—	—	—	—	—
541	100	Gastritis and duodenitis	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
543	101	Appendicitis	M. F.	41	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Intestinal obstruction and hernia	M. F.	34	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	103	Gastro-enteritis, between 4 weeks and 2 years	M. F.	1	—	—	—	—	—	—	—	—	—	—	—
571.0	104a	Gastro-enteritis over 2 years	M. F.	27	—	—	—	—	—	—	—	—	—	—	—
571.1	104b	Chronic enteritis and ulcerative colitis	M. F.	18	—	—	—	—	—	—	—	—	—	—	—
572	104c	Cirrhosis of liver	M. F.	61	—	—	—	—	—	—	—	—	—	—	—
581	105	Cholelithiasis and cholecystitis	M. F.	9	—	—	—	—	—	—	—	—	—	—	—
584, 585	106	Other diseases of liver	M. F.	9	—	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586	107a	Other diseases of digestive system	M. F.	1	—	—	—	—	—	—	—	—	—	—	—
596-599, 542, 544, 545, 573-578, 587	107b	Acute nephritis	M. F.	4	—	—	—	—	—	—	—	—	—	—	—
590	108	Chronic, other and unspecified nephritis	M. F.	20	—	—	—	—	—	—	—	—	—	—	—
591-594	109		M. F.	8	—	—	—	—	—	—	—	—	—	—	—
			M. F.	4	—	—	—	—	—	—	—	—	—	—	—
			M. F.	4	—	—	—	—	—	—	—	—	—	—	—
			M. F.	43	—	—	—	—	—	—	—	—	—	—	—
			M. F.	47	—	—	—	—	—	—	—	—	—	—	—

TABLE 44D.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
Detailed List	Intermediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
600	110	Infections of kidney ...	M. ...	11	—	—	—	—	—	—	—	—	—	3	—
602, 604	111	Calculi of urinary system...	F. ...	9	—	—	—	—	—	—	—	—	—	4	—
610	112	Hyperplasia of prostate ...	F. ...	2	—	—	—	—	—	—	—	—	—	1	—
620, 621	113	Diseases of breast ...	M. ...	99	—	—	—	—	—	—	—	—	—	5	—
605, 606	114a	Diseases of bladder ...	F. ...	10	—	—	—	—	—	—	—	—	—	2	—
			F. ...	5	—	—	—	—	—	—	—	—	—	4	—
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system ...	M. ...	10	—	—	—	—	—	—	—	—	—	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium ...	F. ...	2	—	—	—	—	—	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium ...	F. ...	2	—	—	—	—	—	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth ...	F. ...	3	—	—	—	—	—	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage ...	F. ...	1	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortum without mention of sepsis or toxæmia ...	F. ...	1	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortum with sepsis ...	F. ...	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium ...	F. ...	3	—	—	—	—	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue ...	M. ...	2	—	—	—	—	—	—	—	—	—	—	—
720-725	122	Arthritis and spondylitis ...	F. ...	8	—	—	—	—	—	—	—	—	—	1	—
726, 727	123	Muscular rheumatism and rheumatism unspecified ...	M. ...	17	—	—	—	—	—	—	—	—	—	1	—
730	124	Osteomyelitis and peritostitis ...	F. ...	3	—	—	—	—	—	—	—	—	—	4	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	M. ...	1	—	—	—	—	—	—	—	—	—	1	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system ...	F. ...	1	—	—	—	—	—	—	—	—	—	2	—
			M. ...	9	—	—	—	—	—	—	—	—	—	2	—
751	127	Congenital malformations and certain diseases of early infancy (750-776)	F. ...	6	—	—	—	—	—	—	—	—	—	1	—
754	128	Spina bifida and meningocele ...	M. ...	225	216	1	1	1	1	1	1	1	1	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system ...	F. ...	147	139	3	2	2	2	2	2	2	2	—	—
			M. ...	7	7	1	1	1	1	1	1	1	1	—	—
			F. ...	15	14	—	—	—	—	—	—	—	—	—	—
			M. ...	15	10	2	2	2	2	2	2	2	2	—	—
			F. ...	16	12	1	1	1	1	1	1	1	1	—	—
			M. ...	14	12	—	—	—	—	—	—	—	—	—	—
			F. ...	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760-761	130	Birth injuries
762	131	Postnatal asphyxia and atelectasis
763	132a	Pneumonia of newborn
764	132b	Diarrhea of newborn
765-768	132c	Other infections of newborn
770	133	Hamolytic disease of newborn
769, 771, 772	134	All other defined diseases of early infancy
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified
794	136	Senility without mention of psychosis
780-793, 795	137	Ill-defined and unknown causes
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)
		Violence (E800-E999)
E810-E835	138	Motor vehicle accidents
E840-E845	139a	Other road transport accidents
E800-E802, E880-E866	139b	Other transport accidents
E870-E895	140	Accidental poisoning
E900-E904	141	Accidental falls
E912	142	Accident caused by machinery
E916	143	Accident caused by fire and explosion of combustible material
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation
E919	145	Accident caused by firearm
E929	146	Accidental drowning and submersion
E921-E925	147a	Accidental mechanical suffocation, etc.
E910, E911, E913-E915, E920, E925-E928, E930-E962	147b	All other accidental causes
E963, E970-E979	148	Suicide and self-inflicted injury
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)
E965, E990-E999	150	Injury resulting from operations of war

TABLE 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1952

International Classification		CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
		ALL CAUSES—Both Sexes	1,7209	899	176	110	49	242	342	582	1,343	2,340	4,385	6,741	
		Males	8,862	518	96	70	27	148	175	319	773	1,329	2,229	3,178	
		Females	8,347	381	80	40	22	94	167	263	570	1,011	2,156	3,563	
		All Tuberculosis (001-019)	186	2	11	4	—	15	26	30	40	28	24	6	
		Total	142	1	7	—	—	26	41	26	19	9	8	3	
		Respiratory system	158	2	3	1	—	11	25	29	35	24	23	8	
		Meninges and central nervous system	116	—	2	2	—	20	38	24	14	7	6	3	
		Intestines, peritoneum and mesenteric glands	13	—	8	1	—	1	1	1	2	—	—	—	
		Bones and joints	15	1	5	1	—	5	1	1	1	—	—	—	
		All other forms	3	—	—	—	—	—	1	—	2	—	—	—	
		Syphilis (020-029)	4	—	—	—	—	2	1	—	1	2	—	—	
		Total	3	—	—	—	—	1	1	—	1	1	—	—	
		Congenital syphilis	8	—	—	—	—	1	1	—	3	4	6	1	
		Early syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
		Tabes dorsalis	1	—	—	—	—	—	—	—	—	—	—	—	
		General paralysis of insane	1	—	—	—	—	—	—	—	—	—	—	—	
		All other syphilis	1	—	—	—	—	—	—	—	—	—	—	—	
		Gonococcal infection	5	—	—	—	—	—	—	—	—	—	—	—	
		Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	
		Paratyphoid fever and other salmonella infections	1	—	—	—	—	—	—	—	—	—	—	—	
		Cholera	1	—	—	—	—	—	—	—	—	—	—	—	
		Brucellosis (undulant fever)	1	—	—	—	—	—	—	—	—	—	—	—	
		Dysentery, all forms	2	—	—	—	—	—	—	—	—	—	—	—	
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M. F.	1	—	—	—	—	—	—	—	—	1	—	—
051	18	Streptococcal sore throat	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia ...	M. F.	8	3	1	—	—	—	—	1	—	2	2	—
055	21	Diphtheria	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M. F.	4	4	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections ...	M. F.	9	3	6	—	—	—	—	—	—	—	—	—
058	24	Plague	M. F.	7	3	4	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M. F.	9	4	4	1	—	—	—	—	—	—	—	—
061	26	Tetanus	M. F.	—	—	—	—	—	—	—	3	—	—	—	—
062	27	Anthrax	M. F.	5	1	—	—	—	—	—	—	—	1	—	—
080	28	Acute poliomyelitis	M. F.	1	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M. F.	3	3	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M. F.	2	3	1	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M. F.	3	3	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M. F.	5	5	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M. F.	4	1	2	—	—	—	—	—	—	—	—	—
094	35	Rabies	M. F.	4	2	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M. F.	3	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M. F.	2	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M. F.	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M. F.	—	—	—	—	—	—	—	—	—	—	—	—

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44E.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
Detailed List	Inter-mediate List "A"			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
036-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ... <i>Malignant neoplasms (140-205)</i>	7 1,316 1,330 57	—	9	11	—	—	—	—	3	1	2	—	
140-148	44	Buccal cavity and pharynx ...	3 Total	—	—	—	—	—	—	—	—	—	—	—	
150	45	Oesophagus ...	45 34	—	—	—	—	—	—	—	—	—	—	—	
151	46	Stomach ...	271 232	—	—	—	—	—	—	—	—	—	—	—	
152, 153	47	Intestine, except rectum ...	190 213	—	—	—	—	—	—	—	—	—	—	—	
154	48	Rectum ...	87 54	—	—	—	—	—	—	—	—	—	—	—	
161	49	Larynx ...	16 8	—	—	—	—	—	—	—	—	—	—	—	
162, 163	50	Trachea, bronchus and lung not specified as secondary	228 50	—	—	—	—	—	—	—	—	—	—	—	
170	51	Breast ...	202 59	—	—	—	—	—	—	—	—	—	—	—	
171	52	Cervix uteri ...	59 69	—	—	—	—	—	—	—	—	—	—	—	
172-174	53	Other and unspecified parts of uterus ...	69	—	—	—	—	—	—	—	—	—	—	—	
177	54	Prostate ...	105	—	—	—	—	—	—	—	—	—	—	—	
190, 191	55	Skin ...	20 15	—	—	—	—	—	—	—	—	—	—	—	
196, 197	56	Bone and connective tissue ...	18 17	—	—	—	—	—	—	—	—	—	—	—	
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199, 204	57	All other and unspecified sites	213 292 29	—	4	3	1	2	3	7	31	53	65	44	
(a)	(b)	Leukæmia and aleukæmia ... (c)	35 35	—	5	5	2	5	3	13	43	60	98	64	
				(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 36 F. 28	—	—	—	—	—	—	—	—	—	—	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	F. 4 M. 22	1	—	—	—	—	—	—	—	—	—	—	—
250, 251	61	Non-toxic goitre ...	M. 2	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrototoxicosis with or without goitre ...	M. 6 F. 37	—	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus ...	M. 101 F. 2	—	—	—	—	—	—	—	—	—	—	—	—
280-286	64	Avitaminosis and other deficiency states ...	F. 1	—	—	—	—	—	—	—	—	—	—	—	—
290	65a	Pernicious and other hyperchromic anemias ...	M. 27 F. 9	—	—	—	—	—	—	—	—	—	—	—	—
291-293	65b	Other anemias ...	M. 23 F. 23	1	—	—	—	—	—	—	—	—	—	—	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 59 F. 80	—	1	1	—	—	—	—	—	—	—	—	—
300-309	67	Psychoses ...	M. 4 F. 18	—	—	—	—	—	—	—	—	—	—	—	—
310-324, 326	68	Psychoneuroses and disorders of personality ...	M. 2 F. 7	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency ...	M. 4 F. 7	2	1	1	—	—	—	—	—	—	—	—	—
330	70a	Subarachnoid hemorrhage ...	M. 20 F. 14	—	—	—	—	—	—	—	—	—	—	—	—
331	70b	Cerebral hemorrhage ...	M. 547 F. 741	—	—	—	—	—	—	—	—	—	—	—	—
332	70c	Cerebral embolism and thrombosis ...	M. 428 F. 643	1	—	—	—	—	—	—	—	—	—	—	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M. 55 F. 72	—	—	—	—	—	—	—	—	—	—	—	—
340	71	Non-meningococcal meningitis ...	M. 13 F. 17	2	3	1	—	—	—	—	—	—	—	—	—
345	72	Multiple sclerosis ...	M. 26 F. 21	—	—	—	—	—	—	—	—	—	—	—	—
353	73	Epilepsy ...	M. 25 F. 25	—	—	—	—	—	—	—	—	—	—	—	—
370-379	74	Inflammatory diseases of eye ...	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract ...	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis ...	M. 8 F. 19	—	—	—	—	—	—	—	—	—	—	—	—
350	78a	Paralysis agitans ...	M. 22 F. 22	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—*continued*

International Classification	Detailed List	CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
				1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b	All other diseases of the nervous system and sense organs	M. 49 F. 47	1	1	—	—	—	—	—	—	—	—	9	—
400-402	79	Rheumatic fever	M. 5 F. 7	—	2	—	—	—	—	—	—	—	—	12	—
410-416	80	Heart disease (410-443)	TOTAL M. 3098 F. 2,741	1	—	—	—	—	—	—	—	—	—	889	—
420	81a	Chronic rheumatic heart disease...	M. 73 F. 143	—	—	—	—	—	—	—	—	—	—	1,378	—
421	81b	Arteriosclerotic heart disease (including coronary disease)	M. 1,438 F. 761	—	—	—	—	—	—	—	—	—	—	1,468	—
422.0	81c	Chronic endocarditis not specified as rheumatic	M. 81 F. 75	—	—	—	—	—	—	—	—	—	—	380	—
422.1	81d	Fatty degeneration of heart	M. 10 F. 668	—	—	—	—	—	—	—	—	—	—	482	—
422.2	81e	Myocardial degeneration with arteriosclerosis	M. 749 F. 584	—	—	—	—	—	—	—	—	—	—	283	—
430-432	82a	Other myocardial degeneration	M. 22 F. 25	—	—	—	—	—	—	—	—	—	—	18	—
433, 434	82b	Acute non-rheumatic heart disease	M. 129 F. 160	—	—	—	—	—	—	—	—	—	—	32	—
440-443	83	Other and unspecified diseases of heart	M. 99 F. 150	—	—	—	—	—	—	—	—	—	—	1	—
444-447	84	Hypertension with heart disease	M. 131 F. 111	—	—	—	—	—	—	—	—	—	—	19	—
450	85a	Hypertension without mention of heart	M. 171 F. 168	—	—	—	—	—	—	—	—	—	—	159	—
451-456	85b	General arteriosclerosis	M. 23 F. 18	—	—	—	—	—	—	—	—	—	—	481	—
460-468	86	Other diseases of arteries	M. 31 F. 40	—	—	—	—	—	—	—	—	—	—	150	—
470-475	87	Other diseases of circulatory system	M. 8 F. 4	—	—	—	—	—	—	—	—	—	—	569	—
480-483	88	Acute upper respiratory infections	M. 35 F. 48	—	—	—	—	—	—	—	—	—	—	146	—
490	89	Influenza	M. 46 F. 44	—	—	—	—	—	—	—	—	—	—	366	—
(a)	(b)	Lobar pneumonia	M. 3 F. 4	—	—	—	—	—	—	—	—	—	—	188	—
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M. 165	53	6	2	—	—	1	6	9	16	25	47	—
492, 493	91	Primary atypical, other and unspecified pneumonia ...	F. 159	49	8	2	—	—	1	4	4	11	19	59	—
			M. 34	6	3	—	—	—	1	1	1	1	13	8	—
			F. 28	8	—	—	—	—	1	2	3	3	5	8	—
			M. 243	9	—	—	—	—	1	3	21	47	75	83	—
		Total	F. 148	8	2	1	—	—	1	2	7	14	37	74	—
		Bronchitis (500-502)	M. 41	7	2	—	—	—	—	2	1	1	13	15	—
500	92	Acute	M. 36	7	—	—	—	—	—	1	1	2	6	17	—
			F. 120	—	—	—	—	—	—	1	8	26	39	44	—
501b-502b	93a	Chronic and unqualified with heart disease secondary	M. 61	—	—	—	—	—	—	1	4	7	19	29	—
501a-502a	93b	Chronic and unqualified otherwise defined ...	F. 82	2	—	—	—	—	—	1	12	20	23	24	—
510	94	Hypertrophy of tonsils and adenoids ...	M. 51	1	—	—	—	—	—	1	3	5	12	28	—
518, 521	95	Empyema and abscess of lung ...	M. 1	—	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	F. 4	—	—	—	—	—	—	—	—	—	—	—	—
			F. 6	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M. 126	1	2	—	—	—	2	2	14	38	32	34	—
530-535	98	Diseases of teeth and supporting structures ...	F. 45	—	—	—	—	—	1	2	6	1	13	19	—
540	99	Ulcer of stomach	M. 58	—	—	—	—	—	—	—	—	—	—	—	—
541	100	Ulcer of duodenum	F. 26	—	—	—	—	—	2	1	7	3	7	9	—
543	101	Gastritis and duodenitis	M. 75	—	—	—	—	—	1	4	15	18	16	15	—
550-553	102	Appendicitis	F. 18	—	—	—	—	—	—	2	5	1	5	4	—
560, 561, 570	103	Intestinal obstruction and hernia	M. 2	—	—	—	—	—	—	—	—	—	—	—	—
571.0	104a	Gastro-enteritis, between 4 weeks and 2 years ...	F. 1	—	—	—	—	—	—	—	—	—	—	—	—
571.1	104b	Gastro-enteritis over 2 years	M. 21	—	—	—	—	—	—	—	—	—	—	—	—
572	104c	Chronic enteritis and ulcerative colitis ...	F. 22	—	—	—	—	—	—	—	—	—	—	—	—
581	105	Cirrhosis of liver	M. 66	5	—	—	—	—	—	—	—	—	—	—	—
584-585	106	Cholelithiasis and cholecystitis	F. 19	13	6	—	—	—	—	—	—	—	—	—	—
580, 582, 583, 586	107a	Other diseases of liver	M. 13	11	2	—	—	—	—	—	—	—	—	—	—
536-539, 542, 544, 545, 573-578, 587	107b	Other diseases of digestive system	F. 7	—	—	—	—	—	—	—	—	—	—	—	—
590	108	Acute nephritis	M. 14	—	—	—	—	—	—	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M. 16	—	—	—	—	—	—	—	—	—	—	—	—
			F. 87	—	—	—	—	—	—	—	—	—	—	—	—
			F. 94	—	—	—	—	—	—	—	—	—	—	—	—
			M. 12	1	2	—	—	—	—	—	—	—	—	—	—
			F. 10	—	1	—	—	—	—	—	—	—	—	—	—
			M. 15	2	—	—	—	—	—	—	—	—	—	—	—
			F. 16	—	—	—	—	—	—	—	—	—	—	—	—
			M. 7	—	—	—	—	—	—	—	—	—	—	—	—
			F. 87	—	—	—	—	—	—	—	—	—	—	—	—
			F. 94	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—continued

International Classification		CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
Detailed List	Inter-mediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
600	110	Infections of kidney ...	{ M. F. }	—	—	—	—	—	—	2	2	2	5	—	—
602, 604	111	Calculi of urinary system ...	{ M. F. }	—	1	—	—	—	—	3	1	4	2	—	—
610	112	Hyperplasia of prostate ...	{ M. F. }	—	—	—	—	—	2	—	2	1	1	—	—
620, 621	113	Diseases of breast ...	M.	—	—	—	—	—	—	—	11	37	106	—	—
605, 606	114a	Diseases of bladder ...	{ M. F. }	—	—	—	—	1	—	—	—	2	8	—	—
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system ...	{ M. F. }	1	—	—	—	1	—	1	1	1	5	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium ...	F.	—	—	—	1	4	3	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium ...	F.	—	—	—	3	3	4	—	—	—	—	—	—
643, 644, 670	117a	Hæmorrhage of pregnancy and childbirth ...	F.	—	—	—	—	2	1	—	—	—	—	—	—
671, 672	117b	Postpartum hæmorrhage ...	F.	—	—	—	—	1	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia ...	F.	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis ...	F.	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium ...	F.	—	—	—	1	4	4	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue ...	{ M. F. }	1	—	—	—	—	—	1	1	1	1	7	—
720-725	122	Arthritis and spondylitis ...	{ M. F. }	—	—	—	1	1	2	1	1	9	8	—	—
726, 727	123	Muscular rheumatism and rheumatism unspecified ...	{ M. F. }	—	—	—	—	—	—	1	—	—	—	—	—
730	124	Osteomyelitis and periostitis ...	{ M. F. }	—	1	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities ...	{ M. F. }	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	{ M. F. }	1	—	—	—	1	1	—	2	1	5	7	—
751	127	Congenital malformations and certain diseases of early infancy (750-776)	{ M. F. }	348	9	3	3	—	—	—	—	1	—	—	—
754	128	Spina bifida and meningocoele ...	{ M. F. }	247	10	4	2	2	1	1	1	1	—	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system ...	{ M. F. }	24	1	—	—	—	—	—	—	—	—	—	—
(a)	(b)	All other congenital malformations ...	{ M. F. }	21	3	1	2	1	1	—	—	—	—	—	—
(c)	(d)	All other congenital malformations ...	{ M. F. }	15	2	—	—	—	—	—	—	—	—	—	—
(e)	(f)	All other congenital malformations ...	{ M. F. }	27	4	2	1	1	2	1	1	1	—	—	—
(g)	(h)	All other congenital malformations ...	{ M. F. }	26	5	2	—	—	—	—	—	—	—	—	—
(i)	(j)	All other congenital malformations ...	{ M. F. }	38	3	—	—	—	—	—	—	—	—	—	—
(k)	(l)	All other congenital malformations ...	{ M. F. }	38	26	5	—	—	—	—	—	—	—	—	—
(m)	(n)	All other congenital malformations ...	{ M. F. }	38	26	5	—	—	—	—	—	—	—	—	—
(o)	(p)	All other congenital malformations ...	{ M. F. }	38	26	5	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
760-761	130	Birth injuries	M. 41 F. 35
762	131	Post-natal asphyxia and atelectasis ...	M. 65 F. 40
763	132a	Pneumonia of newborn	M. 15 F. 10
764	132b	Diarrhoea of newborn	M. 4 F. 2
765-768	132c	Other infections of newborn	M. 3 F. 1
770	133	Hæmolytic disease of newborn ...	M. 11 F. 7
769, 771, 772	134	All other defined diseases of early infancy ...	M. 20 F. 7
773-776	135	Ill-defined diseases, peculiar to early infancy and immaturity unqualified ...	M. 123 F. 81
794	136	Senility without mention of psychosis ...	M. 157 F. 265
780-793, 795	137	Ill-defined and unknown causes	M. 168 F. 100
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)																							
		<i>Violence (E800-E999)</i>	Total																						
E810-E835	138	Motor vehicle accidents	M. 511 F. 273
E840-E845	139a	Other road transport accidents	M. 38 F. 7
E800-E802, E850-E866, E870-E895	139b	Other transport accidents	M. 38 F. 7
	140	Accidental poisonings	M. 20 F. 22
E900-E904	141	Accidental falls	M. 49 F. 18
E912	142	Accident caused by machinery	M. 21 F. 5
E916	143	Accident caused by fire and explosion of combustible material	M. 13 F. 9
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M. 20 F. 10
E919	145	Accident caused by firearm	M. 67 F. 12
E929	146	Accidental drowning and submersion	M. 43 F. 27
E921-E925	147a	Accidental mechanical suffocation, etc.	M. 21 F. 19
E910, E911, E913-E915, E920, E926-E928, E930-E962	147b	All other accidental causes	M. 73 F. 5
E963, E970-E979	148	Suicide and self-inflicted injury	M. 43 F. 13
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M. 1 F. 3
E965, E990-E999	150	Injury resulting from operations of war	M. 2 F. 1

TABLE 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1952

International Classification		CAUSES OF DEATH		All Ages	AGES										75 and over	Not Stated
Detailed List	Inter-mediate List "A"				1—	5—	10—	15—	25—	35—	45—	55—	65—			
		ALL CAUSES—Both Sexes	...	21,565	1,332	218	99	64	334	492	862	2,083	3,698	5,730	6,653	—
		Males	...	11,298	740	120	63	30	145	226	446	1,232	2,166	3,061	3,069	—
		Females	...	10,267	592	98	36	34	189	266	416	851	1,532	2,669	3,584	—
001-008	1	All Tuberculosis (001-019)	Total	473	8	13	3	7	31	59	77	97	93	60	25	—
		Respiratory system	M.	367	7	19	2	9	88	96	65	123	25	15	8	—
010	2	Meninges and central nervous system	F.	435	6	2	2	3	23	56	77	95	89	55	23	—
011	3	Intestines, peritoneum and mesenteric glands	M.	314	4	5	2	5	75	91	63	30	23	11	5	—
012, 013	4	Bones and joints	F.	17	2	6	1	2	7	1	1	1	1	—	—	—
014-019	5	All other forms	M.	27	3	13	—	—	2	—	—	—	—	—	—	—
		Syphilis (020-029)	F.	3	—	—	—	—	1	—	—	—	—	—	—	—
020	6	Congenital syphilis	M.	4	—	—	—	—	1	—	—	—	—	—	—	—
021	7	Early syphilis	F.	6	—	—	—	—	1	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	10	—	—	—	—	4	—	—	—	—	—	—	—
025	9	General paralysis of insane	F.	12	—	—	—	—	3	—	—	—	—	—	—	—
022, 023			Total	29	1	1	—	—	2	—	—	—	—	—	—	—
026-029			M.	14	—	—	—	—	1	—	—	—	—	—	—	—
030-035			F.	1	—	—	—	—	—	—	—	—	—	—	—	—
040	10	All other syphilis	M.	19	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	11	Gonococcal infection	F.	8	—	—	—	—	—	—	—	—	—	—	—	—
043	12	Typhoid fever	M.	1	—	—	—	—	—	—	—	—	—	—	—	—
044	13	Paratyphoid fever and other salmonella infections	F.	1	—	—	—	—	—	—	—	—	—	—	—	—
045-048	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	15	Brucellosis (undulant fever)	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)		F.	2	—	—	—	—	—	—	—	—	—	—	—	—
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	M.	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	Scarlet fever	1	5	1	2	1	1	1	1	1	1	1	1	1
051	Streptococcal sore throat	2	1	1	1	1	1	1	1	1	1	1	1	1
052	Erysipelas	1	1	1	1	1	1	1	1	1	1	1	1	1
053	Septicæmia and pyæmia	5	5	5	5	5	5	5	5	5	5	5	5	5
055	Diphtheria	3	3	3	3	3	3	3	3	3	3	3	3	3
056	Whooping-cough	3	3	3	3	3	3	3	3	3	3	3	3	3
057	Meningococcal infections	8	8	8	8	8	8	8	8	8	8	8	8	8
058	Plague	6	6	6	6	6	6	6	6	6	6	6	6	6
060	Leprosy	1	1	1	1	1	1	1	1	1	1	1	1	1
061	Tetanus	1	1	1	1	1	1	1	1	1	1	1	1	1
062	Anthrax	1	1	1	1	1	1	1	1	1	1	1	1	1
080	Acute poliomyelitis	2	2	2	2	2	2	2	2	2	2	2	2	2
082	Acute infectious encephalitis	2	2	2	2	2	2	2	2	2	2	2	2	2
081, 083	Late effects of acute poliomyelitis and acute infectious encephalitis	3	3	3	3	3	3	3	3	3	3	3	3	3
084	Smallpox	6	6	6	6	6	6	6	6	6	6	6	6	6
085	Measles	3	3	3	3	3	3	3	3	3	3	3	3	3
091	Yellow fever	4	4	4	4	4	4	4	4	4	4	4	4	4
092	Infectious hepatitis	2	2	2	2	2	2	2	2	2	2	2	2	2
094	Rabies	1	1	1	1	1	1	1	1	1	1	1	1	1
100-108	Typhus and other rickettsial diseases	1	1	1	1	1	1	1	1	1	1	1	1	1
110-117	Malaria	1	1	1	1	1	1	1	1	1	1	1	1	1
123	Schistosomiasis	1	1	1	1	1	1	1	1	1	1	1	1	1
125	Hydatid disease	1	1	1	1	1	1	1	1	1	1	1	1	1
127	Filariasis	1	1	1	1	1	1	1	1	1	1	1	1	1
129	Ankylostomiasis	1	1	1	1	1	1	1	1	1	1	1	1	1
124, 126, 128, 130	Other diseases due to helminths	1	1	1	1	1	1	1	1	1	1	1	1	1

NOTE.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 44F—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Not stated
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
	036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic... Malignant neoplasms (140-205)	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	140-148	44	Buccal cavity and pharynx	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	150	45	Esophagus	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	151	46	Stomach	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	152, 153	47	Intestine, except rectum	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	154	48	Rectum	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	161	49	Larynx	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	162, 163	50	Trachea, bronchus and lung not specified as secondary	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	170	51	Breast	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	171	52	Cervix uteri	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	172-174	53	Other and unspecified parts of uterus	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	177	54	Prostate	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	190, 191	55	Skin	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	196, 197	56	Bone and connective tissue	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—
	204	58	Leukemia and aleukemia	2 4 1,899 1,621 71 22 68 49 332 269 218 248 117 76 42 4 587 95 2 276 74 90 87 10 19 23 22	—	1	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic system ...	M. 47 F. 36	—	—	—	—	—	—	—	—	—	—	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M. 21 F. 28	—	—	—	—	—	—	—	—	—	—	—	—
250, 251	61	Non-toxic goitre ...	M. 1 F. 13	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyroidosis with or without goitre ...	M. 13 F. 44	—	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus ...	M. 14 F. 5	—	—	—	—	—	—	—	—	—	—	—	—
280-286	64	Avitaminosis and other deficiency states ...	M. 19 F. 44	—	—	—	—	—	—	—	—	—	—	—	—
290	65a	Pernicious and other hyperchromic anæmias ...	M. 44 F. 6	—	—	—	—	—	—	—	—	—	—	—	—
291-293	65b	Other anæmias ...	M. 24 F. 24	—	—	—	—	—	—	—	—	—	—	—	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases ...	M. 64 F. 97	3	2	2	—	—	—	—	—	—	—	—	—
300-309	67	Psychoses ...	M. 11 F. 24	—	—	—	—	—	—	—	—	—	—	—	—
310-324, 326	68	Psychoneuroses and disorders of personality ...	M. 5 F. 2	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency ...	M. 5 F. 1	1	4	1	—	—	—	—	—	—	—	—	—
330	70a	Subarachnoid hæmorrhage ...	M. 23 F. 35	—	—	—	—	—	—	—	—	—	—	—	—
331	70b	Cerebral hæmorrhage ...	M. 621 F. 830	—	—	—	—	—	—	—	—	—	—	—	—
332	70c	Cerebral embolism and thrombosis ...	M. 566 F. 678	1	1	1	—	—	—	—	—	—	—	—	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M. 143 F. 86	—	—	—	—	—	—	—	—	—	—	—	—
340	71	Non-meningococcal meningitis ...	M. 20 F. 13	8	2	2	—	—	—	—	—	—	—	—	—
345	72	Multiple sclerosis ...	M. 24 F. 30	5	1	—	—	—	—	—	—	—	—	—	—
353	73	Epilepsy ...	M. 23 F. 24	1	3	2	—	—	—	—	—	—	—	—	—
370-379	74	Inflammatory diseases of eye ...	M. 24 F. 24	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract ...	M. 24 F. 30	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma ...	M. 24 F. 30	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis ...	M. 5 F. 22	1	—	—	—	—	—	—	—	—	—	—	—
350	78a	Paralysis agitans ...	M. 29 F. 29	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—continued

International Classification	Detailed List	Intermediate List "A"	CAUSES OF DEATH	All Ages	AGES										75 and over	Total
					-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78b		All other diseases of the nervous system and sense organs ...	M. 59 F. 65	4	1	3	—	5	1	4	8	10	16	7	—
400-402	79		Rheumatic fever ...	M. 10 F. 10	—	3	—	1	6	2	2	1	—	—	22	—
410-416	80		Heart disease (410-443) ...	M. 3,444 F. 3,172	—	—	—	5	13	30	85	327	726	1,089	1,171	—
420	81a		Chronic rheumatic heart disease ...	M. 126 F. 243	—	—	—	—	14	15	19	25	26	20	25	—
421	81b		Arteriosclerotic heart disease (including coronary disease) ...	M. 1,620 F. 880	—	—	—	—	12	8	55	56	53	26	25	—
422.0	81c		Chronic endocarditis not specified as rheumatic ...	M. 87 F. 2	—	—	—	2	2	2	3	6	20	24	14	—
422.1	81d		Fatty degeneration of heart ...	M. 14 F. 675	—	—	—	—	—	—	—	5	4	202	3	—
422.2	81e		Myocardial degeneration with arteriosclerosis ...	M. 665 F. 781	—	—	—	—	—	1	4	23	38	163	425	—
430-432	82a		Other myocardial degeneration ...	M. 19 F. 28	—	1	—	—	1	6	1	4	4	10	2	—
433, 434	82b		Acute non-rheumatic heart disease ...	M. 134 F. 194	—	2	—	—	1	2	10	18	21	42	51	—
440-443	83		Other and unspecified diseases of heart ...	M. 123 F. 159	—	—	—	—	1	1	1	13	34	63	67	—
444-447	84		Hypertension with heart disease ...	M. 111 F. 138	—	—	—	—	—	5	4	12	30	61	51	—
450	85a		Hypertension without mention of heart disease ...	M. 157 F. 125	—	—	—	—	—	—	2	8	25	50	53	—
451-456	85b		General arteriosclerosis ...	M. 21 F. 33	—	—	—	—	—	—	—	2	5	25	99	—
460-468	86		Other diseases of arteries ...	M. 33 F. 32	—	—	—	—	—	—	—	1	6	8	6	—
470-475	87		Other diseases of circulatory system ...	M. 4 F. 76	—	—	—	—	—	—	2	2	4	7	11	—
480-483	88		Acute upper respiratory infections ...	M. 93 F. 89	—	—	—	—	—	—	—	3	10	9	8	—
490	89		Influenza ...	M. 80 F. 80	—	—	—	—	—	—	—	—	—	—	1	—
(a)			Lobar pneumonia ...	(d)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(b)			(c)	(e)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(c)			(d)	(f)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(d)			(e)	(g)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(e)			(f)	(h)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(f)			(g)	(i)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(g)			(h)	(j)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(h)			(i)	(k)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(i)			(j)	(l)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(j)			(k)	(m)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(k)			(l)	(n)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(l)			(m)	(o)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(m)			(n)	(p)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(n)			(o)	(q)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(o)			(p)	(r)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(p)			(q)	(s)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(q)			(r)	(t)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(r)			(s)	(u)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(s)			(t)	(v)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(t)			(u)	(w)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(u)			(v)	(x)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(v)			(w)	(y)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(w)			(x)	(z)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(x)			(y)	(aa)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(y)			(z)	(ab)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(z)			(aa)	(ac)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(aa)			(ab)	(ad)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ab)			(ac)	(ae)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ac)			(ad)	(af)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ad)			(ae)	(ag)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ae)			(af)	(ah)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(af)			(ag)	(ai)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ag)			(ah)	(aj)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ah)			(ai)	(ak)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(aj)			(aj)	(al)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(aj)			(ak)	(am)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ak)			(al)	(an)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(al)			(am)	(ao)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(am)			(an)	(ap)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(an)			(ao)	(aq)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ao)			(ap)	(ar)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ap)			(aq)	(as)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(aq)			(ar)	(at)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ar)			(as)	(au)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(as)			(at)	(av)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(at)			(au)	(aw)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(au)			(av)	(ax)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(av)			(aw)	(ay)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(aw)			(ax)	(az)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ax)			(ay)	(ba)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ay)			(az)	(bb)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(az)			(ba)	(bc)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ba)			(bb)	(bd)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bb)			(bc)	(be)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bc)			(bd)	(bf)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bd)			(be)	(bg)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(be)			(bf)	(bh)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bf)			(bg)	(bi)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bg)			(bh)	(bj)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bh)			(bi)	(bk)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bi)			(bj)	(bl)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bj)			(bk)	(bm)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bj)			(bl)	(bn)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bm)			(bm)	(bo)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bn)			(bn)	(bp)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bo)			(bo)	(bq)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bp)			(bp)	(br)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bq)			(bq)	(bs)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(br)			(br)	(bt)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bs)			(bs)	(bu)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bt)			(bt)	(bv)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bu)			(bu)	(bw)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bv)			(bv)	(bx)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bw)			(bw)	(by)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bx)			(bx)	(bz)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(by)			(by)	(ca)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(bz)			(bz)	(cb)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ca)			(ca)	(cc)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cb)			(cb)	(cd)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cc)			(cc)	(ce)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cd)			(cd)	(cf)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ce)			(ce)	(cg)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cf)			(cf)	(ch)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cg)			(cg)	(ci)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ch)			(ch)	(cj)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ci)			(ci)	(ck)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cj)			(cj)	(cl)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(ck)			(ck)	(cm)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cl)			(cl)	(cn)	7	1	1	—	4	3	8	9	11	17	(o)	(p)
(cm)			(cm)	(co)	7	1	1	—	4	3	8					

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	274	66	13	1	1	—	4	8	19	37	47	79	—
492, 493	91	Primary atypical, other and unspecified pneumonia ...	271	63	14	—	—	1	4	3	16	30	55	85	—
		<i>Bronchitis</i> (500-502)	62	8	2	—	—	—	—	2	8	8	13	20	—
		Acute	29	4	1	—	—	—	1	3	2	5	6	6	—
		Chronic and unqualified with heart disease secondary	684	9	2	1	—	1	2	17	102	185	198	167	—
500	92	Chronic and unqualified otherwise defined	355	6	1	1	—	1	—	13	22	62	102	147	—
501a-502a	93a	Hypertrophy of tonsils and adenoids	54	5	2	—	—	1	—	2	2	8	19	18	—
510	94	Empyema and abscess of lung	357	—	—	—	—	1	1	1	52	5	11	29	—
518, 521	95	Pleurisy	176	—	—	—	—	—	1	8	91	91	117	88	—
519	96	All other respiratory diseases	267	1	—	—	—	—	1	6	13	33	54	70	—
511-517, 520, 522-527	97	Diseases of teeth and supporting structures	125	2	3	—	—	1	2	9	18	37	34	19	—
530-535	98	Ulcer of stomach	86	4	3	2	—	1	—	10	9	8	13	36	—
540	99	Ulcer of duodenum	57	—	—	—	—	—	1	6	12	12	18	8	—
541	100	Gastritis and duodenitis	30	—	—	—	—	—	2	2	7	3	10	7	—
543	101	Appendicitis	97	16	1	—	—	—	1	6	28	30	21	10	—
550-553	102	Intestinal obstruction and hernia	2	1	—	—	—	—	1	2	4	3	3	3	—
580, 561, 570	103	Gastro-enteritis between 4 weeks and 2 years	8	—	1	—	—	1	—	—	—	—	2	1	—
571.0	104a	Gastro-enteritis over 2 years	23	—	2	2	3	2	—	1	3	3	4	4	—
571.1	104b	Chronic enteritis and ulcerative colitis	22	—	1	—	2	2	2	3	4	12	16	18	—
572	104c	Cirrhosis of liver	65	7	—	—	—	—	1	4	7	9	24	21	—
581	105	Cholelithiasis and cholecystitis	66	2	1	—	—	1	—	1	—	—	—	—	—
584-585	106	Other diseases of liver	30	29	1	1	—	—	—	—	—	2	1	—	—
580, 582, 583, 586	107a	Other diseases of digestive system	4	—	—	—	—	—	1	—	1	2	2	1	—
536-539, 542, 544, 545, 573-578, 587	107b	Acute nephritis	14	—	—	—	—	1	1	2	1	2	7	3	—
590	108	Chronic, other and unspecified nephritis	34	—	2	—	—	1	2	3	6	8	4	5	—
591-594	109	Chronic, other and unspecified nephritis	28	—	—	—	—	1	—	3	7	8	6	3	—
			15	—	—	—	—	—	—	4	2	8	8	4	—
			46	—	—	—	—	—	—	—	2	4	19	13	—
			11	1	1	1	—	—	—	1	1	2	4	1	—
			13	—	—	—	—	1	—	2	—	3	3	3	—
			32	5	2	—	—	1	1	1	5	9	5	3	—
			29	—	—	—	—	—	2	1	3	6	8	10	—
			5	—	—	1	—	2	1	1	1	1	1	1	—
			7	—	—	—	—	4	7	13	12	15	14	11	—
			79	—	1	1	1	4	9	6	16	18	23	18	—
			94	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—continued

International Classification		CAUSES OF DEATH	All Ages	Ages										75 and over	Not stated
Detailed List	Inter-mediate List "A"			1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
600	110	Infections of kidney	16 M.	—	—	—	1	2	3	1	2	4	3	—	—
602, 604	111	Calculi of urinary system... ..	28 F.	—	1	—	—	2	2	3	8	9	3	—	—
610	112	Hyperplasia of prostate	4 M.	—	—	—	—	—	—	—	1	2	1	—	—
620, 621	113	Diseases of breast	3 M.	—	—	—	—	—	—	—	10	41	71	—	—
605, 606	114a	Diseases of bladder	122	—	—	—	—	—	—	—	—	—	—	—	—
601, 603, 607-609, 611-617, 622-637	114b	Other diseases of genito-urinary system	— F.	—	—	—	—	—	—	—	—	—	—	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	19 F.	—	—	—	—	1	3	6	5	7	12	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	6 F.	—	—	—	1	3	2	—	—	—	—	—	—
643, 644, 670	117a	Hamorrhage of pregnancy and childbirth	9 F.	—	—	—	4	3	2	—	—	—	—	—	—
671, 672	117b	Postpartum hemorrhage	6 F.	—	—	—	1	4	1	—	—	—	—	—	—
681	118	Abortion without mention of sepsis or toxæmia	8 F.	—	—	—	1	3	3	1	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	119	Abortion with sepsis	2 F.	—	—	—	1	1	1	—	—	—	—	—	—
680-698	120	Other complications of pregnancy, childbirth and the puerperium	3	—	—	—	—	—	—	—	—	—	—	—	—
720-725	121	Infections of skin and subcutaneous tissue	8 M.	—	—	—	1	7	1	—	—	2	1	—	—
726, 727	122	Arthritis and spondylitis	4 F.	—	—	—	—	4	—	—	—	1	3	—	—
730	123	Muscular rheumatism and rheumatism, unspecified	2 M.	—	—	—	—	1	2	1	2	15	12	—	—
737, 745-749	124	Osteomyelitis and periostitis	35 F.	—	—	—	—	—	—	—	—	1	—	—	—
700-716, 731-736, 738-744	125	Ankylosis and acquired musculoskeletal deformities	2 M.	—	—	—	—	—	—	—	—	—	—	—	—
751	126	All other diseases of skin and musculoskeletal system	2 F.	—	—	—	—	—	—	—	—	—	—	—	—
752, 753, 755-759	127	Congenital malformations and certain diseases of early infancy (750-776)	20 M.	1	—	—	1	—	2	—	3	7	6	—	—
754	128	Spina bifida and meningocele	13 F.	—	—	—	—	—	—	—	1	3	4	—	—
750, 752, 753, 755-759	129	Congenital malformations of circulatory system	476 M.	482	5	1	3	2	2	1	1	1	—	—	—
		All other congenital malformations	26 F.	25	—	—	3	—	—	—	—	—	—	—	—
			30 M.	34	3	—	2	—	—	—	—	—	—	—	—
			60 M.	52	3	—	3	1	2	3	—	—	—	—	—
			49 F.	39	1	—	1	2	2	1	1	1	—	—	—
			(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
760, 761	130	Birth injuries ...	M.	35	—	—	—	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis ...	F.	49	—	—	—	—	—	—	—	—	—	—	—	—	—
763	132 ^a	Pneumonia of newborn ...	M.	91	—	—	—	—	—	—	—	—	—	—	—	—	—
764	132 ^b	Diarrhoea of newborn ...	M.	91	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132 ^c	Other infections of newborn ...	M.	92	—	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hamolytic disease of newborn ...	M.	25	—	—	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy ...	M.	6	—	—	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases, peculiar to early infancy and immaturity unqualified ...	M.	5	—	—	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis ...	M.	3	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	137	Ill-defined and unknown causes ...	M.	15	—	—	—	—	—	—	—	—	—	—	—	—	—
		"E" code—Alternative classification of accidents, poisonings and violence (external cause)	F.	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		Violence (E800-E999)	M.	166	—	—	—	—	—	—	—	—	—	—	—	—	—
		Motor vehicle accidents ...	F.	33	—	—	—	—	—	—	—	—	—	—	—	—	—
	138	Other road transport accidents ...	M.	513	—	—	—	—	—	—	—	—	—	—	—	—	—
	139 ^a	Other transport accidents ...	F.	38	—	—	—	—	—	—	—	—	—	—	—	—	—
	139 ^b	Accidental poisoning ...	M.	31	—	—	—	—	—	—	—	—	—	—	—	—	—
	140	Accidental falls ...	F.	14	—	—	—	—	—	—	—	—	—	—	—	—	—
	141	Accident caused by machinery ...	M.	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	142	Accident caused by fire and explosion of combustible material ...	F.	16	—	—	—	—	—	—	—	—	—	—	—	—	—
	143	Accident caused by hot substance, corrosive liquid, steam and radiation ...	M.	49	—	—	—	—	—	—	—	—	—	—	—	—	—
	144	Accident caused by firearm ...	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	145	Accidental drowning and submersion ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	146	Accidental mechanical suffocation, etc.	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	147 ^a	All other accidental causes ...	M.	38	—	—	—	—	—	—	—	—	—	—	—	—	—
	147 ^b	Suicide and self-inflicted injury ...	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	148	Homicide and injury purposely inflicted by other persons (not in war) ...	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	149	Injury resulting from operations of war ...	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	150	Injury resulting from operations of war ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	Detailed List	Inter-mediate List "A"	CAUSES OF DEATH															Zetland Co.													
			Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Renfrewshire Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.		Glenrothes B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.
			13839	315	533	486	780	348	3587	5964	983	496	118	303	204	509	1116	893	1127	250	1586	879	627	304	468	323	1297	214	886	374	305
			598
			531
			33
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		
		</														

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	CAUSES OF DEATH		SCOTLAND																													
	Detailed List	Inter-mediate List "A"	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Cathness Co.	Clackmannan Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunbarton Co.	East Lothian Co.	Dunfmline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcaldy B.		
210-251	38	
	39	
	40	
	41	
	42	
	43	
	44	
	45	
	46
	47
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—*continued*

International Classification	CAUSES OF DEATH		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burch	Port Glasgow Burch	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.		
	Detailed List	Inter-mediate List "A"																															
123	38	Schistosomiasis		
125	39	Hydatid disease	
127	40	Filariasis	
129	41	Ankylostomiasis	
124, 126, 128, 130	42	Other diseases due to helminths	
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	6	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140-148	44	Malignant neoplasms (140-205) Total	2305	49	77	69	122	51	552	1116	153	84	15	54	34	77	182	134	182	31	243	113	90	47	83	63	198	30	141	57	39	2	
150	45	Buccal cavity and pharynx	62	3	—	—	—	—	21	37	3	4	1	3	1	7	3	3	3	2	7	3	2	2	2	2	2	2	1	3	1	1	1
151	46	Oesophagus	388	12	13	14	21	100	186	36	14	4	8	3	9	27	35	32	8	37	21	17	13	15	14	31	5	25	16	6	8	1	
152, 153	47	Stomach	293	3	11	14	21	100	186	36	14	4	8	3	9	27	35	32	8	37	21	17	13	15	14	31	5	25	16	6	8	1	
154	48	Intestine (except rectum)	388	12	13	14	21	100	186	36	14	4	8	3	9	27	35	32	8	37	21	17	13	15	14	31	5	25	16	6	8	1	
155	49	Rectum	131	2	1	2	8	2	4	16	149	23	13	2	5	12	8	23	25	2	40	18	16	3	9	6	26	5	14	6	6	3	
161	49	Larynx	33	—	—	—	—	2	—	4	12	1	1	3	1	17	8	4	1	10	2	1	2	5	3	8	1	10	1	3	3	3	
162, 163	50	Trachea, bronchus and lung not specified as secondary	481	11	13	10	22	7	76	194	13	6	2	6	17	19	15	33	6	32	14	11	5	12	11	22	21	2	21	5	6	6	
170	51	Breast	174	4	9	8	11	4	46	11	5	4	1	2	5	17	18	12	16	1	22	14	11	5	16	21	17	5	6	6	6		
171	52	Cervix uteri	46	3	1	4	1	1	13	30	5	4	1	1	2	2	5	2	4	1	5	1	2	1	1	2	1	17	5	6	6		
172-174	53	Other and unspecified parts of uterus	58	3	3	1	4	1	16	21	4	1	1	1	2	6	4	4	4	1	5	1	2	1	1	2	1	17	5	6	6		
177	54	Prostate	55	1	2	1	5	1	16	30	4	2	1	1	1	3	10	4	3	2	11	6	1	2	1	3	12	2	4	3	1	1	
180, 191	55	Skin	16	—	—	—	—	—	18	10	—	—	—	—	—	2	2	2	—	1	2	1	6	1	—	—	4	2	4	3	1	1	
186, 197	56	Bone and connective tissue	28	—	—	—	—	—	10	16	1	—	—	—	—	1	1	—	—	5	—	—	4	—	—	—	4	1	2	2	—	—	
185-190, 164, 165, 173, 176, 178-181, 182-185, 182-195, 198, 199	57	All other and unspecified sites	364	3	12	12	16	16	99	193	34	19	—	9	10	11	30	16	34	5	53	16	10	8	19	12	39	8	23	11	9	—	
202-203, 205	58	Leukemia and aleukemia	40	1	3	—	3	—	11	22	9	2	—	—	—	1	2	8	4	3	—	3	4	2	—	1	4	1	6	1	—	—	
210-239	59	Lymphosarcoma, and other neoplasms of lymphatic and hematopoietic system	55	1	4	2	1	1	12	26	4	3	2	4	—	1	5	5	7	1	5	3	4	3	4	3	8	1	6	1	—	—	
250-251	60	Benign neoplasms and neoplasms of unspecified nature	36	1	2	1	1	1	4	14	4	4	—	—	—	2	4	2	1	1	2	1	1	1	3	1	6	1	1	—	—	—	
252	61	Non-toxic goitre	1	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
252	62	Thyrotoxicosis with or without goitre	9	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	CAUSES OF DEATH		SCOTLAND																Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcaldy B.	Remainder of Tife Co.	Inverness B.	Remainder of Inverness Co.	Kinross Co.	Kirkcald
------------------------------	-----------------	--	----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	--------------	-----------------------	--------------	----------------------------	-------------	----------

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	Detailed Nos.	Inter-mediate List "A"	CAUSES OF DEATH																														Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
63	260	Diabetes mellitus	96	4	5	6	9	5	53	33	13	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	CAUSES OF DEATH		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.			
	Detailed List	Inter-mediate List "A"																																
422.1	81d	Myocardial degeneration with arterio-sclerosis	767	36	66	43	48	41	256	488	76	55	2	22	24	40	112	70	108	17	185	60	80	12	22	13	97	7	63	21	38			
422.2	81e	Other myocardial degeneration	980	23	33	19	59	19	263	296	53	41	11	24	13	36	69	91	72	25	70	69	41	24	37	20	91	37	67	28	26			
430-432	82a	Acute non-rheumatic heart disease	28	2	—	—	16	3	18	13	3	4	3	8	2	6	12	4	24	9	23	20	3	8	5	9	12	9	13	9	—	—		
433-434	82b	Other and unspecified diseases of heart	201	4	20	10	16	5	66	114	23	3	3	3	2	9	13	8	21	3	26	13	3	5	11	5	23	2	15	9	—	—		
440-443	83	Hypertension with heart disease	176	3	2	2	11	10	30	109	12	5	3	6	2	9	18	9	4	5	28	23	13	4	9	4	17	4	17	4	8			
444-447	84	Hypertension without heart disease	151	4	8	5	13	8	41	112	14	5	2	3	5	4	21	8	25	3	23	19	6	9	5	26	6	17	6	5	2			
450	85a	General arteriosclerosis	165	2	1	4	10	9	48	126	4	4	3	1	3	5	3	5	3	1	6	2	6	2	2	2	4	—	—	—	—	—		
451-456	85b	Other diseases of arteries	37	1	—	1	4	2	12	24	2	4	3	—	—	—	3	2	1	1	6	2	6	2	1	3	4	—	—	—	—	—		
460-468	86	Other diseases of circulatory system	40	2	2	2	1	—	19	2	2	—	—	—	—	—	1	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—		
470-475	87	Acute upper respiratory infections	113	3	2	1	1	5	23	20	3	3	1	1	1	2	6	7	3	10	6	3	17	1	—	—	12	7	—	—	—	—		
480-483	88	Influenza	119	—	—	—	4	3	26	29	1	3	1	—	—	4	13	14	19	10	33	11	7	6	15	8	33	2	20	6	3			
490	89	Lobar pneumonia	364	8	23	15	13	7	80	136	23	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
491	90	Bronchopneumonia	62	—	1	2	10	1	12	26	—	3	—	1	—	3	4	5	2	1	3	6	—	—	—	1	4	1	4	1	2	—	—	
492-493	91	Primary atypical, other and unspecified pneumonia	
500	92	Acute...	736	15	30	14	32	21	137	183	30	2	—	5	2	9	17	41	55	4	42	21	8	7	27	7	40	2	23	6	1	—	—	
501b-502b	93a	Bronchitis (500-502)	74	2	3	—	5	1	28	42	6	—	—	—	—	1	3	9	3	2	8	2	3	1	—	6	1	4	1	4	1	—	—	
501a-502a	93b	Chronic and unqualified with heart disease	391	7	11	6	14	9	51	75	15	1	—	1	1	4	5	14	18	2	9	7	2	3	4	17	4	25	1	11	2	—	—	
510	94	Chronic and unqualified otherwise defined	271	6	16	8	13	11	58	66	9	1	—	4	1	4	5	14	18	2	9	7	2	3	2	10	3	9	—	—	—	—	—	
518, 521	95	Hypertrophy of tonsils and adenoids	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
519	96	Empyema and abscess of lung	3	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	1	1	—	1	2	1	—	1	—	—	—	—	—	—	—	
511-517, 520, 522-527	97	Pleurisy	5	—	—	2	3	—	3	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
530-535	98	All other respiratory diseases	115	9	7	7	18	5	62	46	12	3	1	2	3	4	11	10	9	1	14	3	2	1	5	3	9	1	15	1	—	—	—	
540	99	Diseases of teeth and supporting structures	63	1	3	—	—	—	15	33	3	1	—	1	1	2	4	4	2	4	12	3	5	4	5	2	10	1	4	1	3	—	—	
541	100	Ulcer of stomach	72	1	2	2	3	2	21	41	10	3	1	1	1	2	7	7	4	2	6	9	2	3	4	5	2	9	1	6	—	—		
543	101	Ulcer of duodenum	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
550-553	102	Gastritis and duodenitis	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
560-561, 570	103	Appendicitis	22	1	4	2	3	2	18	7	—	—	—	—	—	2	1	1	2	1	6	2	1	1	1	1	4	3	1	2	2	—	—	
571, 10	104a	Intestinal obstruction and hernia	88	1	4	2	8	2	25	33	6	6	—	4	1	3	5	5	2	2	1	6	2	6	3	4	13	1	2	2	2	—	—	
571.1	104b	Gastro-enteritis between 4 weeks and 2 years	58	1	5	3	2	1	7	4	3	2	2	1	1	3	1	4	2	2	1	1	2	1	1	1	2	1	1	1	1	—	—	
572	104c	Gastro-enteritis over 2 years	10	1	—	—	—	—	5	20	2	2	1	2	—	2	1	3	1	1	2	1	1	1	1	1	2	1	1	1	1	—	—	
581	105	Chronic enteritis and ulcerative colitis	18	1	—	—	—	—	1	5	2	3	—	1	—	2	—	2	3	5	6	4	1	1	—	—	—	—	—	—	—	—	—	—
584-585	106	Cirrhosis of liver	42	1	—	—	—	—	9	24	4	2	—	2	—	2	5	3	6	2	4	1	1	—	—	—	—	—	—	—	—	—	—	—
588-589	107a	Cholelithiasis and cholecystitis	39	—	—	—	—	—	3	1	7	22	4	2	—	1	3	3	6	2	4	1	1	—	—	—	—	—	—	—	—	—	—	—
590-599	107b	Other diseases of liver	17	—	3	—	2	—	5	3	2	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
592-593	107c	Other diseases of digestive system	43	2	—	—	1	—	9	27	1	3	1	—	2	2	3	4	3	—	2	1	1	—	—	4	1	—	—	—	—	—	—	—
542, 544-545, 573-578, 587	108	Acute nephritis	8	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	Detailed List	CAUSES OF DEATH	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling Co.	Southland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
109-119	591, 594	Chronic, other and unspecified nephritis	101	2	8	2	2	8	37	42	10	9	1	5	1	5	10	5	5	4	19	9	7	2	9	4	5	2	5	5	3
	600	Infections of kidney	32	1	1	1	1	1	3	7	2	2	1	1	1	3	3	4	5	1	1	1	1	1	1	1	1	1	1	1	1
	602, 604	Calculi of urinary system
	610	Hyperplasia of prostate	79	1	1	1	1	1	26	35	5	5	2	4	3	2	11	7	9	4	11	11	8	5	2	2	13	3	1	1	1
	620, 621	Diseases of breast	3	9	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	605, 606	Diseases of bladder	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	601, 603	Other diseases of genito-urinary system	23	1	1	1	1	1	4	14	2	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	3	1	1	1
	607-609	Sepsis of pregnancy, childbirth and the puerperium	3	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	611-617	Toxæmias of pregnancy and the puerperium	6	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	642, 652	Hamorrhage of pregnancy and childbirth	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
120-129	685, 686	Postpartum hæmorrhage	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	643, 644, 670	Abortion without mention of sepsis or toxæmia	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	671, 672	Abortion with sepsis	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	650	Other complications of pregnancy, childbirth and the puerperium	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	651	Infections of skin and subcutaneous tissue	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	645-649, 680, 673-680, 683, 687-689	Arthritis and spondylitis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	690-698	Muscular rheumatism and rheumatism unspecified	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	720-725	Osteomyelitis and periostitis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	726, 727	Ankylosis and acquired musculoskeletal deformities	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	730	All other diseases of skin and musculoskeletal system	20	1	1	1	1	1	4	7	1	1	1	2	1	1	2	2	3	3	4	1	1	1	1	1	1	2	2	1	1
127-128	737, 745-749	Congenital malformations and certain diseases of early infancy (750-776)	555	12	29	30	31	8	153	157	45	13	4	10	6	12	27	26	58	20	54	14	17	4	22	6	62	8	41	17	6
	700-716, 731-736, 738-744	Spina bifida and meningocele	37	2	2	2	2	2	15	12	4	1	1	1	1	1	2	3	5	1	6	1	1	1	1	1	7	1	3	3	1
	751	Congenital malformations of circulatory system	46	1	1	1	1	1	11	21	5	1	1	1	1	1	7	2	4	1	3	2	2	2	1	1	4	1	3	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—continued

International Classification	CAUSES OF DEATH										Scotland																					
	Detailed List	Inter-mediate List "A"	Aberdeen Co. of C.	Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Cathness Co.	Clackmann'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dumbarton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.			
750-752, 753	129	750-752, 753	262	9	9	1	2	3	3	2	6	1	2	1	1	3	3	1	5	5	7	4	1	2	7	1	3	1	1	1		
755-759	130	755-759	258	3	7	1	6	6	3	5	14	3	2	1	1	3	2	1	4	4	1	2	6	1	1	1	3	1	1	1		
760-761	131	760-761	412	19	22	3	8	5	1	2	13	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1		
762	132a	762	113	6	4	3	1	5	4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
763	132b	763	24	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
764	132c	764	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
765-768	132d	765-768	67	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
770	133	770	93	3	1	1	1	3	2	1	7	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1		
769, 771, 772	134	771-772	669	12	11	2	6	10	4	9	26	6	5	2	9	12	7	9	6	5	18	4	7	9	34	3	7	2	3	8		
773-776	135	773-776	1025	10	50	5	33	42	15	7	35	6	8	10	15	10	3	11	4	13	10	4	15	31	18	36	7	3	2	3		
794	136	794	898	14	20	13	8	29	13	6	39	6	4	16	5	8	3	7	3	4	10	7	10	2	18	9	21	7	2	3		
780-793, 795	137	780-793, 795																														
E Code			2535	103	75	107	43	31	16	17	97	29	13	9	10	16	8	36	17	11	45	20	19	33	109	13	33	14	2	7		
E138	E810-E835	E138	451	16	15	11	2	5	4	1	23	7	5	1	1	2	2	7	2	1	6	6	3	4	17	5	8	2	1	1	1	
E139a	E840-E845	E139a	32	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
E139b	E850-E866	E139b	92	4	3	3	3	4	3	2	3	1	1	1	1	3	1	1	1	1	3	2	3	4	4	6	1	1	1	1	1	
E140	E870-E885	E140	248	14	13	21	5	7	4	1	22	4	2	2	4	2	2	3	2	3	7	5	7	8	33	3	9	4	1	1	1	
E141	E900-E904	E141	68	19	13	34	18	7	4	1	2	1	2	1	1	2	1	3	1	1	3	2	3	4	14	3	9	4	1	1	1	
E142	E910-E914	E142	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E143	E915-E916	E143	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E144	E917-E918	E144	89	4	3	1	3	1	2	1	5	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E145	E919	E145	17	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
E146	E920	E146	202	6	8	3	5	1	1	1	4	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E147a	E921-E925	E147a	186	3	5	12	3	3	2	1	9	3	1	1	1	1	1	2	3	3	1	1	1	1	1	1	1	1	1	1	1	1
E910, E911, E913-E915, E920																																
E926-E928, E930-E962, E963	E147b	E147b	182	5	4	4	1	3	1	1	10	1	1	1	1	3	1	1	1	1	5	2	2	4	12	1	4	1	1	1	1	1
E970-E979, E984	E148	E148	281	30	11	15	1	6	4	1	6	5	1	1	1	4	1	4	3	1	3	4	1	5	6	1	1	3	1	1	1	1
E980-E985	E149	E149	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
E985, E990-E999	E150	E150	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1952.—*continued*

International Classification		CAUSES OF DEATH	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley B.	Port Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Stirling B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.	
Detailed List - "A"	Inter-mediate List																															
750, 752, 753, 755-759	129	All other congenital malformations	64	—	—	4	2	2	20	24	6	3	1	—	—	—	1	3	4	6	2	5	3	1	2	2	10	2	2	—	—	
760, 761	130	Birth injuries	70	—	6	2	3	2	10	9	9	4	—	—	—	—	2	4	3	11	2	8	2	2	3	5	6	1	1	5	—	—
762	131	Postnatal asphyxia and atelectasis	102	—	3	2	1	2	19	29	5	2	—	—	—	—	2	4	3	10	5	18	3	6	3	1	5	2	16	1	—	—
763	132a	Pneumonia of newborn	30	—	2	2	1	—	13	10	—	—	—	—	—	—	1	1	2	1	1	—	—	—	—	—	1	1	1	—	—	—
764	132b	Diarrhea of newborn	11	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132c	Other infections of newborn	11	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Haemolytic disease of newborn	19	—	—	1	—	—	1	8	—	2	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772, 773-776	134	All other defined diseases of early infancy	12	—	1	—	3	1	3	7	1	—	—	—	—	—	—	—	4	2	2	3	—	—	—	—	—	—	—	—	—	—
135	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	163	6	13	14	12	—	58	37	11	—	1	3	3	3	5	5	5	19	7	11	4	4	1	5	2	24	2	2	7	2
794	136	Senility without mention of psychosis	180	3	9	18	16	1	73	39	3	5	—	22	3	10	37	21	6	7	16	48	6	7	6	10	23	19	2	8	25	
780-793, 795	137	Ill-defined and unknown causes	307	5	8	13	12	3	64	25	3	7	7	4	2	11	19	35	3	3	3	16	11	6	1	8	12	1	13	3	6	
E Code		Alternative classification of accidents poisonings and violence (external cause)																														
E810-E835	E138	Violence (800-999)	528	9	19	18	24	10	134	241	43	28	7	16	13	30	54	41	51	11	55	42	27	10	13	23	59	9	53	12	9	
E840-E845	E139a	Motor vehicle accidents	100	2	3	5	5	1	32	30	5	6	5	1	3	6	10	8	10	1	10	8	4	2	1	4	1	1	1	3	1	
E800-E802, E850-E866	E139b	Other road transport accidents	9	1	—	—	—	—	2	2	—	1	—	—	—	—	2	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—
E870-E885	E140	Other transport accidents	10	—	1	—	1	1	2	5	1	6	4	—	—	2	1	3	3	—	3	1	3	1	3	8	—	—	—	—	—	—
E900-E904	E141	Accidental poisoning	44	1	1	1	1	2	14	27	2	—	—	—	10	4	6	5	16	4	7	1	3	3	1	3	8	—	—	—	—	—
E912	E142	Accidental falls	141	1	5	4	6	4	23	81	11	9	2	3	3	10	9	3	16	4	19	7	9	3	5	5	9	2	10	1	3	
E916	E143	Accident caused by machinery	4	—	1	—	—	—	3	1	—	—	—	—	—	—	3	—	—	—	1	—	—	4	1	1	—	—	—	—	—	—
E917, E918	E144	Accident caused by fire and explosion of combustible material	13	—	1	—	1	—	5	2	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—
E919	E145	Accident caused by hot substance, corrosive liquid, steam and radiation	25	1	—	2	1	—	4	3	1	—	—	—	—	1	1	3	—	—	2	—	—	1	—	—	1	4	2	2	—	—
E929	E146	Accident caused by firearm	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E921-E925	E147a	Accidental drowning and submersion	48	1	—	1	1	1	11	6	4	2	—	—	6	1	7	3	2	2	3	12	1	—	—	1	3	5	2	3	2	—
E910, E911, E913, E915, E920		Accidental mechanical suffocation, etc.	44	1	3	1	1	—	14	17	6	2	—	—	—	—	—	—	7	2	3	5	3	—	—	1	4	—	—	—	—	—
E926-E928, E930-E962, E963	E147b	All other accidental causes	31	1	2	3	4	1	13	12	6	2	—	1	1	—	6	3	3	1	2	3	1	—	—	—	7	—	6	3	—	—
E970-E979	E148	Suicide and self-inflicted injury	49	1	2	2	1	—	10	49	4	—	—	—	3	8	6	4	5	—	3	2	1	1	2	1	2	1	2	—	—	—
E980-E985	E149	Homicide and injury purposely inflicted by other persons (not in war)	8	—	—	—	1	—	1	4	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	E150	Injury resulting from operations of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Abbreviated List "B"	CAUSES OF DEATH		DUNDEE COUNTY OF CITY										ARBROATH BURGH																		
		ALL CAUSES—Both Sexes	Males	Females	All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over				
		ALL CAUSES—Both Sexes	2195	62	35	19	6	2	18	39	74	183	341	583	642	191	252	7	1	5	1	1	6	7	15	36	63	84	25	
		Males	1065	41	23	9	1	9	24	36	113	202	279	268	60	110	5	1	4	1	1	2	4	6	20	27	33	7	18	
		Females	1130	21	12	10	5	2	9	15	38	70	139	304	374	131	142	2	—	—	—	—	—	—	—	—	—	—	—	—
		Tuberculosis of respiratory system	M.	F.	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	Tuberculosis of respiratory system	F.	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	Tuberculosis, other forms	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	Syphilis and its sequelae	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	Typhoid fever	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	Scarlet fever and streptococcal sore throat	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8	Diphtheria	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9	Whooping-cough	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10	Meningococcal infections	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12	Acute poliomyelitis	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	14	Measles	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	—	—	—	—	—																							

450-468	46.3	Other circulatory disease	F.	M.	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																			
480-483	30	Influenza ...	M.	M.	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																						
490-493	31	Pneumonia ...	M.	M.	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100													
500-502	32	Bronchitis ...	M.	M.	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																							
470-475, 510-527	46.4	Other respiratory diseases	M.	M.	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																					
540, 541	33	Ulcer of stomach and duodenum	M.	M.	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100													
550-553	34	Appendicitis	M.	M.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
560, 561, 570	35	Intestinal obstruction and hernia	M.	M.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100				
543	36.1	Gastritis and duodenitis	M.	M.	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100			
571, 572	36.2	Diarrhoea (except of newborn)	M.	M.	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100			
581	37	Cirrhosis of liver	M.	M.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100		
580, 582-586	46.5	Other diseases of liver	M.	M.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100		
530-539, 542, 544, 545, 573-578, 587, 590-594	46.6	Other digestive diseases	M.	M.	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100											
590-594	38	Nephritis and nephrosis	M.	M.	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100			
610	39	Hyperplasia of prostate	M.	M.	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100									
600-609, 611-637	46.7	Other diseases of genitourinary system	M.	M.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100							
640, 641, 651, 681, 682, 684, 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	F.	F.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
680-749	40.1	Other puerperal causes	F.	F.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
750-759	46.8	Diseases of skin and organs of locomotion	M.	M.	4																																																																																																			

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	ANGUS COUNTY (ex. Co. of City and Large Burgh)													ARGYLL COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			CAUSES OF DEATH													All Ages	under 4 weeks	4 wks-1	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			ALL CAUSES—Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes													Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes	Both Sexes

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952--continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH		AYR COUNTY (excluding Large Burghs)										BANFF COUNTY																
		Abbreviated List "B"	All Ages	under 4 weeks	4 wks—	1—	5—	10—15—	25—	35—45—	55—65—	75—	85 and over	All Ages	under 4 weeks	4 wks—	1—	5—	10—15—	25—35—45—	55—65—	75—	85 and over							
		ALL CAUSES—Both Sexes	2640	80	45	35	13	7	37	65	87	228	384	718	738	203	588	16	11	7	3	1	11	11	16	39	75	149	183	66
		Males	1313	47	27	18	10	5	23	35	41	134	206	358	339	70	295	6	8	2	1	3	5	10	22	43	74	88	33	
		Females	1327	33	18	17	3	2	14	30	46	94	178	360	399	133	293	10	3	5	2	1	8	6	17	32	75	95	33	
		Tuberculosis of respiratory system	23								5	4	8	3	3															
		F. M.	15								3	1	2	1	1		2													
		Tuberculosis, other forms	7										2	1	1															
		F. M.	3																											
		Syphilis and its sequelae	3																											
		F. M.	2																											
		Typhoid fever	4																											
		F. M.																												
		Dysentery, all forms	6																											
		F. M.																												
		Scarlet fever and streptococcal sore throat	7																											
		F. M.																												
		Diphtheria	8																											
		F. M.																												
		Whooping-cough	9																											
		F. M.																												
		Meningococcal infections	10																											
		F. M.	1																											
		Acute poliomyelitis	12																											
		F. M.	1																											
		Measles	14																											
		F. M.	3																											
		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	17																											
		F. M.	199																											
		Malignant neoplasms	18																											
		F. M.	211																											
		Benign and unspecified neoplasms	19																											
		F. M.	3																											
		Diabetes mellitus	20																											
		F. M.	7																											
		Anemias	21																											
		F. M.	5																											
		Other general diseases	46.1																											
		F. M.	12																											
		Vascular lesions affecting central nervous system	22																											
		F. M.	170																											
		Non-meningococcal meningitis	23																											
		F. M.	266																											
		Other diseases of nervous system	46.2																											
		F. M.	21																											
		Rheumatic fever	24																											
		F. M.	22																											
		Chronic rheumatic heart disease	25																											
		F. M.	16																											
		Arteriosclerotic and degenerative heart disease	26																											
		F. M.	30																											
		Other diseases of heart	27																											
		F. M.	429																											
		Hypertension with heart disease	28																											
		F. M.	399																											
		Hypertension without heart disease	29																											
		F. M.	21																											
			18																											
			23																											
			15																											

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	CAUSES OF DEATH	BERWICK COUNTY														BUTE COUNTY													
		All Ages	under 4 wks.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 wks.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
Detailed List	ALL CAUSES—Both Sexes Males Females	369 188 181	12 9 3	— — —	1 1 —	— — —	4 3 1	7 3 4	5 3 4	24 12 12	41 25 16	109 63 48	129 88 66	26 18 28	304 148 156	4 3 1	3 2 1	— — —	2 2 —	3 3 2	17 11 4	37 22 6	84 42 15	106 52 42	40 11 29				
001-008	Tuberculosis of respiratory system	2	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—			
010-019	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
020-029	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
040	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
050, 051	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
055	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
056	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
057	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
085	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
140-205	Malignant neoplasms	30	—	—	—	—	—	—	—	—	—	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—			
210-239	Benign and unspecified neoplasms	38	—	—	—	—	—	—	—	—	—	—	—	2	18	—	—	—	—	—	—	—	—	—	—	—			
260	Diabetes mellitus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
290-293	Anæmias	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
240-254, 270-289, 294-299	Other general diseases	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—			
330-334	Vascular lesions affecting central nervous system	19	—	—	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—			
340	Non-meningococcal meningitis	39	—	—	—	—	—	—	—	—	—	—	—	4	29	—	—	—	—	—	—	—	—	—	—	—			
300-326, 341-398	Other diseases of nervous system	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
400-402	Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
410-416	Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
420-422	Arteriosclerotic and degenerative heart disease	55	—	—	—	—	—	—	—	—	—	—	—	—	51	—	—	—	—	—	—	—	—	—	—	—			
430-434	Other diseases of heart	8	—	—	—	—	—	—	—	—	—	—	—	13	46	—	—	—	—	—	—	—	—	—	—	—			
440-443	Hypertension with heart disease	1	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—			
444-447	Hypertension without heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	Causes of Death	CAITHNESS COUNTY										CLACKMANNAN COUNTY																
			All Ages	under 4 wks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 wks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over			
																											ALL CAUSES	Both Sexes	
	Abbreviated List "B"		307	16	5	—	1	—	1	7	11	19	36	67	102	42	441	19	8	1	—	3	8	14	38	67	115	125	27
		ALL CAUSES—Both Sexes	130	13	4	—	1	—	1	6	5	11	12	27	40	10	223	8	9	3	—	3	5	7	24	38	55	62	12
		Males	177	3	1	—	—	—	—	—	—	—	—	—	—	—	218	11	7	5	1	—	3	7	14	29	60	63	15
		Females																											
001-008		Tuberculosis of respiratory system	3	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
010-019		Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
020-029		Syphilis and its sequelae	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
040		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051		Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055		Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205		Malignant neoplasms	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239		Benign and unspecified neoplasms	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260		Diabetes mellitus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
280-293		Anæmias	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299		Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334		Vascular lesions affecting central nervous system	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340		Non-meningococcal meningitis	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Other diseases of nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Arteriosclerotic and degenerative heart disease	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Other diseases of heart	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Hypertension with heart disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447		Hypertension without heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[illegible]

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including naraynthoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH		DUMFRIES BURGH										DUMFRIES COUNTY (excluding Large Burgh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			All Ages	under 4 weeks	1-	4 w'ks.	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks	1-	4 w'ks.	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females			Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			ALL CAUSES—Both Sexes		Tuberculosis of respiratory system		Tuberculosis, other forms		Syphilis and its sequelae		Typhoid fever		Dysentery, all forms		Scarlet fever and streptococcal sore throat		Diphtheria		Whooping-cough		Meningococcal infections		Acute poliomyelitis		Measles		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*		Malignant neoplasms		Benign and unspecified neoplasms		Diabetes mellitus		Anæmias		Other general diseases		Vascular lesions affecting central nervous system		Non-meningococcal meningitis		Other diseases of nervous system		Rheumatic fever		Chronic rheumatic heart disease		Arteriosclerotic and degenerative heart disease		Other diseases of heart		Hypertension with heart disease		Hypertension without heart disease																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			284	148	12	11	5	3	1	2	7	10	23	49	81	74	17	701	363	10	5	1	3	6	13	29	49	97	195	213	65	10	14	6	5	1	3	6	13	29	49	97	195	213	65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			136	136	1	1	3	1	1	2	3	3	9	25	43	40	6	338	338	5	5	1	2	6	13	24	43	91	108	42	3	3	10	11	5	1	2	6	13	24	43	91	108	42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

CAUSES OF DEATH			CLYDEBANK BURGH										DUMBARTON BURGH																					
International Classification	Detailed List	Abbreviated List "B"	All Ages		under 4 wks—		1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages		under 4 wks—		1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over		
			Males	Females	23	15	9	2	2	1	6	14	13	39	74	122	100	29	259	15	9	1	1	1	1	1	1	1	1	1	1	1	1	
			442	262	13	3	1	6	14	13	39	74	122	100	29	259	15	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
			180	10	6	1	1	2	5	15	27	43	16	13	136	6	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
			9	7	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
			ALL CAUSES—Both Sexes	
			Tuberculosis of respiratory system	
			Tuberculosis, other forms	
			Syphilis and its sequelae	
			Typhoid fever	
			Dysentery, all forms	
			Scarlet fever and streptococcal sore throat	
			Diphtheria	
			Whooping-cough	
			Meningococcal infections	
			Acute poliomyelitis	
			Measles	
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	
			Malignant neoplasms	
			Benign and unspecified neoplasms
			Diabetes mellitus
			Anamias
			Other general diseases
			Vascular lesions affecting central nervous system
			Non-meningococcal meningitis
			Other diseases of nervous system
			Rheumatic fever
			Chronic rheumatic heart disease
			Arteriosclerotic and degenerative heart disease
			Other diseases of heart
			Hypertension with heart disease
			Hypertension without heart disease

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH	DUNBARTON COUNTY (excluding Large Burghs)												EAST LOTHIAN COUNTY											
			All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	All Ages	under 4 wks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
	Abbreviated List 'B'	ALL CAUSES—Both Sexes Males Females	1116 585 531	45 21 24	14 6 8	13 4 5	5 4 1	15 7 8	22 13 9	42 28 14	89 52 37	154 94 60	295 148 147	324 41 162	97 258 56	20 6 2	1 1 1	13 8 2	5 3 2	13 8 2	20 15 12	41 36 26	81 75 84	142 67 75	152 68 84	44 21 23
001-008	1	Tuberculosis of respiratory system	M. 6 F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	M. 2 F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	M. 1 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)	M. 93 F. 93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	M. 2 F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
210-239	19	Benign and unspecified neoplasms	M. 3 F. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	M. 2 F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anæmias	M. 5 F. 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	M. 2 F. 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	M. 89 F. 96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	M. 7 F. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	M. 7 F. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	M. 6 F. 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	M. 10 F. 10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	M. 190 F. 154	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart	M. 11 F. 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertension with heart disease	M. 12 F. 12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447	29	Hypertension without heart disease	M. 6 F. 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH										FIFE COUNTY (excluding Large Burghs)										INVERNESS BURGH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			ALL CAUSES					Both Sexes					Males					Females					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.					4 wks.					All Ages					under 4 wks.									

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—*continued*

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH	KINCARDINE COUNTY										KINROSS COUNTY															
			All Ages	under 4 wks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 wks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over		
			Abbreviated List "B"																									
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138 140-205 210-239 260 290-293 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447		ALL CAUSES—Both Sexes	315	7	3	3	2	1	2	10	20	34	84	108	37	103	1	1	1	1	3	6	12	31	28	16		
		Males	153	4	5	1	2	1	6	11	19	38	54	11	49	2	2	1	1	4	5	18	54	13	4	4		
		Females	162	2	2	2	1	1	4	9	15	46	54	26	54	1	1	—	—	—	—	3	2	7	13	15	12	
	001-008		Tuberculosis of respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	010-019		Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	020-029		Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	040		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	050, 051		Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	055		Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	056		Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	057		Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	085		Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138 140-205 210-239 260 290-293 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Malignant neoplasms	22	1	—	—	—	—	—	—	5	4	6	4	1	10	—	—	—	—	—	—	—	—	—	—	—
		Benign and unspecified neoplasms	31	—	—	—	—	—	—	—	3	3	6	10	8	8	—	—	—	—	—	—	—	—	—	—	—	
		Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other general diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	240-254, 270-289, 294-299 330-334 340 300-326, 341-398 400-402 410-416 420-422 430-434 440-443 444-447		Vascular lesions affecting central nervous system	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Non-meningococcal meningitis	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other diseases of nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Arteriosclerotic and degenerative heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other diseases of heart	64	—	—	—	—	—	—	—	2	2	7	21	26	6	18	—	—	—	—	—	—	—	—	—	—	
		Hypertension with heart disease	66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Hypertension without heart disease	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hypertension without heart disease	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

[illegible]

[illegible]

Note.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification			Causes of Death		HAMILTON BURGH														MOTHERWELL AND WISHAW BURGH													
					All Ages	under 4 weeks	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over	All Ages	under 4 weeks	1—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85 and over		
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	486	22	8	1	1	19	11	13	45	86	108	125	22	780	25	15	5	1	3	5	12	34	79	158	196	208	39			
		Males	269	12	14	7	1	14	3	5	21	56	53	74	9	431	10	9	3	1	3	6	16	46	96	118	106	14				
		Females	217	13	8	1	1	5	8	8	24	30	55	51	13	349	15	6	2	—	—	2	6	18	33	62	78	102	25			
001-008	1	Tuberculosis of respiratory system	8	—	1	—	—	3	5	1	—	—	—	2	—	10	—	—	—	—	—	—	—	—	—	—	—	—	2			
010-019	2	Tuberculosis, other forms	10	—	—	—	—	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—			
020-029	3	Syphilis and its sequelæ	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
140-205	18	Malignant neoplasms	41	—	—	—	3	2	8	14	12	—	—	—	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
210-239	19	Benign and unspecified neoplasms	28	—	—	—	—	—	—	—	—	—	—	—	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
260,	20	Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
290-293	21	Anæmias	5	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
330-334	22	Vascular lesions affecting central nervous system	31	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
340	23	Non-meningococcal meningitis	40	—	—	—	—	—	—	—	—	—	—	—	59	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
300-326, 341-398	46.2	Other diseases of nervous system	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
400-402	24	Rheumatic fever	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
410-416	25	Chronic rheumatic heart disease	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
420-422	26	Arteriosclerotic and degenerative heart disease	84	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
430-434	27	Other diseases of heart	45	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
440-443	28	Hypertension with heart disease	2	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
444-447	29	Hypertension without heart disease	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH	RUTHERGLEN BURGH													LANARK CO. (ex. County of City and Large Burghs)												
			All Ages	under 4 weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages	under 4 weeks	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
			w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks	w'ks
Abbreviated List ^a	ALL CAUSES—Both Sexes	348	7	1	1	4	6	18	34	55	98	98	22	3587	123	108	45	37	14	50	86	141	343	552	898	940	250	
	Males	180	3	1	1	3	5	13	21	37	44	49	6	1876	74	61	25	19	6	21	37	71	211	314	457	468	112	
	Females	163	4	—	—	1	4	3	5	13	18	54	49	16	1711	49	47	20	18	8	29	49	70	132	238	441	472	138
001-008		Tuberculosis of respiratory system	5	—	—	—	3	1	1	1	1	1	—	49	—	1	1	1	1	1	4	7	10	11	6	6	2	—
010-019		Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	39	—	—	3	—	—	—	2	1	2	1	2	2	—	—
020-029		Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	4	—	1	2	—	—	—	—	—	—	—	—	—	—	—
040		Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
045-048		Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051		Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055		Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056		Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057		Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
080		Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
085		Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—
140-205		Malignant neoplasms	28	—	—	—	—	—	—	—	—	—	—	4	—	5	8	5	—	—	1	1	13	58	63	70	58	—
210-239		Benign and unspecified neoplasms	23	—	—	—	—	—	—	—	—	—	—	1	—	1	1	8	—	—	2	2	5	17	36	62	79	65
260		Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293		Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299		Other general diseases	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
330-334		Vascular lesions affecting central nervous system	21	—	—	—	—	—	—	—	—	—	—	5	—	9	22	46	78	10	2	2	4	18	43	103	96	15
340		Non-meningococcal meningitis	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398		Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402		Rheumatic fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416		Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
420-422		Arteriosclerotic and degenerative heart disease	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
430-434		Other diseases of heart	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-443		Hypertension with heart disease	53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
444-447		Hypertension without heart disease	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH	ORKNEY COUNTY										PEEBLES COUNTY															
			All Ages	under 4 wks.	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 wks.	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over		
	Abbreviated List "B"	ALL CAUSES—Both Sexes	303	9	3	1	5	1	2	2	7	17	29	76	114	37	204	5	2	1	4	5	3	12	25	58	66	21
		Males	151	2	1	4	1	2	6	8	17	37	58	13	104	3	104	3	1	1	3	4	3	7	10	30	38	4
		Females	152	7	2	1	1	2	1	9	12	39	56	24	100	2	100	2	1	1	1	1	—	5	15	28	28	17
	001-008	Tuberculosis of respiratory system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	010-019	Tuberculosis, other forms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	020-029	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	040	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	045-048	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	050, 051	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	055	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	056	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	057	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	085	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	080-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	140-205	Malignant neoplasms	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	210-239	Benign and unspecified neoplasms	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	260	Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	290-293	Anemias	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	240-254, 270-289, 294-299	Other general diseases	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	330-334	Vascular lesions affecting central nervous system	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	340	Non-meningococcal meningitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	300-326, 341-398	Other diseases of nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	400-402	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	410-416	Chronic rheumatic heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	420-422	Arteriosclerotic and degenerative heart disease	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	430-434	Other diseases of heart	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	440-443	Hypertension with heart disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	444-447	Hypertension without heart disease	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	CAUSES OF DEATH	PORT-GLASGOW BURGH										RENFREW COUNTY (excluding Large Burghs)																
				All Ages	under 4 weeks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages	under 4 weeks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over			
				Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males		
			ALL CAUSES—Both Sexes	250	142	2	2	1	1	6	5	9	17	39	65	51	22	1586	47	9	3	4	18	25	54	141	221	431	458	151
			ALL CAUSES—Males	143	11	2	2	1	1	4	6	10	28	42	21	7	801	28	13	6	1	1	12	11	34	77	130	212	217	59
			ALL CAUSES—Females	107	7	2	2	1	1	5	1	3	7	11	23	30	15	785	19	3	2	3	6	14	20	64	91	219	241	92
			Tuberculosis of respiratory system	10	6	—	—	—	—	—	—	—	—	—	—	—	22	15	1	—	—	—	—	—	—	—	—	—	—	—
			Tuberculosis, other forms	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
			Syphilis and its sequelae	1	1	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
			Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Malignant neoplasms	20	11	—	—	—	—	—	—	—	—	—	—	—	122	12	1	—	—	—	—	—	—	—	—	—	—	—
			Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	—	—	—	—	121	2	—	—	—	—	—	—	—	—	—	—	—	—
			Diabetes mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Anæmias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other general diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Vascular lesions affecting central nervous system	15	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other diseases of nervous system	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Chronic rheumatic heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Arteriosclerotic and degenerative heart disease	38	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Other diseases of heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Hypertension with heart disease	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			Hypertension without heart disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification		CAUSES OF DEATH	ROSS & CROMARTY COUNTY										INSULAR PORTION OF ROSS AND CROMARTY COUNTY																
			All Ages	under 4 weeks	1	5-10	15-25	35-45	55-65	75-85 and over	All Ages	under 4 weeks	1	5-10	15-25	35-45	55-65	75-85 and over											
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	379	11	8	4	6	13	14	27	40	87	208	305	143	365	5	1	3	6	2	3	8	11	16	30	89	124	68
		Males	417	9	6	4	4	8	9	21	40	108	126	55	126	55	126	55	2	3	2	1	5	10	8	49	46	27	41
		Females	462	2	2	2	2	5	5	6	19	47	100	179	88	201	88	201	1	3	2	2	3	1	8	22	40	78	41
001-008	1	Tuberculosis of respiratory system	11	5	1	1	1	2	2	5	2	2	1	1	1	1	1	1	—	1	1	—	2	1	1	—	—	—	—
010-019	2	Tuberculosis, other forms	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	52	1	1	2	1	2	1	2	1	3	10	18	14	3	24	3	28	1	2	1	1	1	1	1	1	11	5
210-239	19	Benign and unspecified neoplasms	61	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	7	7
260	20	Diabetes mellitus	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
290-293	21	Anaemias	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	53	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	79	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	120	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
430-434	27	Other diseases of heart	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
440-443	28	Hypertension with heart	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	CAUSES OF DEATH	ROXBURGH COUNTY													SELKIRK COUNTY													
		All Ages	under 4 weeks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over	All Ages	under 4 weeks	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-and over			
		627	16	8	2	1	1	4	15	21	50	80	170	201	58	304	4	4	1	2	2	5	8	20	53	92	87	26
Detailed List	ALL CAUSES—Both Sexes	293	9	5	1	1	3	9	12	28	49	74	82	20	170	3	3	2	1	1	2	3	4	14	30	44	54	12
	Males	334	7	3	1	1	1	6	9	22	31	96	119	38	134	1	1	2	1	1	1	2	4	6	23	48	33	14
	Females
001-008	Tuberculosis of respiratory system	4	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
010-019	Tuberculosis, other forms	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
020-029	Syphilis and its sequelæ	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
040	Typhoid fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
045-048	Dysentery, all forms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
050-051	Scarlet fever and streptococcal sore throat	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
055	Diphtheria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
056	Whooping-cough	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
057	Meningococcal infections	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
080	Acute poliomyelitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
085	Measles	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
080-089, 041-044, 049, 052-054, 058-074, 081-084, 086-138	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
140-205	Malignant neoplasms	59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
210-239	Benign and unspecified neoplasms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
260	Diabetes mellitus	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
290-293	Anæmias	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
240-254, 270-289, 294-299	Other general diseases	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
330-334	Vascular lesions affecting central nervous system	37	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
340	Non-meningococcal meningitis	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
300-326, 341-393	Other diseases of nervous system	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
400-402	Rheumatic fever	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
410-416	Chronic rheumatic heart disease	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
420-422	Arteriosclerotic and degenerative heart disease	107	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
430-434	Other diseases of heart	122	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
440-443	Hypertension with heart disease	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification	Detailed List	CAUSES OF DEATH	STIRLING COUNTY (excluding Large Burghs)										SUTHERLAND COUNTY															
			All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	All Ages	under 4 weeks	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
			1297	49	34	16	15	5	18	30	55	127	194	338	312	104	214	6	3	—	—	—	—	—	—	—	—	—
		Abbreviated List "B"	695	29	16	10	8	2	13	14	28	69	109	188	163	46	95	3	1	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
			602	20	18	6	7	3	5	16	27	58	85	150	149	58	119	3	2	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
		ALL CAUSES—Both Sexes	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		ALL CAUSES—Males	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		ALL CAUSES—Females	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Tuberculosis of respiratory system	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Syphilis and its sequelae	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Typhoid fever	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Dysentery, all forms	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Scarlet fever and streptococcal sore throat	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Diphtheria	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Whooping-cough	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Meningococcal infections	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Acute poliomyelitis	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Measles	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Malignant neoplasms	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Benign and unspecified neoplasms	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Diabetes mellitus	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Anaemias	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other general diseases	46.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Vascular lesions affecting central nervous system	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Non-meningococcal meningitis	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other diseases of nervous system	46.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Rheumatic fever	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Chronic rheumatic heart disease	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Arteriosclerotic and degenerative heart disease	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Other diseases of heart	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Hypertension with heart disease	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Hypertension without heart disease	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

[illegible]

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1952—continued

International Classification		CAUSES OF DEATH		ZETLAND COUNTY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				All Ages	under 4 weeks	4 wks—1—	5—	10—15—	25—35—	45—55—	65—75—	85 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	Males	Females</

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1952

International Classification	Detailed List	Abbreviated List "B"	Scotland	Counties of Scotland					Landward	Aberdeen County	Aberdeen County of City
				Counties of Cities	Large Burghs	Counties, ex Cities and Large Burghs	Small Burghs	Landward			
			Population (Estimated), 30th June, 1952	1,923,359	836,599	2,354,220	837,822	1,516,398		326,682	183,626
			Total Live Births Registered (including Illegitimate)	37,116	18,878	34,428	13,173	21,255		5,821	3,664
			Corr. for Mother's Resid. (a)	33,638	15,423	41,361	14,522	26,839		5,553	3,025
			" " " Male	17,269	7,820	21,179	7,500	13,679		1,576	1,449
			" " " Female	16,369	7,603	20,182	7,022	13,160		2,685	1,449
			" " " Illegitimate	1,729	606	1,971	655	1,316		364	172
			Still-Births Registered (including Illegitimate)	2,430	1,091	2,430	1,091	1,346		137	97
			Corrected for Mother's Residence	2,430	1,091	2,430	1,091	1,346		137	97
			Marriages Registered	41,163	18,118	41,163	18,118	27,045		2,803	1,929
			Deaths Registered	61,510	26,218	61,510	26,218	35,292		3,963	2,609
			Corrected for Residence	23,146	9,620	27,744	10,535	17,209		3,789	2,148
			" " Male	12,324	5,044	14,033	5,171	8,862		1,911	1,082
			" " Female	11,822	4,576	13,711	5,364	8,347		1,878	1,086
			" " CAUSES OF DEATH								
			Tuberculosis of respiratory system	732	263	414	140	274		51	36
			Syphilis and its sequelae	93	32	78	24	54		8	6
			Diphtheria	58	13	39	18	21		8	—
			Typhoid fever	1	—	3	—	—		—	—
			Scarlet fever and streptococcal sore throat	3	—	3	—	—		—	—
			Whooping cough	2	1	2	1	—		1	—
			Measles	7	4	19	6	13		—	—
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	2	24	3	16		2	1
			Malignant neoplasms	45	17	63	15	48		1	1
			Benign and unspecified neoplasms	12	3	10	2	8		2	1
			Diabetes mellitus	22	26	63	15	48		12	7
			Anaemias	151	26	63	15	48		12	7
			Other general diseases	151	26	63	15	48		12	7
			Vascular lesions affecting central nervous system	151	26	63	15	48		12	7
			Nonmeningococcal meningitis	151	26	63	15	48		12	7
			Other diseases of nervous system	151	26	63	15	48		12	7
			Rheumatic fever	151	26	63	15	48		12	7
			Chronic rheumatic heart disease	151	26	63	15	48		12	7
			Arteriosclerotic and degenerative heart disease	151	26	63	15	48		12	7
			Other diseases of heart	151	26	63	15	48		12	7
			Hypertension with heart disease	151	26	63	15	48		12	7
				337	152	402	153	249		47	25
				(e)	(f)	(g)	(h)	(i)		(j)	(k)
			030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	10,119	4,259	4,334	1,688	2,646		677	418
			210-239	145	65	60	24	36		8	4
			240-254, 270-289, 294-299	477	171	233	95	138		31	20
			300-326, 341-398	269	104	130	49	81		13	9
			400-402	526	208	246	96	150		26	15
			410-416	9,087	3,442	4,228	1,708	2,520		578	333
			420-422	72	33	31	13	18		6	4
			430-434	960	398	433	162	271		57	30
			440-443	878	19	17	5	12		2	2
				17,307	380	360	144	216		53	35
				1,139	2,664	8,303	3,265	5,038		1,076	589
				891	413	508	172	336		58	27
				(d)	(e)	(f)	(g)	(h)		(i)	(j)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)
444-447	29	Hypertension without heart disease ...	835	296	128	411	169	242	68
450-468	46.3	Other circulatory disease ...	1,424	522	189	118	292	453	133
480-483	30	Influenza ...	316	155	43	118	35	83	7
490-493	31	Pneumonia ...	1,881	891	333	696	243	476	63
500-502	32	Bronchitis ...	2,025	1,298	353	694	220	391	102
470-475, 510-527	46.4	Other respiratory diseases ...	634	226	197	236	199	223	57
540, 541	33	Ulcer of stomach and duodenum ...	256	91	292	292	115	177	24
550-553	34	Appendicitis ...	18	36	20	62	19	243	16
560, 561, 570	35	Intestinal obstruction and hernia ...	424	151	63	134	76	29	4
580, 582, 586	36.1	Gastritis and duodenitis ...	310	134	55	121	42	79	15
590-599	36.2	Diarrhea (except of newborn) ...	166	82	25	38	21	8	5
571-572	36.5	Cirrhosis of liver ...	265	100	44	73	48	73	15
580-582, 586	46.5	Other diseases of liver ...	173	89	23	61	29	32	16
595, 573-578, 587	46.8	Other digestive diseases ...	568	190	85	293	98	195	47
600-609, 611-637	38	Nephritis and nephrosis ...	453	142	58	154	99	154	28
640, 641, 651, 681-682, 684	46.7	Hyperplasia of prostate ...	310	134	41	11	60	75	40
642-650, 652-680, 683, 685-689	40.1	Other diseases of genito-urinary system ...	22	7	4	11	2	9	2
690-749	46.8	Other puerperal causes ...	70	25	11	34	9	25	2
750-759	47.1	Diseases of skin and organs of locomotion ...	233	93	26	114	50	64	15
760-762	42	Congenital malformations ...	610	245	104	172	89	172	38
763	43.1	Birth injuries, postnatal asphyxia and atelectasis ...	670	261	105	304	123	181	48
764	43.2	Pneumonia of newborn ...	113	49	18	46	21	10	22
765-768	43.3	Diarrhea of newborn ...	24	13	2	9	3	6	6
769-776	44.0	Other infections of the newborn ...	10	2	1	7	4	1	1
780-793, 795	45.1	Other diseases peculiar to early infancy ...	829	276	171	382	133	249	31
E963, E970-979	E47	Senility ...	1,025	234	175	616	194	422	60
E810-835	E48	Cause ill-defined and unknown ...	281	359	154	385	117	268	14
E840-845	E49	Suicide ...	898	143	42	96	56	44	30
E800-802, E850-962, E964, 965, E980-999	E48.1	Motor vehicle accidents ...	451	157	69	225	64	161	16
		Other road transport accidents ...	32	14	13	8	1	1	5
		Other violence (B150) ...	1,771	665	280	826	267	559	105
		ALL CAUSES ...	61,510	24,146	9,620	27,744	10,535	17,209	3,789
		AGES AT DEATH							
		Under 1 ...	3,181	1,223	576	1,382	483	899	167
		1-4 ...	539	204	80	285	79	176	28
		5-9 ...	282	86	25	151	21	110	23
		10-14 ...	162	35	95	70	21	49	9
		15-19 ...	167	95	122	340	88	34	34
		20-24 ...	213	485	213	345	173	342	58
		25-29 ...	2,188	893	373	922	340	582	129
		30-34 ...	5,224	2,239	824	2,161	818	1,343	297
		35-39 ...	5,500	4,069	1,635	3,796	1,456	2,340	524
		40-44 ...	16,274	6,498	2,536	7,240	2,855	4,385	1,005
		45-49 ...	17,002	6,309	2,536	8,157	3,121	5,012	1,121
		50-54 ...	5,158	1,738	655	2,765	1,036	1,729	394
		55 and over ...	61,510	24,146	9,620	27,744	10,535	17,209	3,789
		Not stated ...							
		ALL AGES							

*Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

See footnote Table 35 (Page 126)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	1	1	1	—	2	—	—	3	—	—	21
450-468	46.3	Other circulatory disease	—	—	—	—	2	—	—	3	—	—	44
480-483	30	Influenza	1	1	2	—	1	—	—	6	1	—	2
490-493	31	Pneumonia	—	—	5	—	1	—	—	2	—	—	24
500-502	32	Other respiratory diseases	—	—	—	—	1	—	—	1	—	—	15
470-475, 510-527	46.4	Other diseases of the respiratory tract	—	—	—	—	1	—	—	1	—	—	5
530-533	33	Other diseases of the stomach and duodenum	1	1	1	—	1	—	—	2	—	—	12
540-543	34	Other diseases of the small intestine	1	—	—	—	—	—	—	—	—	—	2
560-563	35	Apparatus of the large intestine	1	—	—	—	—	—	—	—	—	—	9
570-573	36.1	Intestinal obstruction and hernia	—	—	—	—	—	—	—	2	—	—	3
580-583	36.2	Gastritis and duodenitis	—	—	—	—	—	—	—	1	—	—	3
590-593	37	Diarrhoea (except of newborn)	—	—	—	—	—	—	—	1	—	—	3
571-572	37	Cirrhosis of liver	—	—	—	—	—	—	—	1	—	—	3
580-582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	1	—	—	3
590-594	46.6	Other digestive diseases	—	—	—	—	—	—	—	1	—	—	3
600-609, 611-637	38	Nephritis and nephrosis	1	—	—	—	—	—	—	2	1	—	13
640, 641, 651, 681-682, 684	39	Hyperplasia of prostate	—	—	2	—	1	—	—	1	—	—	23
590-599, 542, 544	46.7	Other diseases of genito-urinary system	—	—	—	—	1	—	—	1	—	—	9
545, 573-578, 587	40.0	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	2
683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	5
690-749	46.8	Diseases of skin and organs of locomotion	—	—	2	—	1	—	—	1	1	—	5
750-759	41	Congenital malformations	—	—	—	—	—	—	—	4	1	—	13
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	—	2	—	1	—	—	5	1	—	16
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	2
764	43.2	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	7
769-776	44	Other diseases peculiar to early infancy	—	—	2	—	3	—	—	16	—	—	32
780-793, 795	45.0	Senility	—	—	—	—	—	—	—	—	—	—	20
E963, E970-979	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	6
E47	E49	Suicide	—	—	1	—	1	—	—	2	—	—	9
E810-835	E47	Motor vehicle accidents	—	—	1	—	—	—	—	1	—	—	9
E840-845	E48.0	Other road transport accidents	—	—	1	—	—	—	—	2	—	—	9
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	1	—	—	—	2	—	—	3	—	—	38
		ALL CAUSES	32	13	110	51	70	7	18	151	23	34	1,132
		AGES AT DEATH											
		Under 1	—	—	6	—	5	—	2	14	3	3	44
		1-4	—	—	2	—	1	—	1	2	1	1	8
		5-9	—	1	—	—	1	—	—	2	—	—	5
		10-14	—	—	1	—	—	—	—	1	—	—	2
		15-24	—	—	—	—	—	—	—	1	—	—	10
		25-34	—	—	—	—	—	—	—	1	—	—	17
		35-44	—	—	—	—	—	—	—	1	—	—	17
		45-54	—	—	—	—	—	—	—	7	—	—	29
		55-64	1	—	13	3	11	—	1	11	1	3	76
		65-74	3	3	20	8	17	—	1	17	2	3	127
		75-84	11	4	30	11	15	2	5	33	4	14	300
		85 and over	13	3	27	22	24	4	5	46	6	9	371
		Not stated	4	2	10	3	5	1	3	16	4	3	143
		ALL AGES	32	13	110	51	70	7	18	151	23	34	1,132

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	ANGUS COUNTY										ARGYLL COUNTY					
			Angus County	Dundee County of City	Arbroath Burgh	Brechin Burgh	Carnoustie Burgh	Forfar Burgh	Kirkcubright Burgh	Monketh Burgh	Montrose Burgh	Landward	Argyll County	Campbelltown Burgh	Dunoon Burgh			
			275,843	177,868	19,540	7,381	5,239	10,020	3,656	3,418	10,874	37,847	61,487	7,244	9,667			
			5,026	3,641	349	24	13	427	7	9	13	543	839	206	196			
			4,724	3,145	330	115	79	150	48	58	164	635	951	158	134			
			2,420	1,596	192	58	49	82	20	26	81	316	485	73	67			
			2,304	1,549	138	57	30	68	28	32	83	319	466	85	67			
			283	205	13	12	2	6	1	1	7	36	53	8	6			
			113	94	6	1	—	6	—	—	—	6	20	5	4			
			115	76	6	3	—	—	3	1	8	18	30	9	5			
			2,320	1,668	166	67	31	108	22	25	103	130	337	66	59			
			3,573	2,292	231	106	53	149	26	27	151	538	906	78	175			
			3,437	2,195	252	102	91	148	39	46	182	382	963	80	195			
			1,656	1,065	110	39	45	77	18	18	91	193	478	42	80			
			1,781	1,130	142	63	46	71	21	28	91	189	485	38	115			
			58	40	8	2	1	1	—	—	1	5	12	—	5			
			8	4	1	1	—	—	—	—	1	2	2	—	—			
			6	3	—	—	—	—	—	—	—	—	—	—	—			
			1	—	—	—	—	—	—	—	—	—	—	—	—			
			1	—	—	—	—	—	—	—	—	—	—	—	—			
			1	—	—	—	—	—	—	—	—	—	—	—	—			
			2	—	—	—	—	—	—	—	—	—	—	—	—			
			2	—	—	—	—	—	—	—	—	—	—	—	—			
			1	—	—	—	—	—	—	—	—	—	—	—	—			
			1	—	—	—	—	—	—	—	—	—	—	—	—			
			4	2	—	—	—	—	—	—	—	2	—	—	—			
			645	420	45	14	22	31	5	11	25	72	145	13	22			
			13	11	—	—	—	—	—	—	—	2	3	—	—			
			26	22	—	1	—	3	—	—	1	2	4	—	—			
			15	7	—	—	—	—	1	—	1	4	3	—	—			
			23	19	42	9	13	26	11	2	32	68	130	12	29			
			502	291	42	9	13	26	11	10	32	68	130	12	29			
			2	2	—	—	—	—	—	—	—	—	—	—	—			
			48	29	4	1	1	3	—	3	2	5	20	1	3			
			3	3	1	—	—	1	—	—	—	—	—	—	—			
			52	37	4	2	1	4	1	—	—	3	15	—	3			
			1,004	655	77	39	27	23	11	7	69	91	294	21	54			
			50	30	8	—	3	2	2	—	2	5	23	4	6			
			39	27	2	—	3	—	—	—	2	5	25	—	20			
			(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
			001-008															
			010-019															
			020-029															
			040															
			045-048															
			050, 051															
			055															
			056															
			057															
			080															
			085															
			030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138															
			140-205															
			210-239															
			260															
			290-293															
			240-254, 270-289, 294-299															
			330-334															
			340															
			300-326, 341-398															
			400-402															
			410-416															
			420-422															
			430-434															
			440-443															

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
29	444-447	Hypertension without heart disease	53	30	2	2	1	5	—	1	5	9	11	—	4
46.3	450-468	Other circulatory disease	17	32	4	3	—	—	—	1	—	5	37	4	6
30	480-483	Influenza	17	19	—	—	—	—	—	—	—	—	3	—	1
31	490-493	Pneumonia	136	97	9	3	3	7	2	4	3	13	13	3	1
32	500-502	Bronchitis	191	62	10	4	2	3	1	—	2	6	21	4	5
46.4	470-475, 510-527	Other respiratory diseases	39	27	3	—	—	2	—	—	—	3	6	—	2
33	540, 541	Ulcer of stomach and duodenum	35	26	—	5	—	1	—	—	—	3	8	—	—
34	550-553	Appendicitis	4	3	—	—	—	—	—	—	—	4	1	—	1
35	560, 561, 570	Intestinal obstruction and hernia	27	15	—	1	2	1	—	2	2	4	8	1	1
36.1	571, 572	Gastritis and duodenitis	16	7	—	—	1	2	—	—	1	5	2	—	1
36.2	580, 582-586	Diarrhea (except of newborn)	12	11	1	—	1	2	—	—	1	—	2	—	1
37	530-539, 542, 544	Cirrhosis of liver	16	13	2	—	—	—	—	—	—	1	4	1	1
46.5	545, 573-576, 587	Other diseases of liver	8	7	—	—	—	—	—	—	—	1	3	1	1
46.6	590-594	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
38	600-609, 611-637	Nephritis and nephrosis	24	14	3	—	—	2	1	—	2	2	9	1	1
39	640, 641, 651, 681-682, 684	Hyperplasia of prostate	24	10	1	—	1	4	1	—	—	7	7	1	1
46.7	642-650, 652-680, 683, 685-689	Other diseases of genito-urinary system	27	18	1	2	1	3	1	—	—	1	1	—	—
40.0	683, 685-689	Puerperal sepsis including post-abortive sepsis	2	1	—	—	—	—	—	—	—	1	1	—	—
40.1	683, 685-689	Other puerperal causes	1	—	—	—	—	—	—	—	—	—	—	—	—
46.8	683, 685-689	Diseases of skin and organs of locomotion	11	7	1	—	2	—	—	—	—	1	4	—	1
41	750-759	Congenital malformations	30	22	1	—	—	2	—	—	—	5	8	2	2
42	760-762	Birth injuries, postnatal asphyxia and atelectasis	47	29	4	1	1	1	1	1	2	8	11	2	2
43.1	763	Pneumonia of newborn	5	3	1	—	—	—	—	—	—	1	5	1	—
43.2	764	Diarrhea of newborn	2	2	—	—	—	—	—	—	—	—	—	—	1
43.3	765-768	Other infections of the newborn	1	1	—	1	—	—	1	—	2	4	13	1	6
44	769-776	Other diseases peculiar to early infancy	23	13	—	2	—	5	2	—	9	9	42	3	6
45.0	794	Scaility	40	5	2	5	3	2	2	—	1	5	29	5	2
45.1	780-793, 795	Cause ill-defined and unknown	21	13	—	—	—	—	—	—	—	4	6	—	—
E49	E963, E970-979	Motor vehicle accidents	16	15	—	—	—	—	—	—	—	4	6	—	—
E47	E810-835	Other road transport accidents	18	11	2	—	—	1	—	—	—	—	—	—	—
E48.0	E840-845	Other violence (BE50)	2	2	—	—	—	—	—	—	—	—	—	—	—
E48.1	E800-802, E850-962, E964, 965, E980-999	Other violence (BE50)	127	79	11	4	1	2	1	4	9	16	21	1	2
		ALL CAUSES	3,437	2,195	252	102	91	148	39	46	182	382	963	80	195
		AGES AT DEATH													
Under 1	144	97	8	3	1	4	2	2	6	21	44	6	12
1-4	29	19	5	—	—	—	—	—	—	5	7	—	1
5-9	10	2	1	—	—	2	—	3	—	1	3	—	—
10-14	9	18	—	—	—	4	—	—	1	7	1	—	—
15-24	31	39	6	—	1	2	1	—	1	6	13	2	1
25-34	156	71	7	4	1	15	4	2	6	16	33	3	7
35-44	111	36	15	7	4	15	4	1	11	25	68	5	13
45-54	265	183	36	12	15	16	5	3	27	50	111	11	16
55-64	405	341	63	24	18	47	12	13	47	89	267	24	59
65-74	892	583	63	38	28	44	12	18	54	111	290	21	65
75-84	1,031	642	84	38	28	44	12	18	54	111	290	21	65
85 and over	350	191	25	14	23	13	3	4	29	48	118	8	21
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,437	2,195	252	102	91	148	39	46	182	382	963	80	195

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	1	...	4	44	1	2	1	2	...	1	1	9
450-468	46.3	Other circulatory disease	3	...	24	76	2	13	1	2	...	5	2	8
480-483	30	Influenza	3	16	2	12	1	1	3	18
490-493	31	Pneumonia	9	94	3	7	1	1	4	2	8	12
500-502	32	Bronchitis	1	...	11	81	2	5	1	1	1	1	3	10
470-475, 510-527	46.4	Other respiratory diseases	1	...	7	25	1	6	1	1	1	...	1	1
540, 541	33	Ulcer of stomach and duodenum	1	...	3	41	1	2	1	2	...	2	1	2
550-553	34	Appendicitis	1	...	3	9	3	6	1	1	1	1
560, 561, 570	35	Intestinal obstruction and hernia	1	...	3	34	3	1	1	1	1	1
571, 572	36.1	Gastritis and duodenitis	1	...	1	11	1	1	1	1	1	1
581	36.2	Diarrhoea (except of newborn)	1	...	1	10	1	3	1	2	1	1
580, 582-586	37	Currhosis of liver	1	...	2	5	1	1
530-539, 542, 544	46.5	Other diseases of liver	1	...	1	12	1	1
545, 573-578, 587	46.6	Other digestive diseases	1	...	2	5	1	1
590-594	38	Nephritis and nephrosis	1	...	8	39	2	6	1	2	...	1	3	2
600-609, 611-637	39	Hyperplasia of prostate	1	...	3	23	...	1	1	1	...	1	1	2
640, 641, 651, 681-682, 684	46.7	Other diseases of genito-urinary system	1	...	1	14	1	1
642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	1	1
690-749	40.1	Other puerperal causes
750-759	46.8	Diseases of skin and organs of locomotion	1	...	2	11	1	2	1	1	2	2
760-762	41	Congenital malformations	1	...	4	24	...	2	1	1	...	3	1	3
763	42	Birth injuries, postnatal asphyxia and atelectasis	1	...	6	38	...	4	4	1	...	1	1	7
764	43.1	Pneumonia of newborn	1	...	1	1	...	4	1	1	...	1	1	1
765-768	43.2	Other diseases of newborn	1
769-776	43.3	Other diseases of the newborn	1
780-793, 795	45.0	Other diseases peculiar to early infancy	1	...	4	54	2	7	1	1	...	1	1	10
794	45.1	Scrubty	1	...	27	57	13	15	1	1	...	1	1	7
E963, E970-979	45.0	Cause ill-defined and unknown	1	...	16	58	4	13	1	1	...	1	2	6
E47	45.1	Suicide	1	...	2	11	1	4	1	1	...	1	1	1
E810-835	E48.0	Motor vehicle accidents	1	...	4	27	1	1	1	1	...	1	3	3
E840-845	E48.1	Other road transport accidents	1	...	4	1	3	11	1	1	...	1	3	13
E800-802, E850-962	E48.1	Other violence (BE50)	2	...	16	91	3	3	...
E964, 965, E980-995		ALL CAUSES	6	30	76	3,609	88	479	45	37	55	87	144	490
		AGES AT DEATH	2	1	4	173	3	21	6	...	1	6	6	27
	Under 1	1	1	5	42	1	5	1	1	2	2
	1-4	1	1	2	16	...	3	1	4	1
	5-9	1	1	1	8
	10-14	1	1	6	44	1	5	2	2
	15-24	2	1	9	78	5	8	1	2	7	5
	25-34	1	3	19	125	4	20	2	2	2	3	5	18
	35-44	1	3	39	199	6	40	2	2	6	7	14	51
	45-54	1	7	73	319	6	40	2	8	6	16	21	69
	55-64	1	5	147	527	11	74	3	9	17	24	45	138
	65-74	1	6	28	979	22	123	15	14	17	17	31	146
	75-84	1	5	18	1,024	27	140	14	14	24	24	7	31
	85 and over	5	9	74	274	8	40	2	2	7	6
	Not stated	1	1
		ALL AGES	6	30	76	3,609	88	479	45	37	55	87	144	490

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
29	444-447	Hypertension without heart disease	...	4	2	1	2	1	3	1	2	17	14	1	—	—
46.3	450-463	Other circulatory disease	...	4	2	1	2	1	3	1	2	30	18	1	—	—
30	480-483	Influenza	...	—	—	—	—	—	—	—	—	3	3	—	—	—
31	490-493	Pneumonia	...	4	1	2	2	—	—	—	—	32	14	—	—	—
32	500-502	Bronchitis	...	—	1	1	1	—	3	—	—	31	20	—	—	—
46.4	510-527	Other respiratory diseases	...	1	1	—	—	—	—	—	—	10	3	—	—	—
33	540, 541	Ulcer of stomach and duodenum	...	—	—	3	3	—	—	1	1	12	9	—	—	—
34	550-553	Appendicitis	...	1	—	—	—	—	—	—	2	15	6	—	2	—
35	560, 561, 570	Intestinal obstruction and hernia	...	—	—	—	—	—	3	—	1	8	4	—	—	—
36.1	571, 572	Gastritis and duodenitis	...	—	—	—	—	—	—	—	—	2	4	—	—	—
36.2	581	Diarrhea (except of newborn)	...	—	—	—	—	—	1	—	—	6	3	—	—	—
37	580, 582-586	Cirrhosis of liver	...	1	—	—	—	—	—	2	1	2	4	—	—	—
46.5	530-539, 542, 544	Other diseases of liver	...	—	—	—	—	—	—	—	—	6	3	—	—	—
46.6	545, 573-578, 587	Other digestive diseases	...	—	—	—	—	—	—	—	—	—	—	—	—	—
38	600-609, 611-637	Nephritis and nephrosis	...	1	2	1	1	—	1	1	—	16	7	—	—	—
38	610	Hyperplasia of prostate	...	1	1	—	—	—	—	—	—	10	6	—	—	—
46.7	640, 641, 651, 681, 682, 684	Other diseases of genito-urinary system	...	—	—	—	—	—	—	—	—	16	—	—	—	—
40.0	642-680, 682-686, 688, 689-689	Puerperal sepsis including post-abortive sepsis	...	—	—	—	—	—	—	—	—	1	2	—	—	—
40.1	683, 685-689	Other puerperal causes	...	—	—	—	—	—	—	—	—	—	—	—	—	—
46.8	780-783, 795	Diseases of skin and organs of locomotion	...	1	1	—	—	—	1	1	1	4	2	—	—	—
41	780-789	Congenital malformations	...	—	—	—	—	—	—	—	—	9	4	—	—	—
42	790-793	Birth injuries, postnatal asphyxia and atelectasis	...	1	1	—	—	—	1	2	—	17	6	—	—	—
43.1	796-798	Pneumonia of newborn	...	—	—	—	—	—	—	—	—	—	1	—	—	—
43.2	764	Diarrhea of newborn	...	—	—	—	—	—	—	—	—	—	1	—	—	—
43.3	765-768	Other infections of the newborn	...	—	—	—	—	—	—	—	—	—	—	—	—	—
44	769-776	Other diseases peculiar to early infancy	...	—	—	—	—	—	—	—	—	—	—	—	—	—
45.0	780-783, 795	Senility	...	—	—	—	—	—	—	—	—	—	—	—	—	—
45.1	E963, E970-979	Cause ill-defined and unknown	...	1	1	—	—	—	—	—	—	26	6	—	—	—
E49	E810-835	Suicide	...	1	4	1	—	—	2	1	1	19	6	—	—	—
E47	E840-845	Motor vehicle accidents	...	1	1	—	—	—	—	—	—	21	6	—	—	—
E48.0	E800-802, E850-962, E964, 965, E980-999	Other road transport accidents	...	—	—	—	—	—	—	—	—	2	5	—	—	—
E48.1		Other violence (BE50)	...	2	4	1	1	1	1	1	2	15	7	—	—	—
		ALL CAUSES	156	53	55	163	151	84	39	103	1,312	588	7	12	36
		AGES AT DEATH	...	68	53	55	163	151	84	39	103	1,312	588	7	12	36
		Under 1	...	1	2	1	6	7	5	1	1	80	27	—	—	—
		1-4	...	4	1	—	—	2	2	—	—	21	7	—	—	—
		5-9	...	1	1	—	—	1	1	—	—	5	3	—	—	—
		10-14	...	—	—	—	—	—	—	—	—	—	—	—	—	—
		15-24	...	2	1	1	1	3	1	2	3	22	11	—	—	—
		25-34	...	2	1	1	3	5	2	1	3	32	11	—	—	—
		35-44	...	4	2	2	15	12	3	2	6	45	16	—	—	—
		45-54	...	4	7	7	15	12	3	6	8	122	39	—	—	—
		55-64	...	9	6	5	15	24	17	6	10	184	75	—	—	—
		65-74	...	27	16	13	51	24	22	11	32	399	183	—	—	—
		75-84	...	47	21	21	49	36	28	8	34	384	183	—	—	—
		85 and over	...	17	6	4	16	13	8	3	10	53	66	—	—	—
		Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	...	156	53	55	163	151	84	39	103	1,312	588	7	12	36

* Including paratyphoid fever, erysipelas, septicemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	1	—	1	1	1	1	1	1	2	5	2	2	1	—	2
450-463	46.3	Other circulatory disease	—	—	—	—	—	—	—	—	—	13	2	—	—	—	7
480-483	30	Influenza	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1
490-493	31	Pneumonia	1	—	—	—	—	—	—	—	—	5	—	—	—	—	5
500-502	32	Bronchitis	1	—	—	—	—	—	—	—	—	5	—	—	—	—	2
470-475, 510-527	46.4	Other respiratory diseases	1	—	—	—	—	—	—	—	—	4	1	1	2	—	3
540, 541	33	Ulcer of stomach and duodenum	1	—	—	—	—	—	—	—	—	4	1	1	—	—	3
550-553	34	Appendicitis	1	—	—	—	—	—	—	—	—	4	—	—	—	—	3
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3
571, 572	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2
580, 582-586	36.2	Diarrhoea (except of newborn)	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1
530-539, 542, 544	37	Cirrhosis of liver	2	—	—	—	—	—	—	—	—	2	—	—	—	—	2
545, 573-578, 587	46.6	Other diseases of liver	2	—	—	—	—	—	—	—	—	2	—	—	—	—	1
590-594	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
610	38	Nephritis and nephrosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	39	Hyperplasia of prostate	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681-682, 684	46.7	Other diseases of genito-urinary system	2	1	—	—	3	1	1	—	—	5	—	—	1	1	3
642-650, 652-680, } 683, 685-689 }	40.0 40.1	Puerperal sepsis including post-abortive sepsis Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
750-759	41	Congenital malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
779	45.0	Senility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-979	E47	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, } E964, 965, E980-999 }	E48.1	Other violence (BE50)	2	1	—	—	—	—	—	—	—	—	—	—	—	—	5
		ALL CAUSES	75	22	20	24	53	46	18	29	246	369	27	32	31	13	266
		AGES AT DEATH															
Under 1	3	—	2	—	4	2	—	1	11	13	1	2	—	—	10
1-4	2	—	—	—	1	1	—	—	3	1	—	—	—	—	1
5-9	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10-14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15-24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25-34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35-44	1	1	1	1	—	—	1	1	7	7	—	—	—	1	4
45-54	2	—	2	3	3	4	3	1	4	5	—	2	3	3	17
55-64	8	2	6	3	10	8	4	2	15	24	2	2	3	3	35
65-74	25	8	6	5	9	8	6	6	60	41	1	10	2	5	80
75-84	20	5	5	7	17	14	5	12	80	109	9	13	15	5	83
85 and over	5	—	2	4	5	5	1	6	29	36	1	3	4	2	26
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	75	22	20	24	53	46	18	29	246	369	27	32	31	13	266

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	2	1	1	5	12	3	2	3	1	8	1	1	—	3
450-468	46.3	Other circulatory disease	2	1	3	5	12	3	4	5	15	8	—	—	—	5
480-483	30	Influenza	2	—	—	—	2	2	—	2	15	5	—	—	2	7
490-493	31	Pneumonia	2	—	3	1	3	2	1	3	10	3	—	1	1	4
500-502	32	Bronchitis	12	3	7	2	6	6	—	3	10	3	2	1	1	3
470-475, 510-527	32.4	Other respiratory diseases	2	—	—	—	5	2	—	2	6	3	1	—	—	3
530-531	33	Ulcer of stomach and duodenum	5	1	4	1	2	2	—	2	6	1	—	—	—	3
540-543	34	Appendicitis	1	—	1	—	—	—	—	—	1	—	1	—	—	3
550-553	35	Intestinal obstruction and hernia	1	—	—	—	—	—	—	—	3	—	—	—	—	—
560, 561, 570	36	Gastritis and duodenitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—
571, 572	36.1	Diarrhea (except of newborn)	3	—	1	2	—	—	—	—	3	1	—	—	—	2
580, 582-586	37	Cirrhosis of liver	2	1	2	—	1	—	1	—	1	1	1	—	1	1
530-539, 542, 544	46.5	Other diseases of liver	1	—	—	—	—	—	—	—	1	—	—	—	—	2
545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	1	—	—	—	—	1
590-594	38	Nephritis and nephrosis	5	—	3	2	5	2	—	5	3	1	1	—	—	1
600-609, 611-637	39	Hyperplasia of prostate	1	—	—	1	2	—	—	—	3	2	—	—	—	1
640, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	2	—	2	—	—	—	2	—	3	1	—	—	—	1
642-650, 652-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Other puerperal causes	2	—	2	—	—	—	—	—	1	1	—	—	—	—
750-759	41	Diseases of skin and organs of locomotion	2	—	2	—	3	3	1	1	5	2	1	—	—	1
760-762	42	Congenital malformations	1	—	1	—	4	4	2	2	4	2	1	—	—	1
763	43	Birth injuries, postnatal asphyxia and atelectasis	—	—	—	—	1	1	1	1	1	—	—	—	—	—
764	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other infections of the newborn	2	1	1	6	9	9	—	4	12	4	2	1	3	4
780-783, 795	45.0	Other diseases peculiar to early infancy	10	2	4	8	15	15	5	10	10	1	2	2	—	5
E963, E970-979	E49	Senility	1	—	1	—	—	—	—	—	—	—	—	—	—	4
E810-835	E47	Cause ill-defined and unknown	1	—	—	—	—	—	—	—	—	—	—	—	—	4
E840-845	E48	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	2
E800-802, E880-962, E964, 965, E980-999	E48.1	Motor vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other violence (HE50)	8	1	3	4	9	9	2	6	10	4	1	—	1	4
		ALL CAUSES ...	304	42	152	110	307	41	88	178	441	161	49	18	58	155
		AGES AT DEATH														
		Under 1	7	1	6	—	21	1	12	8	35	10	4	1	6	14
		1-4	1	—	1	—	1	—	1	—	1	1	1	—	1	5
		5-9	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		10-14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15-24	3	—	2	1	1	7	2	1	3	1	1	1	1	3
		25-34	7	2	5	—	11	4	4	6	8	10	1	1	3	5
		35-44	17	1	12	5	19	4	6	9	14	16	2	4	16	3
		45-54	37	1	22	14	36	7	12	17	37	22	13	4	8	16
		55-64	84	17	35	32	67	9	21	37	115	39	10	5	21	20
		65-74	106	18	47	41	102	15	21	66	125	51	13	6	14	40
		75-84	40	3	21	16	42	2	10	30	27	10	4	2	1	10
		85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES ...	304	42	152	110	307	41	88	178	441	161	49	18	58	155

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	19	1	7	1	1	3	—	—	6	28	9	1	3
450-468	46.3	Other circulatory disease	24	4	9	—	—	—	—	—	11	27	2	—	1
480-483	30	Influenza	—	—	—	—	—	—	—	—	12	43	12	—	4
490-493	31	Pneumonia	27	—	11	—	—	1	—	—	15	47	16	—	10
500-502	32	Other respiratory diseases	16	2	5	3	—	—	—	—	8	14	3	—	2
470-475, 510-527	46.4	Ulcer of stomach and duodenum	14	1	1	1	—	1	—	—	1	10	—	1	—
540, 541	33	Appendicitis	6	—	2	—	—	—	—	—	2	7	—	—	—
550-553	34	Intestinal obstruction and hernia	1	—	—	—	—	—	—	—	—	4	—	—	—
560, 561, 570	35	Gastritis and duodenitis	6	—	2	—	—	—	—	—	—	7	—	—	—
571, 572	36.1	Diarrhoea (except of newborn)	7	1	1	—	—	—	—	—	5	9	4	—	3
580, 582-586	37	Cirrhosis of liver	2	—	—	—	—	—	—	—	2	2	1	—	—
530-539, 542, 544	46.5	Other diseases of liver	3	—	1	—	—	1	—	—	1	10	3	—	1
545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—	3	—	—	—
580-584	38	Nephritis and nephrosis	7	2	2	—	—	—	—	—	3	21	6	—	4
600-609, 681-687	39	Hyperplasia of prostate	3	—	—	—	—	1	—	—	2	20	5	—	6
640, 641, 682-684	46.7	Other diseases of genito-urinary system	2	—	—	—	—	—	—	—	1	9	1	—	1
642-650, 652-658, 683, 685-689	40.0	Peripheral sepsis including post-abortive sepsis	1	—	1	—	—	—	—	—	3	5	—	—	1
650-749	46.1	Other peripheral sepsis	4	—	—	—	—	—	—	—	2	7	—	—	1
750-759	41	Diseases of skin and organs of locomotion	8	—	5	2	—	1	—	—	2	25	7	—	6
760-762	42	Congenital malformations	4	—	2	—	—	—	—	—	1	28	9	—	3
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	2	—	—
764	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	1	—	—
765-768	43.3	Diarrhoea of newborn	18	—	7	—	—	2	—	—	8	36	6	—	10
769-776	44	Other infections of the newborn	14	1	3	1	—	—	—	—	8	27	4	—	13
780-783, 795	45.0	Other diseases peculiar to early infancy	10	1	3	—	—	1	—	—	5	17	3	—	4
E963, E970-979	45.1	Senility	5	1	1	—	—	—	—	—	3	7	3	—	1
E810-835	E49	Cause ill-defined and unknown	9	1	1	—	—	—	—	—	4	9	2	—	—
E840-845	E47	Suicide	1	—	2	—	—	2	—	—	4	9	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.0	Motor vehicle accidents	29	2	5	—	—	3	—	—	16	56	1	—	9
	E48.1	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other violence (BE50)	66	—	284	42	8	53	35	21	476	1,817	442	24	259
		ALL CAUSES	985	66	284	42	8	53	35	21	476	1,817	442	24	259
		AGES AT DEATH													
	Under 1	...	41	—	17	1	—	4	—	2	17	121	38	1	24
	1-4	...	9	1	3	—	—	1	—	—	4	18	3	—	2
	5-9	...	1	—	—	—	—	—	—	—	1	12	—	—	1
	10-14	...	8	—	1	—	—	—	—	—	3	5	—	—	1
	15-24	...	20	—	2	—	—	—	—	—	4	22	16	—	11
	25-34	...	39	2	7	1	—	2	—	—	8	47	13	—	19
	35-44	...	72	3	10	2	—	2	1	2	21	143	39	3	15
	45-54	...	146	6	23	2	2	6	1	6	33	245	74	1	37
	55-64	...	276	14	49	12	3	15	6	6	71	483	122	6	66
	65-74	...	287	24	91	17	1	17	14	6	134	494	100	9	70
	75-84	...	82	9	17	4	—	5	4	1	42	145	29	4	19
	85 and over	...	—	—	—	—	—	—	—	—	—	—	—	—	—
	Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	985	66	284	42	8	53	35	21	476	1,817	442	24	259

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
29	444-447	Hypertension without heart disease	...	3	2	10	6	1	—	—	—	1	1	—	4
46.3	450-468	Other circulatory disease	...	1	1	13	11	2	2	1	2	2	1	1	3
30	480-483	Influenza	...	2	5	12	17	1	2	—	2	2	1	2	9
31	490-493	Pneumonia	...	4	3	18	17	1	2	1	2	2	1	1	2
32	500-502	Bronchitis	...	1	2	1	3	—	1	—	1	1	1	1	1
46.4	470-475, 510-527	Other respiratory diseases	...	1	2	3	9	—	—	—	1	—	—	—	5
33	540, 541	Ulcer of stomach and duodenum	...	2	1	3	3	—	—	—	—	—	—	—	1
34	550-555	Appendicitis	...	1	1	3	1	—	—	—	—	—	—	—	1
35	560, 561, 570	Intestinal obstruction and hernia	...	1	1	3	1	—	—	—	—	—	—	—	1
36.1	571-572	Gastritis and duodenitis	...	—	—	—	—	—	—	—	—	—	—	—	—
36.2	573-575, 587	Dyspepsia (except of newborn)	...	1	1	—	1	—	—	—	—	—	—	—	—
46.5	580, 582-586	Other diseases of liver	...	2	2	2	4	3	—	—	—	—	—	—	—
46.6	590-594	Other digestive diseases	...	—	1	—	—	—	—	—	—	—	—	—	—
38	600-609, 611-637	Nephritis and nephrosis	...	2	3	8	4	—	—	—	—	—	—	—	4
39	640, 641, 651, 681, 682, 684	Hyperplasia of prostate	...	2	3	4	8	—	—	—	—	—	—	—	6
46.7	642-650, 652-680, 683, 685-689	Other diseases of genito-urinary system	...	—	—	—	1	2	—	—	—	2	—	—	—
40.0		Puerperal sepsis including post-abortion sepsis	...	—	2	1	1	—	—	—	—	—	—	—	—
41	690-749	Other puerperal causes	...	—	2	1	10	—	—	—	—	—	—	—	4
46.8	750-759	Diseases of skin and organs of locomotion	...	—	1	9	2	—	—	—	2	—	—	2	4
42	760-762	Congenital malformations	...	—	1	11	9	—	—	—	1	—	—	1	1
43.1	763	Birth injuries, post-natal asphyxia and atelectasis	...	1	3	1	2	—	—	—	—	—	—	—	—
43.2	764	Pneumonia of newborn	...	—	—	—	—	—	—	—	—	—	—	—	—
43.3	765-768	Diarrhea of newborn	...	—	—	—	—	—	—	—	—	—	—	—	—
44	769-776	Other infections of the newborn	...	—	—	15	7	—	—	—	—	—	—	—	4
45.0	780-793, 795	Other diseases peculiar to early infancy	...	2	3	7	4	—	—	—	—	—	—	—	2
45.1	E963, E970-979	Senility	...	1	2	4	7	—	—	—	—	—	—	—	1
E49	E810-835	Cause ill-defined and unknown	...	—	2	8	4	—	—	—	—	—	—	—	1
E47	E840-845	Suicide	...	—	—	5	6	—	—	—	—	—	—	—	3
E48.0	E800-802, E850-962, E964, 965, E980-999	Motor vehicle accidents	...	—	—	1	1	—	—	—	—	—	—	—	4
E48.1		Other road transport accidents	...	—	—	4	10	—	—	—	—	—	—	—	—
		Other violence (BE50)	...	4	7	19	10	4	—	—	—	—	—	—	—
		ALL CAUSES	164	143	117	541	36	36	13	52	58	33	47	266
		AGES AT DEATH	...												
Under 1	3	9	4	34	2	1	—	3	1	5	5	17
1-4	—	—	1	8	2	—	—	2	—	1	—	3
5-9	2	—	3	1	1	—	—	—	—	—	—	—
10-14	1	1	—	—	—	—	—	—	—	—	—	—
15-24	2	2	—	—	—	—	—	—	—	—	—	—
25-34	2	2	2	5	—	—	—	—	—	—	—	—
35-44	5	6	5	13	3	1	—	1	1	1	1	2
45-54	14	14	10	26	2	2	—	1	1	1	4	5
55-64	21	26	18	48	2	2	—	2	2	5	4	9
65-74	38	39	28	88	7	6	—	8	11	3	9	41
75-84	60	39	38	184	12	5	5	15	14	6	11	79
85 and over	16	7	11	152	10	5	3	14	18	12	9	72
Not stated	—	—	—	44	—	—	—	5	6	2	2	19
		ALL AGES	...	164	143	117	668	36	36	13	52	58	33	47	266

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	40	1	2	1	1	1	—	—	2	—	1	—	2	—
450-468	46.3	Other circulatory disease	79	2	2	1	1	1	—	—	1	—	1	—	3	—
480-483	30	Influenza	9	—	—	—	5	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia	73	1	2	1	1	1	—	—	1	—	—	—	—	2
500-502	32	Bronchitis	86	1	2	1	3	—	—	—	2	—	—	—	—	—
470-475, 510-527	46.4	Other respiratory diseases	44	1	4	2	3	—	—	—	4	—	—	—	1	—
540, 541	33	Ulcer of stomach and duodenum	40	1	2	2	—	—	—	—	—	—	—	—	1	—
550-553	34	Appendicitis	12	1	2	1	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35.1	Intestinal obstruction and hernia	26	1	2	1	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.1	Gastritis and duodenitis	15	1	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhoea (except of newborn)	15	1	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	36.5	Other diseases of liver	25	1	2	1	1	—	—	—	—	—	—	—	—	—
545, 573, 578, 587	46.6	Other digestive diseases	8	—	—	—	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	28	1	2	1	—	—	—	—	2	1	—	—	—	1
600-609, 611-637	39	Hypertasia of prostate	30	1	3	1	2	—	—	—	8	1	—	—	1	—
640, 641, 651, 681, 682, 684	40.0	Other diseases of genital-urinary system	24	—	—	—	—	—	—	—	3	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other preperal causes	4	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	10	2	1	1	1	—	—	—	2	—	—	—	1	—
750-759	41	Congenital malformations	21	1	2	1	1	—	—	—	3	—	—	—	—	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis	35	2	1	—	—	—	—	—	1	—	—	—	—	—
763	43.1	Pneumonia of newborn	6	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhoea of newborn	2	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	68	—	4	1	4	—	—	—	10	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	55	—	2	1	2	—	—	—	9	—	—	—	—	—
779	45.0	Senility	30	—	1	1	3	—	—	—	10	—	—	—	—	—
780-793, 795	45.1	Cause ill-defined and unknown	12	—	1	1	—	—	—	—	1	—	—	—	—	—
E963, E970-979	E49	Suicide	24	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	24	—	—	—	—	—	—	—	—	—	—	—	—	—
E840-845	E48.0	Other road transport accidents	21	—	—	—	—	—	—	—	—	—	—	—	—	—
E850-962, E964, E965, E980-999	E48.1	Other violence (E1E50)	124	—	11	2	4	—	—	—	15	1	—	—	1	—
		ALL CAUSES ...	3,471	20	227	61	158	20	3	72	469	20	20	40	62	27
		AGES AT DEATH														
Under 1	185	—	11	3	8	—	—	1	17	—	1	3	—	1
1-4	20	—	4	1	—	—	—	—	2	—	—	1	—	—
5-9	13	—	—	—	—	—	—	—	3	—	—	—	—	—
10-14	10	—	—	—	1	—	—	—	7	—	—	—	—	—
15-24	41	—	4	1	—	—	—	—	10	—	—	—	—	—
25-34	70	1	3	1	9	—	—	—	8	—	—	—	—	—
35-44	110	1	11	2	1	—	—	—	3	—	—	—	—	—
45-54	293	5	27	2	17	—	—	—	8	—	—	—	—	—
55-64	556	5	31	15	30	—	—	—	8	—	—	—	—	—
65-74	939	6	55	21	45	—	—	—	90	—	—	—	—	—
75-84	957	6	65	10	36	—	—	—	130	—	—	—	—	—
85 and over	277	1	16	6	4	—	—	—	41	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,471	20	227	61	158	20	3	72	469	20	20	40	62	27

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
29	Hypertension without heart disease	8	1	1	2	4	1	—	—	—	3	1	—	14
44, 47	Other circulatory disease	13	1	—	—	1	1	—	2	1	6	—	—	33
450-463	Influenza	9	—	—	—	—	—	—	—	—	1	—	—	6
460-493	Pneumonia	15	—	—	—	—	—	—	—	—	2	—	—	34
500-502	Other respiratory diseases	16	—	—	—	—	—	—	—	—	1	—	—	31
470-475, 510-527	Ulcer of stomach and duodenum	19	—	—	—	—	—	—	—	—	—	—	—	17
550-553	Appendicitis	3	—	—	—	—	—	—	—	—	—	—	—	10
550-561, 570	Intestinal obstruction and hernia	1	—	—	—	—	—	—	—	—	—	—	—	7
560, 564, 572	Gastritis and duodenitis	1	—	—	—	—	—	—	—	—	—	—	—	12
580, 582, 586	Diarrhoea of newborn	1	—	—	—	—	—	—	—	—	—	—	—	7
530-539, 542, 544	Diarrhoea of liver	4	—	—	—	—	—	—	—	—	—	—	—	2
545, 573-578, 587	Other diseases of liver	—	—	—	—	—	—	—	—	—	—	—	—	7
550-564	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	—	3
38	Nephritis and nephrosis	2	—	—	—	—	—	—	—	—	—	—	—	13
600-609, 611-637	Hypertrophy of prostate	3	—	—	—	—	—	—	—	—	4	—	—	9
640, 641, 651, 681, 682, 684	Other diseases of genito-urinary system	3	—	—	—	—	—	—	—	—	2	—	—	8
642-650, 652-680, 683, 685-689	Puerperal sepsis including post-abortive sepsis	2	—	—	—	—	—	—	—	—	—	—	—	2
600-749	Other puerperal cases	5	—	—	—	—	—	—	—	—	2	—	—	2
750-759	Diseases of skin and organs of locomotion	6	—	—	—	—	—	—	—	—	1	—	—	7
760-762	Congenital malformations	1	—	—	—	—	—	—	—	—	—	—	—	16
763	Birth injuries post-natal asphyxia and atelectasis	1	—	—	—	—	—	—	—	—	—	—	—	1
764	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	2
765-768	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	1
769-776	Other infections of the newborn	11	—	—	—	—	—	—	—	—	—	—	—	27
780-783, 795	Other diseases peculiar to early infancy	15	—	—	—	—	—	—	—	—	1	—	—	15
E963, E970-979	Senility	2	—	—	—	—	—	—	—	—	—	—	—	10
E810-835	Cause ill-defined and unknown	5	—	—	—	—	—	—	—	—	—	—	—	2
E840-845	Suicide	4	—	—	—	—	—	—	—	—	—	—	—	14
E800-802, E850-962	Motor vehicle accidents	1	—	—	—	—	—	—	—	—	—	—	—	—
E964, 965, E980-999	Other road transport accidents	23	—	—	—	—	—	—	—	—	3	—	—	47
	Other violence (BE50)	1	—	—	—	—	—	—	—	—	—	—	—	—
	ALL CAUSES ...	588	13	37	108	96	32	31	50	28	132	24	45	1,088
	AGES AT DEATH													
Under 1	...	31	—	2	9	6	1	—	2	1	2	2	—	84
1-4	...	1	—	—	—	1	—	1	—	—	1	—	—	9
5-9	...	—	—	—	—	—	—	—	—	—	—	—	—	8
10-14	...	6	—	—	—	—	—	—	—	—	—	—	—	5
15-24	...	19	—	—	—	—	—	—	—	—	—	—	—	17
25-34	...	25	1	—	—	—	—	—	—	—	—	—	—	16
35-44	...	46	—	—	—	—	—	—	—	—	—	—	—	34
45-54	...	103	2	3	6	4	4	4	1	1	2	1	2	98
55-64	...	152	2	5	16	14	4	7	6	3	10	3	2	164
65-74	...	168	3	10	36	31	9	8	14	7	22	7	4	280
75-84	...	168	3	13	21	24	9	7	22	9	36	6	17	301
85 and over	...	—	5	4	13	5	4	3	4	2	20	1	4	72
Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	588	13	37	108	96	32	31	50	28	132	24	45	1,088

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	20	1	8	1	11	8	1	2	1	1	6	1	—	1
450-468	46.3	Other circulatory disease	33	—	9	—	24	9	—	1	—	1	3	2	—	2
480-483	30	Influenza	3	—	1	—	2	1	—	1	—	3	2	4	1	3
480-483	31	Pneumonia	21	—	8	—	12	7	1	1	—	1	1	1	—	2
500-502	32	Bronchitis	17	1	4	—	7	1	1	—	—	1	1	1	1	—
470-475, 510-527	46.4	Other respiratory diseases	15	—	8	—	14	3	1	—	—	1	1	—	—	—
540, 541	33	Ulcer of stomach and duodenum	18	—	4	—	1	1	—	—	—	1	1	2	—	2
550-553	34	Appendicitis	10	—	4	—	6	2	1	—	—	—	1	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	10	—	4	—	1	1	—	—	—	—	1	1	—	—
580-582-586	36.1	Gastritis and duodenitis	10	—	4	—	6	2	1	—	—	—	1	1	—	—
530-539, 542, 544	36.2	Diarrhea (except of newborn)	5	1	1	—	3	2	1	—	—	—	1	1	1	—
545, 573-576, 587	37	Cirrhosis of liver	5	1	1	—	3	2	1	—	—	—	1	1	—	—
571, 572	46.6	Other diseases of liver	4	—	1	—	3	3	—	1	—	—	2	1	—	1
580, 582-586	38	Other digestive diseases	12	—	2	—	9	4	—	—	—	2	2	6	4	2
600-609, 611-637	39	Nephritis and nephrosis	8	—	2	—	6	2	—	—	—	—	2	1	—	1
640, 641, 651, 681, 682, 684	46.7	Hyperplasia of prostate	3	—	2	—	1	2	—	—	—	—	2	1	—	—
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	3	—	2	—	1	2	—	—	—	—	2	1	—	—
683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	2	—	1	—	1	—	—	—	—	—	—	—	—	—
690-749	46.8	Other puerperal causes	3	1	—	—	2	1	—	—	—	—	1	—	—	—
750-759	41	Diseases of skin and organs of locomotion	4	—	—	—	3	3	—	—	—	—	2	—	—	—
760-762	42	Congenital malformations	9	—	3	—	6	3	—	—	—	—	1	—	—	—
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	2	—	—	—	2	—	—	—	—	—	2	—	—	—
764	43.2	Pneumonia of newborn	1	—	—	—	—	1	—	—	—	—	1	—	—	—
765-768	43.3	Diarrhea of newborn	13	1	5	—	6	7	—	—	—	—	3	2	1	1
769-776	44	Other infections of the newborn	36	2	9	—	35	7	—	—	—	3	4	3	2	2
780-793, 795	45.1	Other diseases peculiar to early infancy	30	—	—	—	19	7	—	—	—	—	3	2	—	1
E963, E970-979	48.0	Senility	13	—	5	—	6	3	—	—	—	—	1	1	—	1
E810-835	49	Cause ill-defined and unknown	30	—	9	—	19	7	—	—	—	—	3	2	—	2
E840-845	E47	Suicide	13	—	5	—	8	3	—	—	—	—	1	1	—	1
E800-802, E850-862, E864, 965, E980-999	E48.1	Motor vehicle accidents	32	—	8	—	24	9	—	—	—	2	6	1	—	—
		Other road transport accidents	1,002	26	325	15	636	315	33	13	19	56	194	103	36	67
		Other violence (BE50)	39	1	15	1	22	13	—	—	—	2	10	4	2	2
		ALL CAUSES	5	—	2	—	3	3	1	—	—	2	3	1	1	1
		AGES AT DEATH	9	—	6	—	3	3	—	—	—	—	1	1	—	—
		Under 1	2	—	—	—	14	2	—	—	—	—	1	1	—	—
		1-4	18	—	4	—	13	10	—	1	—	—	1	1	—	—
		5-9	19	—	6	—	13	10	—	—	—	—	5	3	—	1
		10-14	23	3	9	1	13	10	2	—	1	4	3	3	3	1
		15-24	64	4	20	1	41	20	2	1	3	3	13	6	3	3
		25-34	119	51	51	1	63	34	4	3	5	3	18	12	4	8
		35-44	236	9	71	4	152	84	9	3	8	19	53	31	8	23
		45-54	332	9	111	5	207	108	9	3	8	20	68	28	7	19
		55-64	136	—	30	3	103	37	8	2	—	3	22	16	—	9
		65-74	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		75-84	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	1,002	26	325	15	636	315	33	13	19	56	194	103	36	67

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
29	444-447	Hypertension without heart disease	...	9	3	1	1	1	5	230	151	4	1	3	7
46.3	450-468	Other circulatory disease	...	13	1	1	1	1	242	340	242	5	1	8	5
30	480-483	Influenza	...	2	1	1	1	1	113	751	113	3	1	2	7
31	490-493	Pneumonia	...	4	1	1	1	1	759	759	545	8	1	29	21
32	500-502	Bronchitis	...	4	1	1	1	1	736	736	130	15	1	30	14
46.4	470-475, 510-527	Other respiratory diseases	...	5	1	1	2	1	282	282	135	9	1	8	10
33	540, 541	Ulcer of stomach and duodenum	...	2	1	1	1	1	186	186	22	2	1	5	2
34	550-553	Appendicitis	...	2	1	1	1	1	49	49	88	1	1	4	2
35	560, 561, 570	Intestinal obstruction and hernia	...	1	1	1	1	1	10	10	9	2	1	1	3
36.1	571, 572	Gastritis and duodenitis	...	1	1	1	1	1	117	117	86	2	1	6	3
36.2	580, 582-586	Diarrhea (except of newborn)	...	1	1	1	1	1	56	56	42	1	1	6	3
37	545, 573-578, 587	Cirrhosis of liver	...	1	1	1	1	1	81	81	54	2	1	6	3
46.5	590-594	Other diseases of liver	...	1	1	1	1	1	59	59	46	2	1	6	3
46.6	600-609, 611-637	Other digestive diseases	...	3	1	1	1	1	171	171	109	2	1	8	2
38	640, 641, 651, 681, 682, 684	Nephritis and nephrosis	...	3	1	1	1	1	110	110	79	1	1	1	3
39	642-650, 652-680, 683, 685-689	Hyperplasia of prostate	...	2	1	1	1	1	96	96	74	1	1	1	3
46.7	690-749	Other diseases of genito-urinary system	...	1	1	1	1	1	29	29	22	1	1	1	3
40.0	750-759	Puerperal sepsis including post-abortive sepsis	...	1	1	1	1	1	60	60	17	1	1	1	3
46.8	760-762	Other puerperal causes	...	5	1	1	1	1	226	226	147	3	1	8	7
41	763	Diseases of skin and organs of locomotion	...	8	1	1	3	1	218	218	172	3	1	5	5
42	764	Congenital malformations	...	1	1	1	1	1	48	48	30	2	1	2	2
43.1	765-768	Birth injuries, post-natal asphyxia and atelectasis	...	1	1	1	1	1	14	14	11	1	1	1	1
43.2	769-776	Pneumonia of newborn	...	1	1	1	1	1	4	4	191	6	1	14	15
43.3	780-793, 795	Diarrhea of newborn	...	4	1	1	1	1	308	308	180	9	1	13	18
44	E49	Other infections of the newborn	...	8	1	1	1	1	300	300	307	5	1	8	13
45.0	E47	Other diseases peculiar to early infancy	...	3	1	1	1	1	412	412	370	1	1	2	2
45.1	E810-835	Senility	...	1	1	1	1	1	148	148	169	2	1	3	5
E49	E840-845	Cause ill-defined and unknown	...	1	1	1	1	1	112	112	9	1	1	3	5
E47	E800-802, E850-862, E864, 965, E980-999	Suicide	...	7	1	1	1	1	517	517	370	5	1	14	11
E48.0		Motor vehicle accidents	...	47	15	44	41	6	19,888	19,888	13,839	315	18	533	486
E48.1		Other road transport accidents	...	3	3	3	4	1	1,229	1,229	830	23	—	47	47
		Other violence (BE50)	...	1	1	1	1	1	211	211	142	2	—	1	8
		ALL CAUSES	355	44	15	15	6	101	101	54	5	—	5	1
		AGES AT DEATH	...	22	3	3	3	1	62	62	41	1	—	1	1
		Under 1	...	3	1	1	1	1	312	312	228	10	—	3	10
		1-4	...	4	1	1	1	1	453	453	319	18	—	9	11
		5-9	...	6	3	3	3	1	866	866	555	30	—	11	13
		10-14	...	16	5	5	5	1	1,377	1,377	806	54	—	27	45
		15-24	...	20	6	6	6	1	1,962	1,962	1,377	50	—	54	86
		25-34	...	44	5	5	5	1	3,436	3,436	2,430	86	—	79	108
		35-44	...	100	13	13	13	4	5,256	5,256	3,738	87	—	130	186
		45-54	...	113	15	15	15	2	4,873	4,873	3,295	67	—	140	125
		55-64	...	27	2	2	2	2	1,187	1,187	812	16	—	26	22
		65-74	...	35	2	2	2	2	1,187	1,187	812	16	—	26	22
		75-84	...	35	2	2	2	2	1,187	1,187	812	16	—	26	22
		85 and over	...	35	2	2	2	2	1,187	1,187	812	16	—	26	22
		Not stated	...	35	2	2	2	2	1,187	1,187	812	16	—	26	22
		ALL AGES	355	44	15	15	6	19,888	19,888	13,839	315	18	533	486

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	1	13	8	39	92	78	4	3	—	2	1	9
450-468	46.3	Other circulatory disease	2	14	11	57	190	162	4	4	—	10	1	9
480-483	30	Influenza	1	4	5	22	23	20	—	—	—	1	2	2
490-493	31	Pneumonia	1	27	11	117	215	191	2	3	—	11	2	19
500-502	32	Bronchitis	4	32	21	133	213	183	1	—	—	11	13	11
470-475, 510-527	46.4	Other respiratory diseases	1	23	5	67	63	48	1	—	—	4	—	6
540, 541	33	Ulcer of stomach and duodenum	—	4	2	35	87	74	—	—	—	—	—	—
550-553	34	Appendicitis	—	3	2	18	39	7	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	8	—	25	39	33	—	—	—	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	37	Diarrhoea (except of newborn)	—	6	1	13	34	29	1	—	—	—	—	—
580, 582-586	36.2	Cirrhosis of liver	—	1	3	9	27	24	—	—	—	—	—	—
530-539, 542, 544	46.5	Other diseases of liver	—	5	1	12	31	25	—	—	—	—	—	—
545, 573-578, 587	46.6	Other digestive diseases	1	1	—	8	28	27	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.7	Hyperplasia of prostate	1	2	8	39	55	45	1	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Other diseases of genito-urinary system	1	2	1	25	40	35	1	—	—	—	—	—
642-650, 662-680, 683, 685-689	40.1	Puerperal sepsis including post-abortive sepsis	—	4	1	12	37	31	—	—	—	—	—	—
690-749	46.8	Other puerperal causes	—	—	—	6	1	1	—	—	—	—	—	—
750-759	41	Diseases of skin and organs of locomotion	—	—	—	14	26	22	—	—	—	—	—	—
760-762	42	Congenital malformations	4	10	5	42	72	57	—	—	—	—	—	—
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	1	4	2	28	52	38	1	—	—	—	—	—
764	43.2	Pneumonia of newborn	1	1	—	10	10	10	—	—	—	—	—	—
765-768	44	Diarrhoea of newborn	—	—	—	3	—	—	—	—	—	—	—	—
769-776	43.3	Other infections of the newborn	3	16	1	59	67	52	—	—	—	—	—	—
780-793, 795	45.0	Other diseases peculiar to early infancy	2	16	1	71	42	39	2	—	—	—	—	—
E49	45.1	Senility	2	12	3	62	28	25	—	—	—	—	—	—
E810-835	E47	Cause ill-defined and unknown	—	1	—	10	53	49	1	—	—	—	—	—
E840-845	E48.0	Suicide	—	5	1	32	35	30	—	—	—	—	—	—
E800-802, E850-962, E961, 965, E980-999	E48.1	Motor vehicle accidents	—	—	—	2	2	2	—	—	—	—	—	—
		Other road transport accidents	—	—	—	87	194	160	—	—	—	—	—	—
		Other violence (BE50)	2	18	9	—	—	—	2	3	—	1	1	26
		ALL CAUSES ...	97	780	348	3,472	6,947	5,964	67	86	49	163	47	571
		AGES AT DEATH												
		Under 1	9	40	11	222	267	206	4	1	3	5	10	38
		1-4	1	5	—	44	43	30	—	—	—	2	1	11
		5-9	1	1	1	36	16	13	—	—	—	—	—	2
		10-14	—	3	1	14	20	20	—	—	—	—	—	5
		15-24	—	5	4	49	79	69	3	—	—	2	—	—
		25-34	1	12	6	85	107	89	—	—	—	—	—	—
		35-44	2	34	18	138	213	177	4	6	4	5	1	12
		45-54	6	79	34	336	590	499	8	8	5	18	1	15
		55-64	11	158	55	539	1,094	844	11	13	5	5	1	55
		65-74	21	186	98	870	1,851	1,601	30	30	8	23	7	91
		75-84	35	208	98	899	2,051	1,781	19	21	18	45	12	136
		85 and over	9	39	22	240	616	535	3	6	6	19	9	163
		Not stated	—	—	—	—	—	—	—	—	—	—	4	43
		ALL AGES ...	97	780	348	3,472	6,947	5,964	67	86	49	163	47	571

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List 'B'	MORAY COUNTY								NAIRN COUNTY		ORKNEY COUNTY				
			Moray County	Burghead Burgh	Elgin Burgh	Forres Burgh	Grantown-on-Spey Burgh	Lossiemouth & Burghead Burgh	Rothies Burgh	Landward	Nairn County	Nairn Burgh	Landward	Orkney County	Kirkwall Burgh	Stromness Burgh	Landward
			49,578	1,394	10,852	4,833	1,525	5,008	1,248	24,718	8,695	4,814	3,881	21,229	4,480	1,545	15,204
			887	5	359	297	2	51	4	169	131	10	121	358	182	16	160
			938	38	193	110	22	119	22	434	141	84	57	364	85	21	258
			476	22	98	54	10	53	15	224	77	47	30	187	47	10	130
			462	16	95	56	12	66	7	210	64	37	27	177	38	11	128
			64	—	12	11	2	9	1	29	9	4	5	14	3	1	10
			12	—	5	3	—	—	1	5	4	1	4	7	1	1	2
			13	—	5	2	—	—	1	66	56	47	9	105	38	10	57
			355	3	183	42	15	35	11	159	101	39	62	291	91	15	185
			453	10	155	67	11	46	5	217	118	71	47	303	53	20	230
			496	13	117	61	23	57	8	217	118	71	47	303	53	20	230
			248	7	55	28	11	34	2	111	54	32	22	151	29	9	113
			248	6	62	33	12	23	6	106	64	39	25	152	24	11	117
			3	1	—	—	—	—	—	2	—	—	—	4	—	—	4
			1	—	—	—	—	—	—	—	—	—	—	1	—	—	1
			2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			11	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			13	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			16	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			17	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			18	84	3	18	7	3	3	39	15	8	7	54	14	5	35
			19	4	1	1	2	1	1	1	1	1	1	1	1	1	1
			20	4	1	1	1	1	1	1	1	1	1	1	1	1	1
			21	5	—	—	—	—	—	—	—	—	—	—	—	—	—
			22	86	4	19	5	12	1	3	30	18	12	46	7	4	35
			23	10	1	1	1	2	—	5	1	1	1	4	—	—	2
			24	1	—	—	—	—	—	—	—	—	—	—	—	—	3
			25	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			26	163	3	42	8	15	3	72	32	18	14	78	15	2	61
			27	6	1	1	1	1	—	2	3	2	2	8	8	—	1
			28	3	—	—	—	—	—	—	—	—	—	3	—	—	—
			(a)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(m)	(n)	(o)	(p)	(q)	(r)
					</												

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	13	—	1	2	3	3	1	2	5	2	3	6	2	1	3
450-468	46.3	Other circulatory disease	13	—	2	—	3	—	1	—	1	1	1	4	1	—	3
480-483	30	Influenza	7	—	1	—	—	—	—	—	1	—	—	1	—	—	5
490-493	31	Pneumonia	2	—	1	—	—	—	—	—	1	—	—	6	1	—	3
500-502	32	Bronchitis	4	—	1	—	—	—	—	—	1	—	—	3	—	—	3
470-475, 510-527	46.4	Other respiratory diseases	4	—	1	—	—	—	—	—	1	—	—	1	—	—	1
540, 541	33	Ulcer of stomach and duodenum	4	—	2	—	—	—	—	—	1	—	—	4	2	—	1
550-553	34	Appendicitis	6	—	—	—	—	—	—	—	—	—	—	3	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	4	—	—	—	—	—	—	—	1	—	—	4	—	—	1
571, 572	36.1	Gastritis and duodenitis	4	—	—	—	—	—	—	—	—	—	—	3	—	—	2
580, 582-586	37	Diarrhoea (except of newborn)	3	—	—	—	—	—	—	—	—	—	—	2	—	—	1
530-539, 542, 544	46.5	Other diseases of liver	3	1	1	—	1	—	—	—	1	1	1	2	1	—	1
545, 573-578, 587	46.6	Other diseases of liver	3	—	—	—	—	—	—	—	—	—	—	2	—	—	1
590-594	38	Other digestive diseases	9	—	—	—	—	—	—	—	—	—	—	5	—	—	3
600-609, 611-637	39	Nephritis and nephrosis	5	—	3	—	—	—	—	—	—	—	—	4	1	—	3
640, 641, 681, 682, 684	46.7	Hyperplasia of prostate	2	—	1	—	—	—	—	—	—	—	—	1	—	—	3
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	2	—	1	—	—	—	—	—	—	—	—	1	—	—	1
690-749	40.1	Puerperal sepsis including post-abortive sepsis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—
760-762	41	Diseases of skin and organs of locomotion	1	—	1	—	—	—	—	—	1	—	—	1	—	—	1
763	42	Congenital malformations	6	—	3	—	—	—	—	—	1	—	—	2	1	—	1
764	43.1	Birth injuries, post-natal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
765-768	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	43.3	Diarrhoea of newborn	2	—	—	—	—	—	—	—	—	—	—	6	1	—	5
777-794	44	Other infections of the newborn	5	—	—	—	—	—	—	—	—	—	—	22	2	—	20
780-793, 795	45.0	Other diseases peculiar to early infancy	7	—	2	—	—	—	—	—	7	7	—	4	—	—	4
E963, E970-979	45.1	Senility	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
E810-835	47	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
E840-845	E49	Suicide	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
E800-802, E850-962, E964, 965, E980-999	E47	Motor vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	E48.1	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
		Other violence (BE80)	21	—	6	—	—	—	—	—	—	—	—	14	1	—	12
		ALL CAUSES ...	496	13	117	61	23	57	8	217	118	71	47	303	53	20	230
		AGES AT DEATH															
	Under 1	...	17	—	6	2	—	—	—	8	7	5	2	12	3	—	9
	1-4	...	6	1	—	—	—	—	—	4	1	1	1	5	—	—	1
	5-9	...	5	—	—	—	—	—	—	4	—	—	—	1	—	—	5
	10-14	...	10	—	—	—	—	—	—	—	—	—	—	1	—	—	1
	15-24	...	17	—	2	—	—	—	—	8	1	1	1	2	1	—	1
	25-34	...	38	1	6	2	—	—	—	6	3	2	2	7	7	—	2
	35-44	...	37	1	7	2	—	—	—	17	1	2	4	29	4	—	10
	45-54	...	18	2	15	4	—	—	—	26	2	9	9	29	7	—	10
	55-64	...	60	2	30	23	4	—	—	45	13	21	4	76	15	—	22
	65-74	...	127	4	40	18	8	—	—	63	30	26	9	114	20	—	57
	75-84	...	148	3	11	9	1	—	—	32	45	8	17	37	3	—	84
	85 and over	...	61	1	—	—	—	—	—	2	15	7	19	—	—	—	32
	Not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	...	496	13	117	61	23	57	8	217	118	71	47	303	53	20	230

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	2	3	1	1	27	1	1	2	1	2	1	1	1	3	3
450-463	46.3	Other circulatory disease	8	3	2	3	39	—	—	—	—	—	—	—	—	—	4
480-483	30	Influenza	1	—	—	1	3	—	—	—	—	—	—	—	—	—	1
490-493	31	Pneumonia	5	—	3	2	32	—	—	2	—	—	—	—	2	2	—
500-502	32	Bronchitis	2	1	—	1	26	—	—	—	—	—	—	—	—	—	—
470-475, 510-527	46.4	Other respiratory diseases	3	1	2	2	17	—	—	1	—	—	—	—	2	—	—
540, 541	33	Ulcer of stomach and duodenum	3	1	2	—	17	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	—	10	—	—	—	—	—	—	—	1	—	—
543	36.1	Diarrhoea (except of newborn)	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Gastritis and duodenitis	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—
581	37	Diarrhoea of liver	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—
530-539, 542, 544	46.6	Other digestive diseases	2	—	—	—	6	—	—	1	—	—	—	—	—	—	—
545, 573-578, 587	38	Nephritis and nephrosis	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—
590-594	39	Hyperplasia of prostate	3	1	—	—	13	—	—	—	—	—	—	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	11	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	—	—	7	—	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	1	—	—	—	17	—	—	—	—	—	—	—	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	1	—	—	—	12	—	—	—	—	—	—	—	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhoea of newborn	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	4	1	3	—	47	—	—	—	—	—	—	—	—	—	—
794	45.0	Senility	3	2	—	—	30	—	—	—	—	—	—	—	2	—	—
780-793, 795	45.1	Cause ill-defined and unknown	2	—	—	—	14	—	—	—	—	—	—	—	—	—	—
B963, E970-979	E49	Suicide	3	—	—	—	16	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	7	—	—	—	52	—	—	—	—	—	—	—	—	—	—
		ALL CAUSES ...	204	32	103	69	1,625	20	7	31	37	93	35	28	80	14	48
		AGES AT DEATH															
Under 1	7	1	4	2	47	—	1	—	2	3	1	2	1	—	1
1-4	2	—	2	1	11	—	—	1	—	—	1	—	—	—	—
5-9	1	—	—	—	8	—	—	—	—	—	—	—	—	—	—
10-14	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
15-24	4	—	1	3	12	—	—	—	1	1	—	—	—	—	—
25-34	5	1	2	2	40	—	—	—	1	1	—	—	—	—	—
35-44	3	—	1	2	45	—	—	—	1	1	—	—	—	—	—
45-54	12	1	7	4	96	—	—	2	4	3	1	1	3	3	1
55-64	25	3	9	13	231	—	—	3	4	11	2	7	9	2	4
65-74	58	9	36	13	429	—	—	8	9	33	8	3	20	4	12
75-84	66	12	30	24	501	—	—	6	16	33	17	10	29	2	24
85 and over	21	5	11	5	202	—	—	5	5	18	3	3	15	3	3
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES ...	204	32	103	69	1,625	20	7	31	37	93	35	28	80	14	48

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	9	1	10	46	3	2	9	5	27	5	6	32
450-468	46.3	Other circulatory disease	10	1	19	29	11	2	13	5	4	33	12	35
480-483	30	Influenza	9	1	3	36	2	2	10	1	6	3	4	11
490-493	31	Pneumonia	9	1	14	107	5	2	26	1	8	11	4	27
500-502	32	Bronchitis	9	1	11	42	5	2	41	7	11	4	6	55
470-475, 510-527	46.4	Other respiratory diseases	5	1	8	39	3	1	12	4	8	3	1	13
540, 541	33	Ulcer of stomach and duodenum	6	1	6	38	5	1	19	4	2	1	1	9
550-553	34	Appendicitis	2	—	1	5	—	—	1	1	6	1	1	14
560, 561, 570	35	Intestinal obstruction and hernia	4	—	4	18	—	—	5	2	2	1	1	—
571, 572	36.1	Gastritis and duodenitis	4	—	1	2	—	—	2	1	4	4	2	3
580, 582-586	37	Diarrhoea (except of newborn)	2	—	2	20	—	1	7	1	5	2	2	2
530-539, 542, 544	36.2	Other diseases of liver	2	—	2	11	—	1	3	1	4	5	2	3
545, 573-578, 587	46.5	Cirrhosis of liver	2	—	2	16	1	1	3	—	3	2	—	3
580, 590-594	46.6	Other digestive diseases	2	—	3	9	—	—	4	—	7	2	—	1
600-609, 611-637	38	Nephritis and nephrosis	5	—	8	36	4	1	6	1	6	4	1	13
640, 641, 651, 681, 682, 684	39	Hyperplasia of prostate	2	1	3	31	—	—	7	—	9	4	—	11
642-650, 652-680, 683, 685-689	40.0	Other diseases of genito-urinary system	3	—	3	16	—	—	7	—	7	—	—	2
690-749	40.1	Puerperal sepsis including post-abortive sepsis	3	—	1	—	—	—	—	—	—	—	—	—
750-759	46.8	Other puerperal causes	3	—	1	4	1	—	1	—	1	—	—	—
760-762	41	Diseases of skin and organs of locomotion	2	—	9	16	1	2	4	—	15	3	1	4
763	42	Congenital malformations	5	—	4	41	2	—	9	3	21	7	5	7
764	43.1	Birth injuries, post-natal asphyxia and atelectasis	4	—	1	58	3	4	6	6	2	1	—	6
765-768	43.2	Pneumonia of newborn	—	—	—	1	—	—	—	1	—	—	—	1
769-776	44	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—	—	—	—
780-793, 795	45.0	Other infections of the newborn	3	—	4	53	3	1	9	1	21	9	3	6
E963, E970-979	45.1	Other diseases peculiar to early infancy	10	2	26	50	3	2	21	1	6	7	—	11
E810-835	E49	Senility	11	—	13	57	3	3	35	3	3	3	—	7
E840-845	E47	Cause ill-defined and unknown	8	—	4	12	1	1	4	1	5	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.0	Suicide	6	1	3	29	—	—	8	1	10	1	1	8
	E48.1	Motor vehicle accidents	16	1	28	4	2	—	1	—	2	10	6	26
		Other road transport accidents	—	—	—	113	—	4	28	3	34	—	—	—
		Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—
		ALL CAUSES	509	31	692	3,856	164	113	893	162	1,127	250	194	953
		AGES AT DEATH												
Under 1	14	—	22	230	11	6	52	15	74	33	12	27
1-4	5	—	4	29	2	1	9	1	9	2	1	4
5-9	3	—	3	12	1	—	2	1	7	1	1	1
10-14	2	—	1	11	1	—	3	—	3	1	1	2
15-24	4	—	6	55	5	2	11	2	20	6	2	12
25-34	14	1	17	78	7	2	19	4	29	5	1	13
35-44	18	—	18	140	10	4	30	4	47	9	4	35
45-54	42	—	37	315	12	13	81	16	76	17	16	84
55-64	87	7	91	624	27	14	160	28	204	39	28	124
65-74	141	6	189	1,038	36	39	249	65	293	65	65	251
75-84	133	7	213	1,025	53	22	222	39	294	51	51	293
85 and over	46	10	91	299	9	11	55	12	71	22	12	107
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	509	31	692	3,856	164	113	893	162	1,127	250	194	953

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	23	—	1	—	1	2	—	—	—	13	3	—	2	5
450-468	46.3	Other circulatory disease	26	—	1	—	—	2	—	—	—	28	4	—	—	16
480-483	30	Influenza	1	—	1	—	—	2	—	—	—	—	—	—	—	6
490-493	31	Pneumonia	27	—	1	—	—	2	—	—	—	11	4	—	—	3
500-502	32	Other respiratory diseases	21	—	1	—	—	2	—	—	—	8	3	—	—	1
470-475, 510-527	46.4	Ulcer of stomach and duodenum	6	—	—	—	—	2	—	—	—	7	2	—	—	4
540, 541	33	Appendicitis	12	—	—	—	—	—	—	—	—	2	1	—	—	1
550-553	34	Intestinal obstruction and hernia	2	—	—	—	—	—	—	—	—	6	2	—	—	3
560, 561, 570	35	Gastritis and duodenitis	3	—	—	—	—	1	—	—	—	1	2	—	—	1
571, 572	36.2	Diarrhea (except of newborn)	3	—	—	—	—	—	—	—	—	2	3	—	—	—
580, 582-586	37	Cirrhosis of liver	2	—	—	—	—	—	—	—	—	1	1	—	—	—
530-539, 542, 544	46.5	Other diseases of liver	2	—	—	—	—	—	—	—	—	1	—	—	—	—
545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	10	—	1	—	—	—	—	—	—	7	2	—	—	4
600-609, 611-637	39	Hyperplasia of prostate	11	—	1	—	—	2	—	—	—	8	4	—	—	2
640, 641, 651, 681, 682, 684	46.7	Other diseases of genito-urinary system	1	—	—	—	—	—	—	—	—	3	2	—	—	—
642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	1	—	—	—	—	—	—	—	—	1	1	—	—	—
690-749	40.1	Other puerperal causes	3	—	—	—	—	—	—	—	—	3	2	—	—	—
750-759	41	Diseases of skin and organs of locomotion	5	—	—	—	—	—	—	—	—	3	2	—	—	—
760-762	42	Congenital malformations	5	—	—	—	—	—	—	—	—	8	2	—	—	—
763	43.1	Birth injuries, post-natal asphyxia and atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Diarrhea of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other infections of the newborn	4	—	—	—	—	—	—	—	—	6	1	—	—	—
780-783, 795	45.1	Other diseases peculiar to early infancy	48	—	—	—	—	—	—	—	—	37	1	—	—	—
E963, E970-979	E49	Senility	11	—	—	—	—	—	—	—	—	10	3	—	—	—
E810-835	E47	Cause ill-defined and unknown	2	—	—	—	—	—	—	—	—	6	1	—	—	—
E840-845	E48.0	Suicide	8	—	—	—	—	—	—	—	—	1	1	—	—	—
E800-802, E850-962,	E48.1	Motor vehicle accidents	32	—	—	—	—	—	—	—	—	4	2	—	—	—
E964, 965, E980-999		Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL CAUSES ...	879	8	39	12	22	68	26	704	627	227	61	57	43	239
		AGES AT DEATH														
Under 1	24	1	2	—	1	3	—	17	24	8	3	—	—	13
1-4	8	—	1	—	—	—	—	6	4	1	—	—	—	1
5-9	4	—	—	—	—	—	—	5	1	1	—	—	—	—
10-14	6	—	—	—	—	—	—	13	4	—	—	—	—	—
15-24	13	—	—	—	—	—	—	11	15	5	2	—	—	3
25-34	14	—	—	—	—	—	—	23	4	5	1	—	—	5
35-44	27	—	—	—	—	—	—	50	21	17	5	—	—	9
45-54	40	—	—	—	—	—	—	30	80	30	4	—	—	19
55-64	87	—	—	—	—	—	—	69	50	70	7	—	—	26
65-74	208	2	6	1	2	3	2	210	170	70	10	—	—	58
75-84	305	2	16	4	5	7	5	171	201	71	16	—	—	83
85 and over	145	—	4	4	3	10	5	117	58	18	3	—	—	22
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	879	8	39	12	22	68	26	704	627	227	61	57	43	239

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(i)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
		Hypertension without heart disease	4	2	2	30	2	9	3	2	2	3	4	12
	444-447	Other circulatory disease	8	4	1	56	2	12	2	2	2	2	1	28
	450-463	Influenza	7	4	2	8	2	18	3	2	5	3	13	5
	480-483	Pneumonia	7	6	2	89	2	27	7	2	5	9	24	41
	490-502	Bronchitis	7	4	1	74	2	6	7	1	1	1	3	10
	470-475, 510-527	Other respiratory diseases	1	1	1	21	2	7	1	1	1	1	3	15
	540, 541	Ulcer of stomach and duodenum	1	1	1	28	2	1	1	1	1	1	2	2
	560, 563	Appendicitis	1	1	1	3	2	1	1	1	1	1	4	9
	560, 565, 570	Intestinal obstruction and hernia	1	1	1	21	2	1	1	1	1	1	4	1
	571-572	Gastritis and duodenitis	3	3	1	1	2	5	1	1	1	1	1	4
	580, 582, 586	Diarrhea (except of newborn)	2	1	1	12	1	1	1	1	1	1	1	4
	530-539, 542, 544	Cirrhosis of liver	7	1	1	6	1	1	1	1	1	1	2	3
	545, 573, 575, 587	Other diseases of liver	9	1	1	7	1	1	1	1	1	1	1	4
	580, 584	Other digestive diseases	2	1	1	9	1	1	1	1	1	1	1	2
	600-609, 611-637	Nephritis and nephrosis	2	1	1	18	1	9	1	1	1	1	4	3
	640, 641, 651, 681, 682, 684	Hypertrophy of prostate	5	3	2	17	1	2	1	1	1	1	2	6
	642-650, 652-680, 683, 685-689	Other diseases of genito-urinary system	1	1	1	8	1	1	1	1	1	1	1	1
	690-749	Puerperal sepsis including post-abortif sepsis	4	4	1	8	1	1	1	1	1	1	1	3
	750-759	Other puerperal causes	20	20	3	29	3	6	1	1	1	1	1	20
	760-762	Diseases of skin and organs of locomotion	2	1	1	2	1	1	1	1	1	1	1	7
	763	Congenital malformations	2	1	1	2	1	1	1	1	1	1	1	1
	764	Birth injuries, post-natal asphyxia and atelectasis	2	1	1	2	1	1	1	1	1	1	1	1
	765-768	Pneumonia of newborn	2	2	1	37	1	6	1	1	1	1	3	21
	769-776	Diarrhea of newborn	7	6	1	39	4	6	2	2	2	4	10	13
	780-793, 795	Other infections of the newborn	1	1	1	23	3	8	3	1	1	1	3	9
	E963, E970-979	Other diseases peculiar to early infancy	1	1	1	5	1	2	1	1	1	1	1	7
	E810-835	Cause ill-defined and unknown	1	1	1	18	1	1	1	1	1	1	4	7
	E840-845	Suicide	2	1	1	1	1	1	1	1	1	1	1	1
	E800-802, E850-962, E964, 965, E980-999	Motor vehicle accidents	7	4	2	71	1	10	1	1	1	1	18	36
		Other road transport accidents	26	17	6	172	3	44	9	3	5	10	24	70
		Other violence (BE50)	—	—	—	—	—	—	—	—	—	—	—	—
		85 and over	—	—	—	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	304	188	76	2,088	36	468	161	57	161	108	323	935
		AGES AT DEATH	8	4	4	120	1	29	11	4	1	4	8	63
		Under 1	1	1	1	22	1	4	1	1	1	2	2	12
		1-4	2	1	1	18	—	2	1	1	1	3	1	11
		5-9	—	—	—	6	—	1	1	1	1	—	1	4
		10-14	2	1	1	29	—	6	3	2	3	1	5	14
		15-24	5	5	3	42	—	5	5	2	5	4	7	19
		25-34	8	11	3	95	1	19	4	3	4	3	21	44
		35-44	20	34	4	206	1	48	16	10	14	14	31	86
		45-54	53	59	12	322	5	73	34	9	30	30	55	132
		55-64	92	87	24	560	9	135	41	13	41	30	87	245
		65-74	87	52	19	496	7	102	35	12	102	82	235	323
		75-84	26	17	6	172	3	44	9	3	9	10	24	70
		85 and over	—	—	—	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	304	188	76	2,088	36	468	161	57	161	108	323	935

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(m)	(n)	
444-447	29	Hypertension without heart disease	4	—	—	4	15	—	—	3	6
450-468	46.3	Other circulatory disease	6	—	—	6	20	4	—	7	7
480-483	30	Influenza	—	—	—	—	2	—	—	—	1
490-493	31	Pneumonia	3	—	—	3	25	3	3	—	14
500-502	32	Bronchitis	2	—	—	2	23	—	—	—	13
470-475, 510-527	46.4	Other respiratory diseases	1	—	—	1	16	2	2	2	10
540, 541	33	Ulcer of stomach and duodenum	1	—	—	1	10	—	—	—	5
550-553	34	Appendicitis	1	—	—	1	2	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	1	8	1	2	2	4
571, 572	36.1	Gastritis and duodenitis	—	—	—	—	4	1	—	—	1
580, 582-586	36.2	Diarrhoea (except of newborn)	1	—	—	1	3	—	—	—	1
581	37	Cirrhosis of liver	4	—	—	4	1	—	—	—	1
580-582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	—	—
545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	2	—	—	2	8	1	—	1	3
600-609, 611-637	39	Hyperplasia of prostate	3	—	—	3	3	—	—	—	4
610	46.7	Other diseases of genito-urinary system	3	—	—	3	6	1	1	—	1
610, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	1	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	—	2	11	3	—	—	12
750-759	41	Congenital malformations	3	—	—	3	17	1	—	—	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	3	—	—	3	1	1	—	—	1
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	2	—	—	2	12	2	2	2	6
769-776	44	Other diseases peculiar to early infancy	19	—	—	19	13	1	1	1	9
794	45.0	Senility	1	—	—	1	2	—	—	—	1
780-793, 795	45.1	Cause ill-defined and unknown	1	—	—	1	1	1	1	1	8
E963, E970-979	E49	Suicide	1	—	—	1	11	1	—	—	1
E810-835	E47	Motor vehicle accidents	2	—	—	2	11	1	—	—	1
E840-845	E48.0	Other road transport accidents	6	—	—	6	39	5	—	3	20
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	—	—	—	—	—	—	—	—	—
		ALL CAUSES ...	214	7	207	886	47	131	28	51	463
		AGES AT DEATH									
Under 1	9	...	9	—	9	59	1	7	2	4	37
1-4	—	...	—	—	—	10	1	1	—	1	6
5-9	—	...	—	—	—	6	1	1	—	1	2
10-14	—	...	—	—	—	23	2	2	—	—	14
15-24	5	...	5	—	5	15	3	3	—	—	10
25-34	9	...	9	—	9	40	2	8	—	—	24
35-44	9	...	9	—	9	77	7	14	6	7	38
45-54	22	...	22	—	22	153	2	22	19	11	86
55-64	44	...	44	—	44	207	17	30	26	12	102
65-74	75	...	75	—	75	235	11	36	13	11	118
75-84	40	...	40	—	40	60	3	10	7	5	25
85 and over	—	...	—	—	—	—	—	—	—	—	—
Not stated	—	...	—	—	—	—	—	—	—	—	—
		ALL AGES	214	7	207	886	47	131	28	51	463

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1952—continued

International Classification	Detailed List	Abbreviated List "B"	WIGTOWN COUNTY						ZETLAND COUNTY		
			Wigtown County	Newton-Stewart Burgh	Stranraer Burgh	Whithorn Burgh	Wigtown Burgh	Landward	Zetland County	Lerwick Burgh	Landward
			31,110	2,050	8,789	1,077	1,371	17,823	19,058	5,649	13,409
			509	10	316	16	17	150	274	195	79
			629	40	161	21	30	377	281	193	193
			313	16	85	10	19	183	138	48	90
			316	24	76	11	11	194	143	40	103
			68	4	14	4	3	43	9	4	5
			8	—	4	—	—	4	8	7	1
			14	—	5	—	—	9	8	4	4
			220	25	91	11	11	82	106	59	47
			334	21	127	14	16	156	295	118	177
			374	29	114	18	22	191	305	73	232
			183	11	52	7	11	102	132	29	103
			191	18	62	11	11	89	173	44	129
			2	—	1	—	—	1	6	—	6
			1	—	—	—	—	—	—	—	—
			1	—	—	—	—	—	—	—	—
			57	4	19	3	1	30	39	12	1
			3	1	—	—	—	2	1	—	1
			3	—	—	—	—	2	2	—	2
			3	—	2	—	3	1	3	3	3
			60	2	26	1	—	28	56	18	38
			1	—	1	—	—	—	8	—	—
			4	—	4	—	—	—	—	—	—
			10	1	3	—	—	6	2	1	1
			113	11	29	6	10	57	90	18	72
			9	2	2	1	—	4	6	1	5
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
			Population (Estimated), 30th June, 1952								
			Total Live Births Registered (including illegitimate)								
			Corr. for Mother's Resid. Male								
			" " Female								
			" " Illegitimate								
			Still-Births Registered (including illegitimate)								
			Corrected for Mother's Residence								
			Marriages Registered								
			Deaths Registered								
			Corrected for Residence								
			" Male								
			" Female								
			CAUSES OF DEATH								
			Tuberculosis of respiratory system								
			Tuberculosis, other forms								
			Syphilis and its sequelae								
			Typhoid fever								
			Dysentery, all forms								
			Scarlet fever and streptococcal sore throat								
			Diphtheria								
			Whooping-cough								
			Meningococcal infections								
			Acute poliomyelitis								
			Measles								
			Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*								
			Malignant neoplasms								
			Benign and unspecified neoplasms								
			Diabetes mellitus								
			Anemias								
			Other general diseases								
			Vascular lesions affecting central nervous system								
			Non-meningococcal meningitis								
			Other diseases of nervous system								
			Rheumatic fever								
			Chronic rheumatic heart disease								
			Arterio-sclerotic and degenerative heart disease								
			Other diseases of heart								
			Hypertension with heart disease								
			(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)

(b)	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
29	444-447	Hypertension without heart disease	8	—	3	—	1	4	2	1	1
46.3	450-468	Other circulatory disease	10	1	3	—	1	5	8	3	3
30	480-483	Influenza	5	—	1	—	—	3	9	1	1
31	490-493	Pneumonia	10	—	3	—	2	4	4	1	1
32	500-502	Other respiratory diseases	6	—	1	—	—	1	2	—	—
46.4	510-527	Ulcer of stomach and duodenum	1	—	—	—	—	1	3	—	—
33	540, 541	Appendicitis	1	—	—	—	—	1	2	—	—
34	550-553	Intestinal obstruction and hernia	1	—	—	—	—	2	1	—	—
35	560, 561, 570	Gastritis and duodenitis	2	—	—	—	—	1	1	—	—
36.1	571, 572	Diarrhoea (except of newborn)	4	1	1	—	—	2	1	—	—
36.2	580, 582-586	Cirrhosis of liver	1	—	—	—	—	1	1	—	—
37	530-539, 542, 544	Other diseases of liver	3	—	—	—	—	2	1	—	—
46.5	545, 573-578, 587	Other digestive diseases	—	—	—	—	—	—	—	—	—
46.6	590-594	Nephritis and nephrosis	4	—	3	—	—	1	3	—	—
38	600-609, 611-637	Hyperplasia of prostate	4	1	3	—	—	3	3	—	—
39	640, 641, 651, 681, 682, 684	Other diseases of genito-urinary system	4	—	—	—	—	3	2	—	—
46.7	642-650, 652-680, 683, 685-689	Puerperal sepsis including post-abortive sepsis	—	—	—	—	—	—	—	—	—
40.0	690-749	Other puerperal causes	1	—	—	—	—	—	1	—	—
46.8	750-759	Diseases of skin and organs of locomotion	4	1	1	—	—	2	1	—	—
41	760-762	Congenital malformations	4	—	1	—	—	4	3	—	—
42	763	Birth injuries, post-natal asphyxia and atelectasis	6	—	1	—	—	—	—	—	—
43.1	764	Pneumonia of newborn	—	—	—	—	—	—	—	—	—
43.2	765-768	Diarrhoea of newborn	—	—	—	—	—	—	—	—	—
43.3	769-776	Other infections of the newborn	7	—	—	—	—	7	5	—	—
44	780-793, 795	Other diseases peculiar to early infancy	8	—	—	—	—	1	4	—	—
45.0	E47	Senility	3	—	—	—	—	—	1	—	—
45.1	E48-845	Cause ill-defined and unknown	3	1	—	—	—	—	4	—	—
E49	E800-802, E880-962, E964, 965, E980-999	Suicide	—	—	—	—	—	—	—	—	—
E963, E970-979		Motor vehicle accidents	—	—	—	—	—	—	—	—	—
E48.0		Other road transport accidents	—	—	—	—	—	—	—	—	—
E48.1		Other violence (BE80)	9	—	1	—	—	6	7	—	—
		ALL CAUSES ...	374	29	114	18	22	191	305	73	232
		AGES AT DEATH									
		Under 1	24	2	6	1	—	15	7	1	6
		1-4	4	—	1	—	—	3	1	—	1
		5-9	2	—	—	—	—	1	1	—	—
		10-14	2	—	—	—	—	1	1	—	—
		15-24	5	1	—	—	—	5	9	—	7
		25-34	9	—	—	—	—	8	14	—	29
		35-44	31	1	15	2	—	14	36	7	52
		45-54	55	4	19	5	5	51	74	22	78
		55-64	92	7	26	3	7	45	98	20	51
		65-74	100	11	34	3	3	30	62	11	—
		75-84	48	3	9	—	—	—	—	—	—
		85 and over	—	—	—	—	—	—	—	—	—
		Not stated	—	—	—	—	—	—	—	—	—
		ALL AGES ...	374	29	114	18	22	191	305	73	232

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis.

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Population of Great Britain in the Year of Experience with Rates for England and Wales for Comparison

Inter- national List No.	CAUSES OF DEATH		1950		1951		1952	
			Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales
	ALL CAUSES ...	M.	14,917	13,760	15,872	15,030	15,225	13,748
		F.	11,551	9,877	12,086	10,485	11,085	9,342
		P.	13,039	11,577	13,763	12,454	12,868	11,235
001-008	Tuberculosis of respira- tory system ...	M.	559	434	487	390	375	317
		F.	438	226	294	180	212	126
		P.	488	319	379	273	282	211
010-019	Tuberculosis, other forms	M.	64	46	59	44	37	33
		F.	65	41	53	38	41	24
		P.	65	43	55	41	39	28
020-029	Syphilis and its sequelæ	M.	58	62	48	66	35	57
		F.	17	21	19	20	13	21
		P.	34	39	30	40	22	37
057	Meningococcal infections	M.	6	7	8	7	7	7
		F.	6	6	8	7	8	6
		P.	6	6	8	7	8	7
140-205	Malignant neoplasms, including neoplasms of lymphatic and hæmato- poietic tissues ...	M.	2,353	2,275	2,357	2,353	2,496	2,394
		F.	1,850	1,679	1,841	1,658	1,853	1,680
		P.	2,066	1,932	2,065	1,951	2,126	1,979
260	Diabetes mellitus ...	M.	75	65	84	65	67	59
		F.	147	98	145	97	126	87
		P.	118	83	118	84	103	75
330-334	Vascular lesions affecting the central nervous system ...	M.	1,759	1,480	1,939	1,598	1,964	1,607
		F.	1,843	1,456	1,942	1,514	1,921	1,536
		P.	1,803	1,466	1,940	1,549	1,936	1,564
400-402	Rheumatic fever ...	M.	5	12	9	8	10	7
		F.	17	14	10	10	10	8
		P.	10	13	10	9	10	7
410-434	Heart diseases ...	M.	4,745	4,109	5,198	4,395	5,047	4,184
		F.	3,586	2,924	3,778	3,064	3,409	2,756
		P.	4,098	3,440	4,410	3,638	4,104	3,366
440-447	Hypertensive disease ...	M.	237	508	342	547	385	492
		F.	180	398	294	421	352	381
		P.	203	445	314	474	367	428
480-483	Influenza ...	M.	71	98	214	399	69	47
		F.	84	81	193	325	63	34
		P.	79	88	205	358	65	40
490-493, 763	Pneumonia (all forms) ...	M.	520	494	560	639	488	543
		F.	387	360	448	449	337	365
		P.	449	419	499	532	402	442
590-594	Nephritis and nephrosis	M.	148	177	140	169	126	155
		F.	139	140	130	132	110	116
		P.	141	156	138	148	117	133

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1951

YEAR	Total MARRIAGES		MARRIAGE according to FORMS of the							CIVIL MARRIAGES†	IRREGULAR MARRIAGES
	Number	Proportion per 1,000 of Population	Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other FORMS	Form not stated		
DECENNIAL AVERAGES											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1860-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
Un. Free Ch.*											
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869	24,459			5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·435	26,364			5,685	1,383	3,487	0	6,558	12
ANNUAL NUMBERS											
1941	47,620	9·284	30,017			6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215	29,827			6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402	23,377			4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134	22,554			4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432	30,107			6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917	27,599			5,770	1,390	3,490	0	7,522	14
1947	44,360	8·633	26,189			5,714	1,176	3,337	0	7,930	14
1948	43,718	8·457	25,798			5,879	1,243	3,313	0	7,474	11
1949	41,708	8·059	24,590			5,694	1,065	3,177	0	7,176	6
1950	40,459	7·819	23,579			5,660	1,009	2,960	0	7,243	8
1951	41,361	8·088	24,259			6,062	1,122	2,986	0	6,928	4
RATE PER HUNDRED MARRIAGES—DECENNIAL											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
Un. Free Ch.*											
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—	62·77			12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—	60·56			13·09	3·18	8·01	—	15·13	0·03
RATE PER HUNDRED MARRIAGES—ANNUAL											
1941	100·00	—	63·03			13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—	62·92			12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—	61·23			12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—	60·93			13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—	61·90			12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—	60·23			12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—	59·04			12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—	59·01			13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—	58·96			13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—	58·23			13·99	2·49	7·32	—	17·90	0·02
1951	100·00	—	58·65			14·66	2·71	7·22	—	16·75	0·01

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—1951

	Total Marriages	NUMBERS						*IRREGULAR MARRIAGES	PERCENTAGE OF TOTAL MARRIAGES							
		ECCLESIASTICAL MARRIAGES				CIVIL MARRIAGES			ECCLESIASTICAL MARRIAGES				CIVIL MARRIAGES		IRREGULAR MARRIAGES	
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		
SCOTLAND ...	41,361	25,407	7,641	1,193	188	6,473	455	4	61.4	18.5	2.9	0.5	15.7	1.1	0.0	
Counties of Cities & Large Burghs ...	18,117	8,967	4,174	537	100	4,014	324	1	49.5	23.0	3.0	0.6	22.2	1.8	0.0	
Large Burghs ...	7,913	4,755	1,531	203	31	1,310	81	2	60.1	19.3	2.6	0.4	16.6	1.0	0.0	
Counties (Ex Counties of Cities and Large Burghs)	15,331	11,685	1,936	453	57	1,149	50	1	76.2	12.6	3.0	0.4	7.5	0.3	0.0	
Counties (Ex Counties of Cities & Large Burghs)																
Aberdeen ...	891	797	22	15	5	50	2	—	89.4	2.5	1.7	0.6	5.6	0.2	—	
Angus ...	473	377	15	20	2	54	3	—	79.7	3.2	4.2	0.4	11.4	1.1	—	
Argyll ...	346	296	26	2	1	16	5	—	85.5	7.5	0.6	0.3	4.6	1.4	—	
Ayr ...	1,789	1,477	157	68	5	80	2	—	82.6	8.8	3.8	0.3	4.5	0.1	—	
Banff ...	334	286	6	8	2	31	1	—	85.6	1.8	2.4	0.6	9.3	0.3	—	
Berwick ...	129	111	3	4	1	9	1	—	86.0	2.3	3.1	0.8	7.0	0.8	—	
Bute ...	120	96	7	4	—	12	1	—	80.0	5.8	3.3	—	10.0	0.8	—	
Caithness ...	150	140	—	1	—	9	—	—	93.3	—	0.7	—	6.0	—	—	
Clackmannan ...	254	186	27	6	—	35	—	—	73.2	10.6	2.4	—	13.8	—	—	
Dumfries ...	373	338	2	4	—	26	2	1	90.6	0.5	1.1	—	7.0	0.5	0.3	
Dunbarton ...	595	341	170	25	3	56	—	—	57.3	28.6	4.2	0.5	9.4	—	—	
East Lothian ...	337	263	24	9	3	37	1	—	78.0	7.1	2.7	0.9	11.0	0.3	—	
Fife ...	1,576	1,197	154	52	5	160	8	—	76.0	9.8	3.3	0.3	10.2	0.5	—	
Inverness ...	191	123	45	12	2	8	1	—	64.4	23.6	6.3	1.0	4.2	0.5	—	
Kincardine ...	175	166	3	—	—	6	—	—	94.9	1.7	—	—	3.4	—	—	
Kinross ...	47	40	—	—	—	7	—	—	85.1	—	—	—	14.9	—	—	
Kirkcudbright ...	193	163	6	6	1	16	1	—	84.5	3.1	3.1	0.5	8.3	0.5	—	
Lanark ...	2,204	1,416	388	53	7	136	4	—	64.2	26.7	2.4	0.3	6.2	0.2	—	
Midlothian ...	713	510	96	29	3	75	—	—	71.5	13.5	4.1	0.4	10.5	—	—	
Moray ...	350	266	21	8	2	49	4	—	76.0	6.0	2.3	0.6	14.0	1.1	—	
Nairn ...	50	43	1	2	—	4	—	—	86.0	2.0	4.0	—	8.0	—	—	
Orkney ...	119	109	—	—	—	9	—	—	91.6	—	—	0.8	7.6	—	—	
Peebles ...	80	62	3	4	—	11	—	—	77.5	3.8	5.0	—	13.8	—	—	
Perth ...	471	393	34	13	1	30	—	—	83.4	7.2	2.8	0.2	6.4	—	—	
Renfrew ...	835	518	212	50	6	45	4	—	62.0	25.4	6.0	0.7	5.4	0.5	—	
Ross & Cromarty ...	240	173	46	4	2	13	2	—	72.1	19.2	1.7	0.8	5.4	0.8	—	
Roxburgh ...	274	214	19	10	—	26	5	—	78.1	6.9	3.6	—	9.5	1.8	—	
Selkirk ...	120	85	13	—	—	22	—	—	70.8	10.8	—	—	18.3	—	—	
Stirling ...	803	632	125	23	1	22	—	—	78.7	15.6	2.9	0.1	2.7	—	—	
Southland ...	55	50	1	—	—	4	—	—	90.9	1.8	—	—	7.3	—	—	
West Lothian ...	710	539	104	16	1	49	1	—	75.9	14.6	2.3	0.1	6.9	0.1	—	
Wigtown ...	236	187	6	5	3	35	—	—	79.2	2.5	2.1	1.3	14.8	—	—	
Zetland ...	98	91	—	—	—	7	—	—	92.9	—	—	—	7.1	—	—	
Counties of Cities																
Glasgow ...	10,483	4,900	3,030	338	64	1,936	215	—	46.7	28.9	3.2	0.6	18.5	2.1	—	
Edinburgh ...	4,218	2,112	655	148	21	1,221	60	1	50.1	15.5	3.5	0.5	28.9	1.4	0.0	
Aberdeen ...	1,833	1,145	177	32	5	456	18	—	62.5	9.7	1.7	0.3	24.9	1.0	—	
Dundee ...	1,583	810	312	19	10	401	31	—	51.2	19.7	1.2	0.6	25.3	2.0	—	
Large Burghs																
Paisley ...	887	400	200	28	6	94	8	1	62.0	22.5	3.2	0.7	10.6	0.9	0.1	
Greenock ...	680	406	186	18	1	65	4	—	59.7	27.4	2.6	0.1	9.6	0.6	—	
Motherwell & Wishaw ...	660	386	164	11	2	91	6	—	58.5	24.8	1.7	0.3	13.8	0.9	—	
Kirkcaldy ...	474	298	51	7	—	115	3	—	62.9	10.8	1.5	—	24.3	0.6	—	
Coatbridge ...	403	232	137	9	2	22	1	—	57.6	34.0	2.2	0.5	5.5	0.2	—	
Dunfermline ...	445	208	59	15	1	155	7	—	46.7	13.3	3.4	0.2	34.8	1.6	—	
Clydebank ...	327	159	112	7	1	48	—	—	48.6	34.3	2.1	0.3	14.7	—	—	
Ayr ...	429	309	36	12	—	68	3	1	72.0	8.4	2.8	—	15.9	0.7	0.2	
Kilmarnock ...	354	241	42	6	6	56	3	—	68.1	11.9	1.7	1.7	15.8	0.8	—	
Perth ...	465	264	45	10	—	145	1	—	56.8	9.7	2.2	—	31.2	0.2	—	
Hamilton ...	419	234	100	13	—	65	7	—	55.8	23.9	3.1	—	15.5	1.7	—	
Falkirk ...	377	231	46	5	—	86	9	—	61.3	12.2	1.3	—	22.8	2.4	—	
Airdrie ...	236	140	73	5	—	17	1	—	59.3	30.9	2.1	—	7.2	0.4	—	
Inverness ...	428	253	44	16	4	97	14	—	59.1	10.3	3.7	0.9	22.7	3.3	—	
Stirling ...	262	151	40	14	1	56	—	—	57.6	15.3	5.3	0.4	21.4	—	—	
Dumfries ...	299	219	8	5	3	60	4	—	73.2	2.7	1.7	1.0	20.1	1.3	—	
Rutherglen ...	293	179	69	14	1	25	5	—	61.1	23.5	4.8	0.3	8.5	1.7	—	
Dumbarton ...	173	80	66	3	2	19	3	—	46.2	38.2	1.7	1.2	11.0	1.7	—	
Port Glasgow ...	137	80	48	3	—	6	—	—	58.4	35.0	2.2	—	4.4	—	—	
Arbroath ...	165	135	5	2	1	20	2	—	81.8	3.0	1.2	0.6	12.1	1.2	—	

* Registered by Decree of Declarator

TABLE 51.—Marriages in Scotland according to Church of Celebration—1951

	Total Marriages	ACCORDING TO FORMS OF							PERCENTAGE OF TOTAL MARRIAGES							
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms	CIVIL AND IRREGULAR	Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopa Church	Other Forms	Civil and Irregular	
SCOTLAND ...	41,361	24,259	422	270	6,062	1,122	2,294	6,932	58.7	1.0	0.7	14.7	2.7	5.5	16.8	
Counties of Cities ...	18,117	8,990	142	72	2,967	536	1,071	4,339	49.6	0.8	0.4	16.4	3.0	5.9	23.9	
Large Burghs ...	7,913	4,174	101	59	1,388	233	565	1,393	52.7	1.3	0.7	17.5	2.9	7.1	17.6	
Counties (Ex Cities and Large Burghs) ...	15,331	11,095	179	139	1,707	353	658	1,200	72.4	1.2	0.9	11.1	2.3	4.3	7.8	
Counties (Ex Counties of Cities and Large Burghs)																
Aberdeen ...	891	759	1	—	8	36	35	52	85.2	0.1	—	0.9	4.0	3.9	5.8	
Angus ...	473	373	4	—	6	25	6	59	78.9	0.8	—	1.3	5.3	1.3	12.5	
Argyll ...	346	264	4	7	30	7	13	21	76.3	1.2	2.0	8.7	2.0	3.8	6.1	
Ayr ...	1,789	1,368	38	3	168	12	118	82	76.5	2.1	0.2	9.4	0.7	6.6	4.6	
Banff ...	334	253	—	—	23	8	18	32	75.7	—	—	6.9	2.4	5.4	9.6	
Berwick ...	129	105	2	—	3	5	4	10	81.4	1.6	—	2.3	3.9	3.1	7.8	
Bute ...	120	76	—	9	14	5	3	13	63.3	—	7.5	11.7	4.2	2.5	10.8	
Caithness ...	150	123	—	3	2	1	12	9	82.0	—	2.0	1.3	0.7	8.0	6.0	
Clackmannan ...	254	153	26	—	18	8	14	35	60.2	10.2	—	7.1	3.1	5.5	13.8	
Dumfries ...	373	298	10	—	11	9	16	29	79.9	2.7	—	2.9	2.4	4.3	7.8	
Dumbarton ...	595	361	3	—	142	21	12	56	60.7	0.5	—	23.9	3.5	2.0	9.4	
East Lothian ...	337	249	—	—	35	9	6	38	73.9	—	—	10.4	2.7	1.8	11.3	
Fife ...	1,576	1,210	16	3	112	33	34	168	76.8	1.0	0.2	7.1	2.1	2.2	10.7	
Inverness ...	191	105	3	23	27	9	15	9	55.0	1.6	12.0	14.1	4.7	7.9	4.7	
Kincardine ...	175	159	—	—	1	9	—	6	90.9	—	—	0.6	5.1	—	3.4	
Kinross ...	47	33	2	—	—	5	—	7	70.2	4.3	—	—	10.6	—	14.9	
Kirkcudbright ...	193	160	—	—	8	5	3	17	82.9	—	—	4.1	2.6	1.6	8.8	
Lanark ...	2,204	1,387	13	—	542	15	107	140	62.9	0.6	—	24.6	0.7	4.9	6.4	
Midlothian ...	713	498	6	—	86	28	20	75	69.8	0.8	—	12.1	3.9	2.8	10.5	
Moray ...	350	242	4	3	22	13	13	53	69.1	1.1	0.9	6.3	3.7	3.7	15.1	
Nairn ...	50	37	—	2	2	—	5	4	74.0	—	4.0	4.0	—	10.0	8.0	
Orkney ...	119	91	—	—	1	—	18	9	76.5	—	—	0.8	—	15.1	7.6	
Peebles ...	80	62	—	—	3	2	2	11	77.5	—	—	3.8	2.5	2.5	13.8	
Perth ...	471	385	6	1	27	17	5	30	81.7	1.3	0.2	5.7	3.6	1.1	6.4	
Renfrew ...	835	527	11	—	163	19	66	49	63.1	1.3	—	19.5	2.3	7.9	5.9	
Ross & Cromarty ...	240	131	—	73	5	6	10	15	54.6	—	30.4	2.1	2.5	4.2	6.3	
Roxburgh ...	274	197	—	—	7	22	17	31	71.9	—	—	2.6	8.0	6.2	11.3	
Selkirk ...	120	74	—	—	10	8	6	22	61.7	—	—	8.3	6.7	5.0	18.3	
Stirling ...	803	611	11	—	107	7	45	22	76.1	1.4	—	13.3	0.9	5.6	2.7	
Sutherland ...	55	35	—	12	—	4	4	63.6	—	—	21.8	—	—	7.3	7.3	
West Lothian...	710	520	11	—	112	4	13	50	73.2	1.5	—	15.8	0.6	1.8	7.0	
Wigtown ...	236	180	3	—	12	—	6	35	76.3	1.3	—	5.1	—	2.5	14.8	
Zetland ...	98	69	5	—	—	5	12	7	70.4	5.1	—	—	5.1	12.2	7.1	
Counties of Cities—																
Glasgow ...	10,483	5,027	93	57	2,313	139	703	2,151	48.0	0.9	0.5	22.1	1.3	6.7	20.5	
Edinburgh ...	4,218	2,171	40	14	322	208	181	1,282	51.5	0.9	0.3	7.6	4.9	4.3	30.4	
Aberdeen ...	1,833	1,111	3	1	70	91	83	474	60.6	0.2	0.1	3.8	5.0	4.5	25.9	
Dundee ...	1,583	681	6	—	262	98	104	432	43.0	0.4	—	16.6	6.2	6.6	27.3	
Large Burghs—																
Paisley ...	887	523	3	—	159	22	77	103	59.0	0.3	—	17.9	2.5	8.7	11.6	
Greenock ...	680	278	8	2	229	23	71	69	40.9	1.2	0.3	33.7	3.4	10.4	10.1	
Motherwell & Wishaw ...	660	353	4	—	123	9	74	97	53.5	0.6	—	18.6	1.4	11.2	14.7	
Kirkcaldy ...	474	271	9	8	26	11	31	118	57.2	1.9	1.7	5.5	2.3	6.5	24.9	
Coatbridge ...	403	210	13	7	122	1	27	23	52.1	3.2	1.7	30.3	0.2	6.7	5.7	
Dunfermline ...	445	201	5	—	25	15	37	162	45.2	1.1	—	5.6	3.4	8.3	36.4	
Clydebank ...	327	142	7	1	98	3	28	48	43.4	2.1	0.3	30.0	0.9	8.6	14.7	
Ayr ...	429	273	7	—	37	22	18	72	63.6	1.6	—	8.6	5.1	4.2	16.8	
Kilmarnock ...	354	217	21	—	41	6	10	59	61.3	5.9	—	11.6	1.7	2.8	16.7	
Perth ...	465	236	7	1	38	19	18	146	50.8	1.5	0.2	8.2	4.1	3.9	31.4	
Hamilton ...	419	208	2	—	103	4	30	72	49.6	0.5	—	24.6	1.0	7.2	17.2	
Falkirk ...	377	216	4	—	38	11	13	95	57.3	1.1	—	10.1	2.9	3.4	25.2	
Airdrie ...	236	115	1	1	70	3	28	18	48.7	0.4	0.4	29.7	1.3	11.9	7.6	
Inverness ...	423	211	—	37	12	18	39	111	49.3	—	8.6	2.8	4.2	9.1	25.9	
Stirling ...	262	149	4	—	36	12	5	56	56.9	1.5	—	13.7	4.6	1.9	21.4	
Dumfries ...	299	165	4	—	40	20	6	64	55.2	1.3	—	13.4	6.7	2.0	21.4	
Rutherglen ...	293	184	—	—	62	1	16	30	62.8	—	—	21.2	0.3	5.5	10.2	
Dumbarton ...	173	61	—	2	64	12	12	22	35.3	—	1.2	37.0	6.9	6.9	12.7	
Port Glasgow ...	137	42	—	—	59	13	17	6	30.7	—	—	43.1	9.5	12.4	4.4	
Arbroath ...	165	119	2	—	6	8	8	22	72.1	1.2	—	3.6	4.8	4.8	13.3	

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1951

	Total Marriages	CONJUGAL CONDITION						PERCENTAGE OF TOTAL MARRIAGES					
		Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced		
SCOTLAND	41,361	36,199	760	1,309	609	2,484	87.5	1.8	3.2	1.5	6.0		
Counties of Cities	18,117	15,327	376	663	310	1,441	84.6	2.1	3.7	1.7	8.0		
Large Burghs	7,913	6,955	146	240	127	445	87.9	1.8	3.0	1.6	5.6		
Counties (Ex Counties of Cities and Large Burghs)—	15,331	13,917	238	406	172	598	90.8	1.6	2.6	1.1	3.9		
Counties ((Ex Counties of Cities and Large Burghs)—													
Aberdeen	891	827	9	23	7	25	92.8	1.0	2.6	0.8	2.8		
Angus	473	418	6	16	3	30	88.4	1.3	3.4	0.6	6.3		
Argyll	346	307	6	12	5	16	88.7	1.7	3.5	1.4	4.6		
Ayr	1,789	1,645	23	42	23	56	92.0	1.3	2.3	1.3	3.1		
Banff	334	316	3	5	2	8	94.6	0.9	1.5	0.6	2.4		
Berwick	129	120	—	3	1	5	93.0	—	2.3	0.8	3.9		
Bute	120	102	1	6	5	6	85.0	0.8	5.0	4.2	5.0		
Caithness	150	134	4	4	2	6	89.3	2.7	2.7	1.3	4.0		
Clackmannan	254	226	7	5	4	12	89.0	2.8	2.0	1.6	4.7		
Dumfries	373	342	8	6	5	12	91.7	2.1	1.6	1.3	3.2		
Dunbarton	595	534	12	23	3	23	89.7	2.0	3.9	0.5	3.9		
East Lothian	337	297	9	12	4	15	88.1	2.7	3.6	1.2	4.5		
Fife	1,576	1,426	22	29	25	74	90.5	1.4	1.8	1.6	3.7		
Inverness	191	170	4	8	2	7	89.0	2.1	4.2	1.0	3.7		
Kincardine	175	158	2	8	1	6	90.3	1.1	4.6	0.6	3.4		
Kinross	47	40	—	2	—	5	85.1	—	4.3	—	10.6		
Kirkcudbright	193	180	5	2	1	5	93.3	2.6	1.0	0.5	2.6		
Lanark	2,204	2,031	27	59	32	55	92.2	1.2	2.7	1.5	2.5		
Midlothian	713	639	10	16	6	42	89.6	1.4	2.2	0.8	5.9		
Moray	350	318	6	5	2	19	90.9	1.7	1.4	0.6	5.4		
Nairn... ..	50	43	1	2	—	4	86.0	2.0	4.0	—	8.0		
Orkney	119	107	4	4	—	4	89.9	3.4	3.4	—	3.4		
Peebles	80	72	2	2	—	4	90.0	2.5	2.5	—	5.0		
Perth	471	419	10	16	5	21	89.0	2.1	3.4	1.1	4.5		
Renfrew	835	746	16	27	13	33	89.3	1.9	3.2	1.6	4.0		
Ross & Cromarty	240	218	5	5	2	10	90.8	2.1	2.1	0.8	4.2		
Roxburgh	274	249	3	9	2	11	90.9	1.1	3.3	0.7	4.0		
Selkirk	120	106	1	5	1	7	88.3	0.8	4.2	0.8	5.8		
Stirling	803	728	13	24	9	29	90.7	1.6	3.0	1.1	3.6		
Sutherland	55	49	3	2	—	1	89.1	5.5	3.6	—	1.8		
West Lothian	710	652	11	15	4	28	91.8	1.5	2.1	0.6	3.9		
Wigtown	236	211	3	8	2	12	89.4	1.3	3.4	0.8	5.1		
Zetland	98	87	2	1	1	7	88.8	2.0	1.0	1.0	7.1		
Counties of Cities—													
Glasgow	10,483	8,946	229	395	180	733	85.3	2.2	3.8	1.7	7.0		
Edinburgh	4,218	3,453	83	154	74	454	81.9	2.0	3.7	1.8	10.8		
Aberdeen	1,833	1,567	30	65	27	144	85.5	1.6	3.5	1.5	7.9		
Dundee	1,583	1,361	34	49	29	110	86.0	2.1	3.1	1.8	6.9		
Large Burghs—													
Paisley	887	778	22	34	9	44	87.7	2.5	3.8	1.0	5.0		
Greenock	680	615	12	13	8	32	90.4	1.8	1.9	1.2	4.7		
Motherwell & Wishaw	660	583	11	19	14	33	88.3	1.7	2.9	2.1	5.0		
Kirkcaldy	474	402	10	14	13	35	84.8	2.1	3.0	2.7	7.4		
Coatbridge	403	372	5	13	6	7	92.3	1.2	3.2	1.5	1.7		
Dunfermline	445	371	14	22	4	34	83.4	3.1	4.9	0.9	7.6		
Clydebank	327	292	1	10	8	16	89.3	0.3	3.1	2.4	4.9		
Ayr	429	379	10	14	3	23	88.3	2.3	3.3	0.7	5.4		
Kilmarnock	354	317	5	9	4	19	89.5	1.4	2.5	1.1	5.4		
Perth	465	391	9	15	8	42	84.1	1.9	3.2	1.7	9.0		
Hamilton	419	364	12	13	10	20	86.9	2.9	3.1	2.4	4.8		
Falkirk	377	330	6	9	4	28	87.5	1.6	2.4	1.1	7.4		
Airdrie	236	218	3	3	6	6	92.4	1.3	1.3	2.5	2.5		
Inverness	428	377	8	12	8	23	88.1	1.9	2.8	1.9	5.4		
Stirling	262	224	5	9	1	23	85.5	1.9	3.4	0.4	8.8		
Dumfries	299	251	4	11	6	27	83.9	1.3	3.7	2.0	9.0		
Rutherglen	293	257	5	13	10	8	87.7	1.7	4.4	3.4	2.7		
Dumbarton	173	161	1	1	1	9	93.1	0.6	0.6	0.6	5.2		
Port Glasgow	137	127	2	2	1	5	92.7	1.5	1.5	0.7	3.6		
Arbroath	165	146	1	4	3	11	88.5	0.6	2.4	1.8	6.7		

* 995 divorced men married spinsters and 151 married widows; 947 divorced women married bachelors and 180 married widowers. In 211 cases both parties had been divorced.

TABLE 53

Ages of Men at Marriage in Scotland—1951

TABLE 53.—Ages of Men at Marriage in Scotland—1951

	All Ages	Aver- age Age	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80- and over
SCOTLAND	41361	28·6	1	81	323	673	1604	14123	13152	5272	2461	1294	838	569	366	254	191	109	42	7
Counties of Cities...	18117	29·0	-	42	175	296	725	6080	5549	2281	1130	623	426	296	191	123	98	55	23	1
Large Burghs ...	7913	28·4	1	21	67	149	365	2780	2488	1008	431	221	149	114	74	41	29	27	6	2
Counties (Ex Counties of Cities and Large Burghs) ...	15331	28·4	-	18	81	228	574	5263	5115	1983	900	450	263	159	101	90	64	27	13	2
Counties (Ex Counties of Cities and Large Burghs)—																				
Aberdeen ...	891	28·3	-	1	8	10	31	297	306	125	56	22	10	8	8	6	1	1	1	-
Angus ...	473	28·7	-	3	1	5	17	148	165	68	21	21	11	8	2	2	1	-	-	-
Argyll ...	346	30·3	-	-	2	6	6	93	116	56	31	17	9	4	5	3	3	2	-	-
Ayr ...	1789	27·7	-	5	7	24	85	634	615	215	102	38	17	28	5	7	3	2	-	-
Banff ...	334	28·0	-	1	2	7	12	112	112	47	19	6	7	5	3	-	1	1	-	-
Berwick ...	129	28·0	-	-	2	2	-	40	59	16	5	3	2	-	1	-	3	2	-	-
Bute ...	120	30·3	-	-	1	4	6	44	27	15	6	5	5	2	1	1	1	2	1	-
Caithness ...	150	29·9	-	1	3	-	4	49	51	16	9	7	5	3	2	2	1	2	1	-
Clackmannan ...	254	27·5	-	-	-	5	9	103	77	25	17	5	4	2	1	2	1	-	-	-
Dumfries ...	373	28·4	-	-	1	5	15	112	138	52	25	11	5	2	3	5	1	3	1	-
Dunbarton ...	595	28·7	-	-	3	9	15	209	194	74	38	25	10	4	5	2	1	-	-	-
East Lothian ...	337	27·9	-	-	1	4	17	133	98	43	17	11	4	3	3	2	8	2	-	-
Fife ...	1576	27·5	-	3	13	30	81	605	487	185	74	37	28	11	5	7	3	1	1	-
Inverness ...	191	31·9	-	-	1	5	-	40	49	42	21	17	8	3	3	3	2	-	-	-
Kincardine ...	175	29·6	-	-	1	1	5	57	62	22	5	8	2	3	3	1	1	-	-	-
Kinross ...	47	29·2	-	-	1	-	-	15	17	6	4	2	-	1	2	-	-	-	-	-
Kirkcudbright ...	193	28·3	-	-	1	6	9	54	73	26	13	5	3	3	1	1	-	-	-	-
Lanark ...	2204	27·8	-	-	12	38	86	808	733	279	110	52	34	14	8	10	13	5	1	-
Midlothian ...	713	28·1	-	2	12	12	26	257	243	84	45	16	8	5	3	6	4	1	2	-
Moray ...	350	27·9	-	-	5	9	24	105	122	37	22	8	8	4	1	2	-	-	-	-
Nairn... ..	50	30·1	-	-	1	1	4	15	13	8	6	3	2	2	1	1	-	-	-	-
Orkney ...	119	29·2	-	-	-	2	3	34	38	21	8	3	4	2	1	1	-	-	-	-
Peebles ...	80	30·9	-	1	-	-	3	18	24	15	8	4	3	2	1	-	-	1	-	-
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	471	29·7	—	—	2	6	11	135	160	78	31	20	8	6	4	2	4	2	—	—	—
Renfrew	835	29·1	—	—	3	9	5	55	81	47	19	14	4	2	5	3	1	1	—	—	—
Ross & Cromarty	240	30·7	—	—	—	—	10	94	84	52	9	10	5	—	4	—	—	—	—	—	—
Roxburgh	274	28·8	—	—	—	2	2	40	47	10	10	3	3	1	2	1	—	—	—	—	—
Selkirk	120	29·0	—	—	—	1	2	40	47	10	10	3	3	1	2	1	—	—	—	—	—
Sirling	803	28·0	—	—	5	11	26	294	279	80	52	14	20	10	6	4	1	1	—	—	—
Sutherland	55	31·6	—	—	—	—	—	11	22	7	9	1	—	4	—	—	—	—	—	—	—
Sutherland	710	27·7	—	1	4	11	24	267	234	95	29	17	7	6	3	5	4	—	—	—	—
West Lothian	236	28·6	—	—	3	3	13	85	70	25	8	13	7	4	1	1	1	2	—	—	—
Wigtown	98	31·6	—	—	—	1	—	23	29	13	19	5	4	2	1	1	—	—	—	—	—
Zetland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Countries of Cities—																					
Glasgow	10483	28·9	—	25	125	173	410	2470	3251	1326	663	355	237	166	110	75	60	27	9	1	—
Edinburgh	4218	29·5	—	6	25	60	165	1376	1272	546	275	168	112	76	58	29	21	22	6	2	1
Aberdeen	1833	28·7	—	6	14	33	74	642	539	244	111	51	45	31	12	10	10	3	6	2	—
Dundee	1583	28·1	—	5	11	30	76	592	487	165	81	49	32	23	11	9	7	3	2	—	—
Large Burghs—																					
Paisley	887	28·3	—	5	14	17	40	311	267	111	44	23	15	12	18	4	4	1	1	—	—
Greenock	680	27·5	—	3	4	6	33	280	187	88	35	18	7	8	5	1	—	3	2	—	—
Motherwell & Wishaw	660	28·5	—	2	3	11	23	221	226	85	37	15	13	5	5	6	3	5	—	—	—
Kirkcaldy	474	28·5	—	1	7	11	24	162	133	47	23	13	8	10	6	3	3	1	1	—	—
Coatbridge	403	27·7	—	1	5	7	9	135	141	65	23	6	4	4	7	3	—	1	—	—	—
Dunfermline	445	28·3	—	1	5	17	18	157	131	55	24	12	4	5	7	3	2	4	—	—	—
Clydebank	327	27·8	—	1	1	6	14	110	111	45	18	9	3	4	4	—	1	—	—	—	—
Ayr	429	28·7	—	2	3	8	26	142	139	46	19	17	9	2	5	3	3	2	1	—	—
Kilmarnock	354	27·8	—	3	11	9	139	104	104	45	14	11	6	6	1	3	1	1	—	—	—
Perth	465	29·0	—	—	2	5	11	166	142	66	27	16	14	9	4	2	1	1	—	—	—
Hamilton	419	28·5	—	—	5	12	11	141	131	56	20	15	11	11	—	1	1	2	—	—	—
Falkirk	377	28·5	—	1	2	4	9	151	114	39	23	10	10	7	1	2	1	2	—	—	—
Airdrie	236	27·9	—	—	1	6	3	94	81	23	12	2	5	3	2	1	3	—	—	—	—
Inverness	428	30·2	—	2	2	4	12	101	154	70	34	14	16	10	4	—	3	1	—	—	—
Stirling	262	28·0	—	—	2	6	14	75	94	37	17	11	4	2	2	—	1	—	—	—	—
Dumfries	299	28·7	—	1	2	4	10	113	87	37	17	10	3	8	2	2	1	2	—	—	—
Rutherglen	293	29·3	—	1	2	1	11	99	95	35	16	6	10	4	8	2	1	1	1	—	—
Dumbarton	173	27·3	—	—	3	3	11	61	60	21	10	3	1	1	1	1	1	1	—	—	—
Port Glasgow	137	26·7	—	—	4	6	7	60	29	15	11	1	1	—	—	—	—	2	—	—	—
Arbroath	165	28·3	—	—	—	4	9	62	42	22	7	9	5	3	1	1	—	—	—	—	—

TABLE 54.—Ages of Women at Marriage in Scotland—1951

	All Ages	Aver- age Age	16	17	18	19	20	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and over
SCOTLAND	41361	25·7	174	737	1806	3264	4152	15455	8590	3120	1628	977	680	344	223	120	46	32	9	4	—
Counties of Cities...	18117	26·1	79	318	787	1454	1764	6484	3688	1486	822	490	347	178	117	65	17	12	5	4	—
Large Burghs ...	7913	25·6	35	154	338	598	798	3009	1673	575	268	180	127	66	40	24	12	13	3	—	—
Counties (Ex Counties of Cities and Large Burghs) ...	15331	25·3	60	265	681	1212	1590	5962	3229	1059	538	307	206	100	66	31	17	7	1	—	—
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen ...	891	24·9	4	18	50	84	93	333	182	58	30	14	12	8	3	—	2	—	—	—	—
Angus ...	473	25·4	—	11	14	32	40	190	114	31	20	11	7	5	1	—	—	—	—	—	—
Argyll ...	346	26·6	3	1	11	28	28	118	87	29	17	5	10	2	3	—	1	—	—	—	—
Ayr ...	1789	25·0	7	29	84	159	193	709	357	116	54	29	27	13	6	3	2	1	—	—	—
Banff ...	334	24·6	1	10	15	22	34	140	69	20	12	8	1	1	1	—	—	—	—	—	—
Berwick ...	129	24·7	—	2	5	4	16	55	34	5	4	1	1	—	—	—	—	—	—	—	—
Bute ...	120	26·6	1	2	9	10	10	46	19	10	3	3	3	—	2	1	—	—	—	—	—
Caitness ...	150	26·5	—	3	4	15	11	54	26	17	9	6	2	2	—	1	—	—	—	—	—
Clackmannan ...	254	25·0	3	3	16	19	26	103	46	17	5	9	3	1	1	—	—	—	—	—	—
Dumfries ...	373	25·2	—	8	28	21	35	142	83	23	18	5	6	1	1	1	—	1	—	—	—
Dunbarton ...	595	25·6	—	14	19	46	58	229	121	53	29	11	7	4	1	2	1	—	—	—	—
East Lothian ...	337	25·0	3	5	15	21	47	135	59	26	11	7	2	4	1	1	—	—	—	—	—
Fife ...	1576	24·9	7	30	60	129	199	640	303	85	44	31	24	11	5	5	3	—	—	—	—
Inverness ...	191	27·3	1	7	9	9	15	41	55	27	13	8	3	1	1	1	—	—	—	—	—
Inverness ...	175	25·9	1	1	6	13	21	64	36	17	4	7	1	3	1	—	—	—	—	—	—
Kinross ...	47	24·1	—	—	3	4	3	26	6	3	1	—	—	—	—	—	—	—	—	—	—
Kirkcudbright ...	193	24·6	3	27	107	188	233	873	479	143	13	43	23	8	10	4	2	3	—	—	—
Lanark ...	2204	25·0	7	11	27	60	77	278	143	50	28	13	8	6	3	2	—	—	—	—	—
Midlothian ...	713	25·2	1	1	19	34	39	142	60	21	14	3	3	3	2	—	—	—	—	—	—
Moray ...	350	24·5	1	1	2	2	6	15	12	7	2	1	2	—	—	—	—	—	—	—	—
Nairn ...	50	26·5	—	—	10	13	11	26	8	8	6	—	—	—	—	—	—	—	—	—	—
Orkney ...	119	24·1	2	3	10	13	11	26	17	7	—	—	—	—	—	—	—	—	—	—	—
Peebles ...	80	26·9	—	1	2	8	9	40	24	4	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth...	471	25.9	2	6	19	26	40	173	127	38	18	10	4	4	3	3	1	—	—	—	—
Renfrew	835	25.9	1	12	22	53	78	343	178	68	24	26	16	7	1	3	1	—	—	—	—
Ross & Cromarty	240	26.9	—	4	10	9	18	84	62	23	13	10	3	3	1	1	—	—	—	—	—
Roxburgh	274	25.5	1	4	16	15	21	116	55	25	9	5	3	1	2	—	—	—	—	—	—
Selkirk	120	25.6	—	1	2	7	15	47	32	7	3	2	1	1	4	1	—	—	—	—	—
Stirling	803	25.0	6	11	29	73	91	311	171	48	29	16	9	3	4	1	1	—	—	—	—
Sutherland	55	28.0	—	—	3	1	3	22	13	2	2	4	4	2	—	—	—	—	—	—	—
West Lothian	710	24.9	—	14	31	58	83	285	151	37	26	8	8	2	5	2	—	—	—	—	—
Wigtown	236	25.1	5	11	15	25	19	71	53	16	8	5	3	—	3	1	—	—	—	—	—
Zetland	98	27.8	—	2	4	7	2	33	20	13	7	3	5	1	—	—	—	—	—	—	—
Counties of Cities—																					
Glasgow	10483	26.1	46	171	467	820	999	3765	2148	896	477	282	195	93	66	41	7	4	3	3	—
Edinburgh	4218	26.5	17	69	170	321	399	1480	861	360	207	136	89	51	29	17	5	5	1	1	—
Aberdeen	1833	25.9	6	39	72	155	191	677	367	132	70	48	34	18	14	3	4	2	1	—	—
Dundee	1583	25.2	10	39	78	158	175	562	312	98	68	24	29	16	8	4	1	1	—	—	—
Large Burghs—																					
Paisley	887	25.9	3	17	32	80	92	325	180	60	38	22	17	7	9	4	—	1	—	—	—
Greenock	680	24.8	3	15	41	84	70	257	112	48	24	7	3	7	3	3	—	2	—	—	—
Motherwell & Wishaw	660	25.6	4	11	19	34	73	273	142	51	14	14	12	7	2	1	—	2	—	—	—
Kirkcaldy	474	25.8	1	5	27	35	47	180	99	34	17	7	9	6	2	1	2	2	—	—	—
Coatbridge	403	25.0	3	8	11	26	37	171	95	27	10	9	7	3	1	2	—	2	—	—	—
Dunfermline	445	25.6	3	12	15	42	56	166	80	25	18	5	2	3	4	—	2	1	—	—	—
Clydebank	327	25.3	1	11	6	18	39	134	70	24	12	5	2	—	5	—	2	1	—	—	—
Ayr	429	26.1	—	5	20	34	44	163	85	29	12	15	8	6	—	—	2	1	—	—	—
Kilmarnock	354	25.1	1	8	20	27	36	140	69	25	11	7	7	4	—	—	1	—	—	—	—
Perth	465	25.9	1	9	21	32	41	164	110	38	22	10	12	4	1	—	—	—	—	—	—
Hamilton	419	25.8	5	7	17	29	44	148	98	32	14	10	6	5	1	1	1	2	1	—	—
Falkirk	377	25.6	1	8	20	29	34	146	82	24	7	10	10	3	2	1	—	—	—	—	—
Airdrie	236	25.4	3	3	9	12	23	104	49	15	6	2	4	3	1	2	—	—	—	—	—
Inverness	428	26.8	1	11	19	18	32	142	105	29	27	16	5	3	1	3	—	—	—	—	—
Stirling	282	25.7	3	6	9	12	22	92	69	29	10	5	3	2	—	2	—	—	—	—	—
Dumfries	299	25.6	2	9	16	24	28	102	70	20	7	11	6	2	2	—	—	—	—	—	—
Rutherglen	293	26.7	—	3	8	20	26	117	64	22	6	3	7	2	2	—	3	—	—	—	—
Dumbarton	173	24.5	—	1	9	15	24	68	36	12	2	3	1	1	1	1	—	—	—	—	—
Port Glasgow	137	24.2	—	4	10	12	15	61	22	6	1	2	1	2	—	—	1	—	—	—	—
Arbroath	165	26.2	—	1	9	15	15	56	36	10	10	7	3	2	—	—	—	—	—	—	—

TABLE 54A.—Ages and Conditions of Persons Married in the year 1951—Scotland
Men

Age Last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	41,361	37,966	2,098	1,357	36,199	760	947	1,309	609	180	995	151	211
16	1	1	—	—	1	—	—	—	—	—	—	—	—
17	81	81	—	—	81	—	—	—	—	—	—	—	—
18	323	323	—	—	922	1	—	—	—	—	—	—	—
19	673	673	—	—	873	—	—	—	—	—	—	—	—
20	1,684	1,684	1	—	1,597	3	3	1	—	—	—	—	—
Under 21	2,682	2,681	1	—	2,674	4	3	1	—	—	—	—	—
21	2,840	2,840	—	—	2,820	8	12	—	—	—	—	—	—
22	3,575	3,570	2	3	3,528	15	27	2	—	—	3	—	—
23	3,861	3,852	3	6	3,824	11	17	3	—	—	6	—	—
24	3,847	3,824	7	16	3,770	17	37	6	1	—	15	—	1
21-24	14,123	14,066	12	25	13,942	51	93	11	1	—	24	—	1
25	3,481	3,448	12	21	3,367	20	61	12	—	—	19	—	2
26	2,986	2,930	19	37	2,847	32	51	18	1	—	30	2	5
27	2,542	2,493	11	38	2,400	29	64	11	—	—	35	—	3
28	2,080	2,013	25	42	1,906	38	69	22	—	3	35	2	5
29	2,063	1,957	32	74	1,847	33	77	31	—	1	62	6	6
25-29	13,152	12,841	99	212	12,367	152	322	94	1	4	181	10	21
30	1,690	1,584	39	67	1,463	45	76	34	4	1	55	1	11
31	1,323	1,197	43	83	1,109	31	57	38	3	2	65	4	14
32	849	746	37	66	686	25	35	31	1	5	56	4	6
33	724	641	32	51	580	20	41	29	2	1	45	1	5
34	686	580	39	67	519	30	31	27	6	6	53	5	9
30-34	5,272	4,748	190	334	4,357	151	240	159	16	15	274	15	45
35	632	514	48	70	449	37	28	36	7	5	49	9	12
36	514	417	34	63	362	24	31	25	4	4	43	6	14
37	498	384	49	65	322	38	44	33	8	4	41	1	14
38	418	314	56	56	276	46	22	33	9	3	37	7	12
39	389	284	52	51	231	36	19	39	8	5	34	7	10
35-39	2,461	1,925	231	305	1,650	151	124	171	36	24	204	40	61
40	335	228	46	62	181	22	25	34	10	2	41	7	14
41	255	163	47	45	132	12	19	35	8	4	33	5	7
42	244	174	38	32	136	17	21	29	7	2	20	5	7
43	272	161	63	48	122	21	18	41	12	10	28	7	13
44	187	101	36	36	83	10	8	25	16	9	28	2	6
40-44	1,294	827	244	223	654	82	91	164	53	27	150	26	47
45	205	110	63	32	86	12	12	42	16	5	24	5	3
46	168	97	50	21	75	14	8	27	14	9	15	5	1
47	169	95	45	29	80	9	6	24	13	8	20	7	2
48	157	67	63	27	44	14	9	35	20	8	16	9	2
49	139	70	49	20	46	16	8	33	12	4	14	2	4
45-49	838	439	270	129	331	65	43	161	75	34	89	28	12
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
50	139	60	64	18	35	19	6	36	15	13	8	4	3
51	134	49	67	15	33	12	4	15	22	4	10	1	3
52	101	32	46	23	19	12	4	21	40	5	4	4	4
53	117	34	63	20	22	7	1	32	27	6	13	6	4
54	78	23	48	7	20	3	5	26	19	3	10	4	4
50-54	569	198	288	83	129	53	16	155	102	31	46	21	16
55	88	23	60	5	14	5	4	28	27	5	4	—	1
56	71	22	43	6	8	8	6	26	13	4	3	1	2
57	74	13	56	5	10	3	—	30	20	6	3	2	—
58	73	20	46	7	16	4	—	35	19	2	4	2	1
59	60	11	45	4	4	6	1	25	30	2	1	2	1
55-59	366	89	250	27	52	26	11	139	91	20	15	7	5
60	65	10	53	2	7	3	—	26	25	2	—	1	1
61	58	8	43	7	3	5	—	25	12	6	5	1	1
62	48	7	37	4	4	2	1	20	15	2	4	—	—
63	44	5	38	1	2	2	1	19	17	2	1	—	—
64	39	5	33	1	4	2	1	17	15	1	—	—	—
60-64	254	35	204	15	20	12	3	107	84	13	10	2	3
65	52	8	43	1	8	—	—	22	20	1	—	1	—
66	40	6	33	1	5	1	—	18	9	6	—	1	—
67	37	3	32	2	1	1	—	16	13	1	—	1	—
68	36	3	33	—	—	3	—	17	16	—	—	—	—
69	26	2	24	—	—	2	—	8	14	2	—	—	—
65-69	191	22	165	4	14	7	1	81	74	10	2	2	—
70	26	3	23	—	1	2	—	14	9	—	—	—	—
71	23	2	26	—	—	—	—	10	16	—	—	—	—
72	24	3	21	—	3	—	—	7	13	1	—	—	—
73	19	1	18	—	1	—	—	10	8	—	—	—	—
74	12	1	11	—	—	1	—	4	6	1	—	—	—
70-74	109	10	99	—	5	5	—	45	52	2	—	—	—
75	10	1	9	—	—	1	—	6	3	—	—	—	—
76	15	2	13	—	2	—	—	7	2	—	—	—	—
77	3	—	3	—	—	—	—	1	2	—	—	—	—
78	5	—	5	—	—	—	—	4	3	—	—	—	—
79	9	1	8	—	1	—	—	18	4	—	—	—	—
75-79	42	4	38	—	3	1	—	—	20	—	—	—	—
80	4	1	3	—	1	—	—	1	2	—	—	—	—
81	1	—	1	—	—	—	—	1	—	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	1	—	1	—	—	—	—	—	1	—	—	—	—
84	1	—	1	—	—	—	—	1	—	—	—	—	—
85	1	—	1	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
90 and over	8	1	7	—	1	—	—	3	4	—	—	—	—
80 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 54B—Ages and Conditions of Persons Married in the Year 1951—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Men who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	41,361	38,503	1,520	1,338	36,199	1,309	995	760	609	151	947	180	211
16	174	174	—	—	171	3	—	—	—	—	—	—	—
17	737	737	—	—	737	—	2	—	—	—	—	—	—
18	1,806	1,806	—	—	1,787	19	18	—	—	—	—	—	—
19	3,264	3,263	1	—	3,224	39	33	1	—	—	1	—	—
20	4,152	4,149	3	1	4,094	55	60	3	—	—	—	—	—
Under 21	10,133	10,129	2	1	10,007	62	60	3	—	—	—	—	—
21	4,576	4,566	7	3	4,486	32	48	7	—	—	3	—	—
22	3,102	3,087	6	9	3,081	38	38	—	—	—	8	—	1
23	3,773	3,763	12	22	3,681	32	57	10	2	—	21	—	1
24	3,743	3,723	8	42	3,618	39	66	8	—	—	40	—	2
21-24	15,455	15,346	33	76	14,986	151	209	31	2	—	72	—	4
25	2,577	2,505	16	56	2,393	37	75	16	—	—	52	—	4
26	1,968	1,879	20	69	1,763	40	76	19	—	—	55	4	10
27	1,647	1,532	29	86	1,437	43	52	25	2	1	70	4	12
28	1,298	1,187	33	78	1,111	34	42	24	2	2	66	6	6
29	1,100	1,001	41	88	885	38	48	35	3	3	72	3	13
25-29	8,590	8,074	139	377	7,589	192	293	119	6	14	315	17	45
30	1,021	834	66	121	732	45	57	48	10	8	93	11	17
31	783	620	66	97	534	36	50	51	6	9	69	14	14
32	500	395	48	57	326	30	39	35	6	7	45	5	7
33	408	311	32	65	274	21	16	26	4	2	48	10	7
34	408	310	42	56	242	37	31	31	8	1	37	5	14
30-34	3,120	2,470	254	396	2,108	169	193	193	34	27	292	45	52
35	419	313	47	59	246	34	33	32	9	6	39	10	10
36	372	265	54	53	208	32	25	36	13	5	34	8	16
37	319	225	42	52	173	35	17	26	12	4	25	9	11
38	286	193	49	44	132	36	25	32	12	7	21	3	8
39	232	151	47	34	107	27	17	28	12	7	21	3	7
35-39	1,628	1,147	239	242	866	164	117	154	58	27	159	31	52
40	236	158	43	35	100	41	17	23	10	10	19	9	7
41	200	121	48	31	71	34	16	16	24	10	16	5	10
42	207	137	42	28	78	46	16	20	15	7	12	8	8
43	173	106	39	28	57	38	10	17	20	2	13	9	6
44	161	109	36	16	59	33	14	15	16	5	6	2	2
40-44	977	631	208	138	358	200	73	93	85	30	68	37	33
45	158	94	49	15	59	28	7	17	22	10	7	6	2
46	130	82	42	16	48	29	5	13	23	6	3	8	5
47	139	83	45	11	32	40	11	24	16	5	4	6	1
48	121	70	43	8	25	37	7	19	22	2	1	6	1
49	122	58	51	13	21	30	8	12	33	6	5	6	2
45-49	680	387	230	63	185	164	38	85	116	29	20	32	11
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
50 83 51 52 53 54 50-54	52 55 56 57 58 59 60 223 344	42 55 25 14 27 163	33 29 40 19 154	8 3 5 2 27	21 22 9 3 6 61	20 30 12 11 21 94	1 3 4 — 8	8 5 10 7 7 40	23 17 15 29 9 93	— 2 — — 3 21	1 2 — 1 — 4 14	3 3 1 — 9	1 2 — 1 — 4
55 56 57 58 59 55-59	52 55 45 40 31 223	24 24 22 13 14 97	25 28 20 23 16 112	3 3 3 4 14	6 6 6 3 24	18 17 15 9 11 70	2 1 — — 3	8 5 4 1 1 22	17 21 16 29 12 85	— — — — 2	1 2 — 1 — 4	— 1 3 2 1 7	2 — — 1 — 3
60 61 62 63 64 60-64	38 24 61 20 18 20 120	16 8 5 5 6 40	21 15 15 13 14 78	1 1 — — 2	3 2 1 2 — 8	13 6 4 3 5 31	— — — 1 1	1 — 1 1 1 4	20 13 14 1 13 73	— — — 1 — 1	— 1 — — — 1	1 — — — 1	— — — — —
65 66 67 68 69 65-69	10 11 9 9 7 46	4 2 — 2 2 10	5 9 9 7 5 35	1 — — — 1	2 — — 2 4	2 2 — 2 6	— — — — —	1 3 1 4 1 10	4 6 8 3 4 25	— — — — —	— — — — —	1 — — — 1	— — — — —
70 71 72 73 74 70-74	7 6 6 9 4 32	1 2 1 2 2 8	6 4 5 6 2 23	— — 1 — 1	1 — — 1 2	— 2 1 2 6	— — — — —	1 1 — 2 4	5 3 5 4 2 19	— — — — —	— — — — —	— — — — —	— — — — —
75 76 77 78 79 75-79	5 3 1 — — 9	— — — — — —	5 3 1 — — 9	— — — — —	— — — — —	— — — — —	— — — — —	— 1 1 — 2	5 2 — — 7	— — — — —	— — — — —	— — — — —	— — — — —
80 81 82 83 84 85 86 87 88 89 90 and over 80 and over Not stated	— 1 2 1 — — — — — 4	— — 1 — — — — — — 1	— 1 2 — — — — — — 3	— — — — — — — — —	— — 1 — — — — — 1	— — — — — — — — —	— — — — — — — — —	— — — — — — — — —	— 1 2 — — — — — 3	— — — — — — — — —	— — — — — — — — —	— — — — — — — — —	— — — — — — — — —

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1951

Ages of WIVES														Total Husbands							
16-17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over	Not stated		
AGES OF HUSBANDS																					
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	and over	Not stated	Ttd. Husband and Wivr
1	81	323	673	1,604	14,123	13,152	5,272	2,461	1,294	838	569	366	254	191	109	42	7	1	-	41,361	

TABLE 57.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1951

AGES OF WIDOWS														AGES OF BACHELORS										Total Bachelors and Widows
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	1	22	13	8	1	-	-	1	-	-	-	-	-	-	-					
-	-	-	-	1	19	53	57	14	8	-	-	-	-	-	-	-	-	-	-					
-	-	-	1	1	5	25	62	32	18	6	1	1	-	-	-	-	-	-	-					
-	-	-	-	-	-	10	42	56	28	13	2	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	5	9	27	22	14	4	1	-	-	-	-	-	-	-					
-	-	-	-	-	-	4	6	4	9	32	5	5	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	3	8	5	13	12	7	1	3	-	-	-	-	-					
-	-	-	-	-	-	-	-	3	1	5	10	4	2	1	-	-	-	-	-					
-	-	-	-	-	-	-	-	1	1	1	4	2	2	1	2	2	-	-	-					
-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

TABLE 58.—Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1951

AGES OF SPINSTERS														Total Widow- ers	AGES OF WIDOWERS									
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85 and over	Not stated				
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
17-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
21-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1				
25-	1	4	6	4	40	26	6	-	1	-	-	-	-	-	-	-	-	-	-	11				
30-	-	-	-	-	51	51	35	6	2	-	-	-	-	-	-	-	-	-	-	94				
35-	1	-	2	8	33	35	39	27	8	4	-	-	-	-	-	-	-	-	-	159				
40-	-	-	1	2	12	35	35	33	33	10	1	1	-	-	-	-	-	-	-	171				
45-	-	-	1	1	3	17	26	38	43	27	4	1	-	-	-	-	-	-	-	164				
50-	-	-	1	2	5	5	16	36	46	22	19	3	-	-	-	-	-	-	-	161				
55-	-	-	-	-	-	3	9	14	32	39	22	16	2	-	-	-	-	-	-	155				
60-	-	-	-	-	1	1	2	3	23	33	21	15	8	-	-	-	-	-	-	139				
65-	-	-	-	-	2	2	1	4	10	20	13	19	9	2	-	-	-	-	-	107				
70-	-	-	-	-	-	-	1	2	2	7	11	8	10	3	1	-	-	-	-	81				
75-	-	-	-	-	-	-	-	1	-	2	2	5	2	1	5	-	-	-	-	45				
80-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	18				
85- and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3				
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Total Spinsters	3	4	12	21	22	151	192	169	200	164	94	70	31	6	6	-	-	-	-	1,309				

Average age—Husbands, 47·5; Wives, 37·8

TABLE 59A.—Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1951

[illegible]

Average age—Husbands, 37.9; Wives, 32.2

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1951

AGES OF DIVORCED WOMEN															Total Hus- bands																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-			70-	75-	80-	85- and over	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 35·8; Wives 33·8

NOTE.—The summation of the totals in Tables 56 to 59B exceeds by 211 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice.

TABLE 60.—Parliamentary Electors—Scotland
Parliamentary Electors on the March 1952 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye-election
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
1	2	3	4	5	6	7
SCOTLAND	3,413,792	3,385,641	22,824	28,151	1,255	39,417
County Constituencies ...	1,781,563	1,767,160	12,509	14,403	664	—
Burgh Constituencies ...	1,632,229	1,618,481	10,315	13,748	591	39,417
ABERDEENSHIRE:						
County Constituencies ...	93,078	92,223	523	855	34	—
East Aberdeenshire ...	52,200	51,803	324	397	20	—
West Aberdeenshire ...	40,878	40,420	199	458	14	—
Burgh Constituencies ...	124,447	123,265	995	1,182	34	—
Aberdeen North ...	65,233	64,557	444	676	22	—
Aberdeen South ...	59,214	58,708	551	506	12	—
ANGUS AND KINCARDINE:						
County Constituencies ...	82,686	81,771	561	915	32	—
North Angus and Mearns	37,627	37,166	257	461	17	—
South Angus ...	45,059	44,605	304	454	15	—
Burgh Constituencies ...	120,459	119,096	1,221	1,363	54	39,417
Dundee East ...	55,716	55,074	543	642	24	39,417
Dundee West ...	64,743	64,022	678	721	30	—
ARGYLL:						
County Constituency						
Argyll	44,274	44,001	172	273	11	—
AYRSHIRE AND BUTE:						
County Constituencies ...	227,690	226,036	1,669	1,654	86	—
Ayr	43,422	43,065	232	357	21	—
Bute and North Ayrshire	45,165	44,839	297	326	18	—
Central Ayrshire ...	46,835	46,466	365	369	10	—
Kilmarnock ...	47,069	46,766	385	303	13	—
South Ayrshire ...	45,199	44,900	390	299	24	—
BANFFSHIRE:						
County Constituency						
Banff	36,926	36,604	189	322	23	—
BERWICKSHIRE AND EAST LoTHIAN:						
County Constituency						
Berwick and East Lothian	51,162	50,713	316	449	21	—
CAITHNESS AND SUTHERLAND:						
County Constituency						
Caithness and Sutherland	27,277	27,086	148	191	—	—
DUMFRIESSHIRE:						
County Constituency						
Dumfries	54,880	54,395	434	485	20	—

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—continued

1	2	3	4 *	5	6 *	7
DUNBARTONSHIRE:						
County Constituencies ...	109,269	108,542	673	727	28	—
East Dunbartonshire ...	60,587	60,211	431	376	17	—
West Dunbartonshire ...	48,682	48,331	242	351	11	—
FIFE:						
County Constituencies ...	103,985	102,933	545	1,052	46	—
East Fife ...	51,169	50,616	215	553	24	—
West Fife ...	52,816	52,317	330	499	22	—
Burgh Constituencies ...	100,537	99,363	720	1,174	38	—
Dunfermline Burghs ...	47,271	46,617	319	654	18	—
Kirkcaldy Burghs ...	53,266	52,746	401	520	20	—
INVERNESS-SHIRE AND ROSS AND CROMARTY:						
County Constituencies ...	101,226	100,478	480	748	31	—
Inverness ...	49,462	49,029	241	433	19	—
Ross and Cromarty ...	25,583	25,343	129	240	7	—
Western Isles ...	26,181	26,106	110	75	5	—
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:						
County Constituency						
Galloway ...	35,151	34,765	273	386	12	—
LANARKSHIRE:						
County Constituencies ...	209,873	288,933	2,879	1,940	116	—
Bothwell ...	54,851	54,516	583	335	20	—
Hamilton ...	51,299	50,931	535	368	23	—
Linark ...	47,053	46,682	445	371	16	—
Motherwell ...	48,958	48,648	460	310	20	—
North Lanarkshire ...	44,415	44,133	498	282	16	—
Rutherglen ...	44,297	44,023	358	274	21	—
Burgh Constituencies ...	772,567	767,614	4,165	4,953	262	—
Coatbridge and Airdrie ...	49,286	49,002	515	284	15	—
Glasgow, Bridgeton ...	42,870	42,636	159	234	17	—
Camelachie ...	50,040	49,731	288	309	15	—
Cathcart ...	44,414	44,192	154	222	10	—
Central ...	35,200	35,002	149	198	8	—
Gorbals ...	52,278	52,000	204	278	14	—
Govan ...	48,236	47,918	272	318	17	—
Hillhead ...	46,210	45,931	223	279	12	—
Kelvingrove ...	37,649	37,432	196	217	9	—
Maryhill ...	46,615	46,169	302	446	21	—
Pollok ...	67,167	66,752	378	415	30	—
Scotstoun ...	49,229	48,859	345	370	16	—
Shettleston ...	51,897	51,541	323	356	27	—
Springburn ...	57,284	56,859	306	425	23	—
Tradeston ...	52,637	52,321	201	316	19	—
Woodside ...	41,555	41,269	150	286	9	—
MIDLOTHIAN AND PEEBLESHIRE:						
County Constituency						
Midlothian and Peebles ...	63,903	63,294	397	609	29	—
Burgh Constituencies ...	347,951	344,083	2,029	3,868	152	—
Edinburgh Central ...	45,249	44,775	223	474	17	—
East ...	55,689	54,998	396	691	36	—
Leith ...	45,472	45,003	226	469	21	—
North ...	43,683	43,234	198	449	12	—
Pentlands ...	58,231	57,523	356	708	24	—
South ...	44,654	44,211	249	443	8	—
West ...	54,973	54,339	381	634	34	—

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *	7
MORAY AND NAIRNSHIRE:						
County Constituency Moray and Nairn ...	35,661	35,158	155	503	22	—
ORKNEY AND ZETLAND:						
County Constituency Orkney and Zetland ...	29,205	29,100	181	105	9	—
PERTHSHIRE AND KINROSS-SHIRE:						
County Constituencies ... Kinross and West Perthshire ...	90,592	89,532	665	1,060	43	—
Perth and East Perthshire	34,813	34,439	226	374	15	—
	55,779	55,093	439	686	28	—
RENFREWSHIRE:						
County Constituencies ... East Renfrewshire ...	106,111	105,512	807	599	21	—
West Renfrewshire	58,384	58,088	426	296	10	—
	47,727	47,424	381	303	11	—
Burgh Constituencies ... Greenock ...	111,886	111,152	672	734	32	—
Paisley ...	49,087	48,763	336	324	12	—
	62,799	62,389	336	410	20	—
ROXBURGHSHIRE AND SELKIRKSHIRE:						
County Constituency Roxburgh and Selkirk ...	47,461	47,115	190	346	12	—
STIRLINGSHIRE AND CLACKMANNAN-SHIRE:						
County Constituencies ... Clackmannan and East Stirlingshire ...	93,698	93,003	836	695	48	—
West Stirlingshire	50,349	50,001	445	348	20	—
	43,349	43,002	391	347	28	—
Burgh Constituency Stirling and Falkirk Burghs ...	54,382	53,908	513	474	19	—
WEST LOTHIAN:						
County Constituency West Lothian ...	56,455	55,966	416	489	20	—

"Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 61.—Local Government Electors and Analysis of Local Elections on the March, 1952 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	3,433,841	2,077	1,049	2,666,290	1,345,405	50·5
Counties of Cities	1,310,802	16	96	1,209,720	545,230	45·1
Other Large Burghs	552,050	40	113	438,367	222,276	50·7
Small Burghs	574,009	266	394	378,865	197,790	52·2
Landward Areas	996,980	691	250	384,305	231,763	60·3
Districts	991,202	1,064	196	255,033	148,346	58·2
ABERDEEN COUNTY:						
County of City:						
Aberdeen	124,472	6	30	105,238	50,380	47·9
Small Burghs	28,039	9	25	23,694	10,462	44·2
Ballater	948	—	3	948	381	40·2
Ellon	1,050	—	3	1,050	474	45·1
Fraserburgh	6,788	—	6	6,788	3,034	44·7
Huntly	2,931	3	—	—	—	—
Inverurie	3,551	—	3	3,551	2,448	68·9
Kintore	631	3	—	—	—	—
Oldmeldrum	783	3	—	—	—	—
Peterhead	8,434	—	4	8,434	2,939	34·8
Rosehearty	837	—	3	837	465	55·6
Turriff	2,086	—	3	2,086	721	34·6
Landward	66,158	47	10	15,214	7,617	50·1
Districts	66,158	104	11	7,384	3,196	43·3
Aberdeen	17,177	17	7	5,255	2,111	40·2
Alford	6,273	13	3	1,603	812	50·7
Deer	14,713	17	—	—	—	—
Deeside	5,949	13	—	—	—	—
Ellon	7,260	11	—	—	—	—
Garioch	5,621	14	1	526	273	51·9
Huntly	3,721	9	—	—	—	—
Turriff	5,444	10	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	120,695	3	10	104,981	61,789	58·9
Other Large Burgh	—	—	—	—	—	—
Arbroath	13,002	2	4	8,724	3,284	37·6
Small Burghs	30,098	8	16	19,541	7,405	37·9
Brechin	5,331	—	5	5,331	1,542	28·9
Carnoustie	4,107	—	3	4,107	1,870	45·5
Forfar	7,233	—	5	7,233	2,346	32·4
Kirriemuir	2,870	—	3	2,870	1,647	57·4
Monifieth	2,661	4	—	—	—	—
Montrose	7,896	4	—	—	—	—
Landward	22,193	26	4	3,476	1,812	52·1
Districts	22,193	40	1	670	188	28·1
Brechin	3,339	7	—	—	—	—
Carnoustie	3,241	3	—	—	—	—
Forfar	4,899	11	—	—	—	—
Kirriemuir	3,198	6	—	—	—	—
Monifieth	4,287	7	—	—	—	—
Montrose	3,229	6	1	670	188	28·1
ARGYLL COUNTY:						
Small Burghs	17,911	5	18	12,575	6,665	53·0
Campbeltown	4,756	—	6	4,756	2,195	46·2

TABLE 61—continued

		Analysis of Local Elections				
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections		
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes
Argyll County—continued						
Dunoon	7,111	1	3	5,018	2,923	58·3
Inveraray	375	—	4	375	178	47·5
Lochgilphead	899	2	—	—	—	—
Oban	4,206	2	1	1,862	979	52·6
Tobermory	564	—	4	564	390	69·1
Landward	26,766	20	14	11,554	6,446	55·8
Districts	26,766	39	8	4,724	2,440	51·7
Ardnamurchan	1,281	3	—	—	—	—
Cowal	5,621	6	—	—	—	—
Islay	3,000	—	2	2,223	1,049	47·2
Jura and Colonsay	381	8	—	—	—	—
Kintyre	4,066	4	1	905	606	67·0
Lorn, North	3,073	3	—	—	—	—
South	3,000	3	1	702	465	66·2
Mid-Argyll	3,852	5	—	—	—	—
Mull	1,435	3	—	—	—	—
Tiree and Coll	1,057	4	4	894	320	35·8
AYR COUNTY:						
Large Burghs	58,018	4	10	36,634	20,976	57·3
Ayr	29,176	2	4	19,498	9,690	49·7
Kilmarnock	28,842	2	6	17,136	11,286	65·9
Small Burghs	71,864	12	38	56,980	31,147	54·7
Ardrossan	5,754	—	3	5,754	3,510	61·0
Cumnock and Holmhead	3,052	—	3	3,052	1,275	41·8
Darvel	2,456	—	3	2,456	962	39·2
Galston	3,247	—	3	3,247	1,105	34·0
Girvan	4,105	—	4	4,105	1,527	37·2
Irvine	9,965	1	6	9,117	5,896	64·7
Kilwinning	4,356	—	3	4,356	2,665	61·2
Largs	6,489	—	3	6,489	3,775	58·2
Maybole	3,175	—	4	3,175	1,649	51·9
Newmilns and Greenholm	3,004	3	—	—	—	—
Prestwick	8,230	2	2	4,523	2,329	51·5
Saltcoats	8,716	—	3	8,716	5,284	60·6
Stewarton	2,203	3	—	—	—	—
Troon	7,112	3	1	1,990	1,170	58·8
Landward	85,693	27	14	30,171	17,841	59·1
Districts	85,693	59	23	28,748	15,580	54·2
Ayr	8,108	10	—	—	—	—
Cumnock	19,861	12	4	4,881	3,325	68·1
Dalmellington	7,721	7	—	—	—	—
Girvan	3,575	6	—	—	—	—
Irvine	5,874	3	2	2,744	1,176	42·9
Kilbirnie	14,381	6	6	6,903	3,763	54·5
Kilmarnock	9,892	5	3	4,018	2,212	55·1
Maybole	3,837	4	2	1,091	546	50·0
Newmilns	1,153	3	—	—	—	—
Saltcoats	11,291	3	6	9,111	4,558	50·0
BANFF COUNTY:						
Small Burghs	20,912	39	—	—	—	—
Aberchirder	616	3	—	—	—	—
Aberlour	605	3	—	—	—	—
Banff	2,451	4	—	—	—	—

TABLE 61—continued

		Analysis of Local Elections					
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—continued							
Buckie	...	5,779	4	—	—	—	—
Cullen	...	1,196	7	—	—	—	—
Dufftown	...	1,083	3	—	—	—	—
Findochty	...	1,194	3	—	—	—	—
Keith...	...	3,181	5	—	—	—	—
Macduff	...	2,478	1	—	—	—	—
Portknockie	...	1,124	4	—	—	—	—
Portsoy	...	1,205	2	—	—	—	—
Landward	...	16,092	22	—	—	—	—
Districts	...	16,092	21	1	1,321	520	39·4
Aberchirder	...	1,862	5	—	—	—	—
Banff	...	3,931	4	1	1,321	520	39·4
Buckie	...	2,147	2	—	—	—	—
Cullen	...	1,676	2	—	—	—	—
Dufftown	...	3,295	4	—	—	—	—
Keith...	...	3,181	4	—	—	—	—
BERWICK COUNTY:							
Small Burghs	...	4,665	7	8	2,186	1,298	59·4
Coldstream	...	950	3	—	—	—	—
Duns	...	1,529	4	—	—	—	—
Eyemouth	...	1,679	—	4	1,679	969	57·7
Lauder	...	507	—	4	507	329	64·9
Landward	...	13,180	24	4	2,195	1,126	51·3
Districts	...	13,180	23	—	—	—	—
East	...	5,154	7	—	—	—	—
Middle	...	4,448	9	—	—	—	—
West	...	3,578	7	—	—	—	—
BUTE COUNTY:							
Small Burghs	...	8,132	3	7	4,695	2,816	60·0
Millport	...	1,563	—	3	1,563	972	62·2
Rothsay	...	6,569	3	4	3,132	1,844	58·9
Landward	...	4,977	9	2	506	357	70·6
Districts	...	4,977	11	2	1,090	590	54·1
Arran	...	3,174	5	1	542	368	67·9
Bute	...	1,763	3	1	548	222	40·5
Cumbræ	...	40	3	—	—	—	—
CAITHNESS COUNTY:							
Small Burghs	...	7,114	—	8	7,114	4,511	63·4
Thurso	...	2,268	—	3	2,268	1,561	68·8
Wick	...	4,846	—	5	4,846	2,950	60·9
Landward	...	9,447	19	3	1,166	769	66·0
Districts	...	9,447	23	—	—	—	—
Central	...	1,410	4	—	—	—	—
Eastern	...	2,199	5	—	—	—	—
Northern	...	1,380	4	—	—	—	—
Southern	...	2,029	4	—	—	—	—
Western	...	2,429	6	—	—	—	—
CLACKMANNAN COUNTY:							
Small Burghs	...	15,512	3	10	14,464	7,926	54·8
Alloa	...	8,965	—	4	8,965	4,986	55·6
Alva	...	2,867	—	3	2,867	1,215	42·4

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed.	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Clackmannan County—cont.						
Dollar	1,048	3	—	—	—	—
Tillicoultry	2,632	—	3	2,632	1,725	65.5
Landward	9,396	2	6	8,076	5,499	68.1
Districts	9,396	5	2	3,226	2,329	72.2
Alloa	7,197	2	2	3,226	2,329	72.2
Hillfoots	2,199	3	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	16,511	10	1	1,720	1,031	59.9
Small Burghs						
Annan	11,041	5	18	7,654	3,836	50.1
Langholm	3,291	—	4	3,291	1,024	31.1
Lochmaben	1,826	2	—	—	—	—
Lockerbie	798	—	3	798	599	75.1
Moffat	1,997	—	7	1,997	1,151	57.6
Sanquhar	1,561	3	—	—	—	—
Landward	1,568	—	4	1,568	1,062	67.7
Districts	28,023	26	9	7,532	4,238	56.3
Annan	28,023	25	1	482	265	55.0
Dumfries	3,127	3	—	—	—	—
Gretna	7,002	4	—	—	—	—
Langholm	3,754	3	—	—	—	—
Lockerbie	1,752	1	—	—	—	—
Moffat	2,910	4	—	—	—	—
Sanquhar	1,116	2	—	—	—	—
Thornhill	3,399	2	1	482	265	55.0
	4,963	6	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs						
Clydebank	45,562	1	9	42,681	21,319	49.9
Dumbarton	30,157	—	5	30,157	12,882	42.7
Small Burghs	15,405	1	4	12,524	8,437	67.4
Cove and Kilcreggan	22,426	5	10	13,906	8,519	61.3
Helensburgh... ..	755	—	3	755	420	55.6
Kirkintilloch	6,475	2	3	4,969	2,867	57.7
Milngavie	9,542	3	1	2,528	1,670	66.1
Landward	5,654	—	3	5,654	3,562	63.0
Districts	40,939	20	14	15,186	10,877	71.6
Cumbernauld	40,939	33	10	8,211	5,875	71.6
Helensburgh... ..	3,341	3	3	1,504	1,160	77.1
Kirkintilloch	4,566	7	1	753	531	70.5
New Kilpatrick	2,544	4	—	—	—	—
Old Kilpatrick	9,231	6	—	—	—	—
Vale of Leven	5,987	3	4	4,151	2,876	69.3
	15,270	10	2	1,803	1,308	72.5
EAST LoTHIAN COUNTY:						
Small Burghs						
Cockenzie and Port Seton	16,996	—	25	16,996	8,948	52.6
Dunbar	2,218	—	3	2,218	1,399	63.1
East Linton	2,813	—	5	2,813	1,405	49.9
Haddington	772	—	3	772	475	61.5
North Berwick	2,960	—	4	2,960	1,162	39.3
Prestonpans	2,740	—	3	2,740	1,661	60.6
Tranent	1,900	—	3	1,900	908	47.8
	3,593	—	4	3,593	1,938	53.9

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—contd.						
Landward	17,136	21	5	4,468	2,609	58.4
Districts	17,136	26	—	—	—	—
Dunbar	2,584	5	—	—	—	—
Haddington	3,108	6	—	—	—	—
North Berwick	3,626	5	—	—	—	—
Prestonpans	3,616	4	—	—	—	—
Tranent	4,202	6	—	—	—	—
FIFE COUNTY:						
Large Burghs	63,418	1	16	60,227	30,674	50.9
Dunfermline	29,355	—	7	29,355	16,976	57.8
Kirkcaldy	34,063	1	9	30,872	13,698	44.4
Small Burghs	74,125	42	46	39,824	18,906	47.5
Auchtermuchty	995	4	—	—	—	—
Buckhaven and Methil	13,479	2	2	8,708	2,763	31.7
Burntisland	4,257	—	5	4,257	2,805	65.9
Cowdenbeath	9,080	2	2	4,882	2,202	45.1
Crail	907	3	—	—	—	—
Culross	401	3	—	—	—	—
Cupar	4,031	—	5	4,031	1,250	31.0
Elie and Earlsferry	883	—	3	883	601	68.1
Falkland	779	4	—	—	—	—
Inverkeithing	2,612	5	—	—	—	—
Kilrenny, Anstruther Easter and Anstruther Wester	2,358	4	—	—	—	—
Kinghorn	1,668	—	3	1,668	991	59.4
Ladybank	921	—	4	921	457	49.6
Leslie... ..	1,933	—	3	1,933	660	34.1
Leven	6,326	1	2	3,998	2,435	60.9
Lochgelly	6,336	4	—	—	—	—
Markinch	1,673	2	—	—	—	—
Newburgh	1,770	3	—	—	—	—
Newport	2,554	2	2	1,883	1,208	64.2
Pittenweem	1,221	—	6	1,221	605	49.5
St. Andrews	6,423	3	1	1,921	894	46.5
St. Monance... ..	1,147	—	5	1,147	649	56.6
Tayport	2,371	—	3	2,371	1,386	58.5
Landward	68,685	25	21	32,872	16,987	51.7
Districts	68,685	65	11	14,334	7,848	54.8
Anstruther	3,939	8	—	—	—	—
Cupar	9,126	18	1	1,011	415	41.0
Dunfermline	15,289	11	2	2,535	1,577	62.2
Kirkcaldy	7,379	8	—	—	—	—
Lochgelly	20,887	7	6	8,952	4,953	55.3
St. Andrews	4,021	5	2	1,836	903	49.2
Wemyss	8,044	8	—	—	—	—
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,083	6	1	2,246	946	42.1
Small Burghs	2,796	—	7	2,796	1,671	59.8
Fort William	1,998	—	4	1,998	1,175	58.8
Kingussie	798	—	3	798	496	62.2
Landward	36,944	45	14	9,227	4,936	53.5
Districts	36,944	43	10	6,700	2,551	38.1

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councilors returned unopposed	Contested Elections			
			Number of Councilors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Inverness County—continued						
Aird	5,255	7	2	1,350	354	26·2
Badenoch	4,088	8	1	666	463	69·5
Barra... ..	1,511	1	1	985	214	21·7
Harris	3,277	2	—	—	—	—
Inverness	5,195	8	1	399	267	66·9
Lochaber	6,434	9	—	—	—	—
North Uist	1,531	—	2	1,531	767	50·1
Skye	6,976	5	3	1,769	486	27·5
South Uist	2,677	3	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	6,499	9	4	687	384	55·9
Banchory	1,474	2	—	—	—	—
Inverbervie	687	—	4	687	384	55·9
Laurencekirk	1,105	3	—	—	—	—
Stonehaven	3,233	4	—	—	—	—
Landward	11,987	19	2	1,163	575	49·4
Districts	11,987	15	1	719	158	22·0
Laurencekirk	2,790	3	—	—	—	—
Lower Deeside	2,157	1	1	719	158	22·0
St. Cyrus	2,509	2	—	—	—	—
Stonehaven	2,679	5	—	—	—	—
Upper Deeside	1,852	4	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,709	3	—	—	—	—
Landward	3,126	11	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	6,554	20	—	—	—	—
Castle Douglas	2,191	3	—	—	—	—
Dalbeattie	1,907	3	—	—	—	—
Gatehouse	616	4	—	—	—	—
Kirkcudbright	1,611	7	—	—	—	—
New Galloway	229	3	—	—	—	—
Landward	11,873	21	1	544	449	82·5
Districts	11,873	22	—	—	—	—
Castle Douglas	1,902	3	—	—	—	—
Creetown	1,856	4	—	—	—	—
Dalbeattie	2,315	4	—	—	—	—
Eastern	1,805	4	—	—	—	—
Glenkens	1,623	3	—	—	—	—
Kirkcudbright	2,372	4	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	727,491	1	38	727,491	330,203	45·4
Other Large Burghs	138,575	8	28	103,716	55,595	51·1
Airdrie	19,621	3	3	8,034	3,154	39·3
Coatbridge	29,766	—	8	29,766	17,022	57·2
Hamilton	25,780	—	5	25,780	13,210	51·2
Motherwell and Wishaw	45,510	4	7	30,088	13,758	45·7
Rutherglen	17,898	1	5	15,048	8,451	56·2

TABLE 61—continued

		Analysis of Local Elections					
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—continued							
Small Burghs		6,486	3	6	5,397	3,275	60·7
Biggar		1,089	3	—	—	—	—
Lanark		5,397	—	6	5,397	3,275	60·7
Landward		196,175	14	42	149,035	93,538	62·8
Districts		196,175	39	41	118,484	70,879	59·8
No. 1		5,296	10	1	2,413	1,205	49·9
No. 2		9,705	3	6	6,150	4,392	71·4
No. 3		14,228	6	4	5,774	3,427	59·4
No. 4		22,641	3	4	11,914	6,561	55·1
No. 5		14,966	4	4	7,303	2,951	40·4
No. 6		38,226	5	5	19,294	12,102	62·7
No. 7		23,207	2	5	17,715	10,927	61·7
No. 8		26,516	3	4	16,613	9,241	55·6
No. 9		41,390	3	8	31,308	20,073	64·1
MIDLOTHIAN COUNTY:							
County of City							
Edinburgh		338,144	6	18	272,010	102,858	37·8
Small Burghs		28,850	3	14	22,783	14,743	64·7
Bonnyrigg and Lasswade ...		3,884	—	3	3,884	2,547	65·6
Dalkeith		6,067	3	—	—	—	—
Loanhead		3,260	—	3	3,260	2,043	62·7
Musselburgh		12,202	—	4	12,202	8,600	70·5
Penicuik		3,437	—	4	3,437	1,553	45·2
Landward		37,432	20	14	14,258	8,499	59·6
Districts		37,432	24	9	9,364	5,502	58·8
Currie		4,197	2	2	2,199	1,142	51·9
East Calder		4,067	1	3	2,762	1,844	66·8
Gala Water		4,615	5	1	435	306	70·3
Lasswade		3,195	2	1	1,033	746	72·2
Musselburgh		4,341	3	—	—	—	—
Newbattle		9,023	6	—	—	—	—
Penicuik		3,033	3	—	—	—	—
West Calder		4,961	2	2	2,935	1,464	49·9
MORAY COUNTY:							
Small Burghs		16,535	3	23	15,595	5,940	38·1
Burghead		940	3	—	—	—	—
Elgin		7,283	—	5	7,283	2,588	35·5
Forres		3,149	—	7	3,149	1,286	40·8
Grantown-on-Spey		1,014	—	5	1,014	620	61·1
Lossiemouth & Branderburgh		3,289	—	3	3,289	1,060	32·2
Roths		860	—	3	860	386	44·9
Landward		13,494	20	1	973	468	48·1
Districts		13,494	32	—	—	—	—
Cromdale		777	3	—	—	—	—
Duffus and Drainie		2,104	5	—	—	—	—
Elgin		3,603	8	—	—	—	—
Fochabers		2,702	5	—	—	—	—
Forres		3,165	8	—	—	—	—
Roths and Knockando ...		1,143	3	—	—	—	—

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:						
Small Burgh						
Nairn... ..	3,357	—	9	3,357	1,558	46·4
Landward	2,652	9	—	—	—	—
Districts—None	—	—	—	—	—	—
ORKNEY COUNTY:						
Small Burghs	4,236	3	4	3,095	868	28·0
Kirkwall	3,095	—	4	3,095	868	28·0
Stromness	1,141	3	—	—	—	—
Landward	10,963	18	2	1,287	462	35·9
Districts	10,963	60	—	—	—	—
Eday	221	4	—	—	—	—
Hoy and Walls	966	6	—	—	—	—
Mainland	5,927	10	—	—	—	—
North Ronaldsay	161	3	—	—	—	—
Rousay	311	7	—	—	—	—
Sanday	664	8	—	—	—	—
Shapinsay	351	4	—	—	—	—
South Ronaldsay	1,043	7	—	—	—	—
Stronsay	446	5	—	—	—	—
Westray	873	6	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	6,137	4	3	1,751	826	47·2
Innerleithen	1,751	—	3	1,751	826	47·2
Peebles	4,386	4	—	—	—	—
Landward	4,580	13	2	538	422	78·4
Districts	4,580	15	—	—	—	—
Broughton	829	4	—	—	—	—
Innerleithen	1,225	3	—	—	—	—
Linton	1,430	4	—	—	—	—
Peebles	1,096	4	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth... ..	27,980	2	8	27,980	8,816	31·5
Small Burghs	19,399	29	6	3,712	1,596	43·0
Aberfeldy	986	3	—	—	—	—
Abernethy	507	3	—	—	—	—
Alyth... ..	1,435	2	—	—	—	—
Auchterarder	1,748	3	—	—	—	—
Blairgowrie and Rattray	3,724	4	—	—	—	—
Callander	1,182	4	—	—	—	—
Coupar Angus	1,599	—	3	1,599	475	29·7
Grieff	3,938	4	—	—	—	—
Doune	577	3	—	—	—	—
Dunblane	2,113	—	3	2,113	1,121	53·1
Pitlochry	1,590	3	—	—	—	—
Landward	39,052	40	6	7,372	4,383	59·5
Districts	39,052	43	—	—	—	—
Central	6,415	9	—	—	—	—
Eastern	6,218	6	—	—	—	—
Highland	6,016	9	—	—	—	—
Perth	14,604	12	—	—	—	—
Western	5,799	7	—	—	—	—

TABLE 61—continued

		Analysis of Local Elections					
		Local Government Electors	Number of Councillors returned unopposed	Contested Elections			
				Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:							
Large Burghs		125,685	—	30	125,685	67,509	53·7
Greenock		49,411	—	9	49,411	27,308	55·3
Paisley		63,322	—	9	63,322	30,882	48·8
Port Glasgow		12,952	—	12	12,952	9,319	72·0
Small Burghs		38,576	3	14	33,094	20,649	62·4
Barrhead		8,782	2	3	5,934	3,083	52·0
Gourock		7,199	1	2	4,565	3,842	84·2
Johnstone		10,141	—	5	10,141	6,070	59·9
Renfrew		12,454	—	4	12,454	7,654	61·5
Landward		55,204	20	7	15,038	9,518	63·3
Districts		55,204	40	23	19,730	11,448	58·0
No. 1		28,308	14	8	9,735	4,729	48·6
No. 2		9,131	7	—	—	—	—
No. 3		3,525	9	2	1,057	827	78·2
No. 4		10,012	4	11	7,336	4,860	66·2
No. 5		4,228	6	2	1,602	1,032	64·4
ROSS AND CROMARTY COUNTY:							
Small Burghs		8,927	16	15	3,378	1,594	47·2
Cromarty		562	3	—	—	—	—
Dingwall		2,229	—	9	2,229	1,026	46·0
Fortrose		672	6	—	—	—	—
Invergordon		1,080	4	—	—	—	—
Stornoway		3,235	3	—	—	—	—
Tain		1,149	—	6	1,149	568	49·4
Landward		33,971	29	6	5,010	1,622	32·4
Districts		33,971	49	3	1,680	894	53·2
Avoch		1,953	3	1	715	401	56·1
Dingwall		2,602	3	—	—	—	—
Fearn		1,982	3	—	—	—	—
Fortrose		793	3	—	—	—	—
Gairloch		1,348	4	—	—	—	—
Invergordon		2,512	4	—	—	—	—
Lewis		13,895	5	2	965	493	51·1
Lochbroom		1,179	4	—	—	—	—
Lochcarron		1,186	5	—	—	—	—
Muir-of-Ord		3,694	6	—	—	—	—
South-West		1,513	6	—	—	—	—
Tain		1,314	3	—	—	—	—
ROXBURGH COUNTY:							
Small Burghs		19,549	8	12	11,622	4,465	38·4
Hawick		12,320	2	3	7,938	2,727	34·4
Jedburgh		2,889	—	8	2,889	1,168	40·4
Kelso		2,963	3	1	795	570	71·7
Melrose		1,377	3	—	—	—	—
Landward		12,993	28	—	—	—	—
Districts		12,993	28	—	—	—	—
Hawick		3,149	6	—	—	—	—
Jedburgh		2,729	7	—	—	—	—
Kelso		3,319	8	—	—	—	—
Melrose		3,796	7	—	—	—	—

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SELKIRK COUNTY:						
Small Burghs	13,712	10	1	1,322	664	50·2
Galashiels	9,300	4	1	1,322	664	50·2
Selkirk	4,412	6	—	—	—	—
Landward	2,210	5	1	514	365	71·0
Districts	2,210	9	—	—	—	—
North	1,330	3	—	—	—	—
South	880	6	—	—	—	—
STIRLING COUNTY:						
Large Burghs	44,216	6	6	23,754	12,126	51·0
Falkirk	25,942	2	3	15,568	8,486	54·5
Stirling	18,274	4	3	8,186	3,640	44·5
Small Burghs	23,658	3	11	21,326	12,539	58·8
Bridge of Allan	2,332	3	—	—	—	—
Denny and Dunipace	4,416	—	3	4,416	2,975	67·4
Grangemouth	10,402	—	4	10,402	5,527	53·1
Kilsyth	6,508	—	4	6,508	4,037	62·0
Landward	55,884	26	17	23,013	14,369	62·4
Districts	55,884	33	9	13,912	8,553	61·5
Central No. 1	10,441	6	1	1,912	1,328	69·5
No. 2	9,032	7	—	—	—	—
Eastern No. 1	11,747	4	4	6,387	3,554	55·6
No. 2	8,633	5	1	1,182	881	74·5
No. 3	5,120	3	1	1,122	580	51·7
Western No. 1	1,166	2	—	—	—	—
No. 2	4,690	4	—	—	—	—
No. 3	5,055	2	2	3,309	2,210	66·8
SUTHERLAND COUNTY:						
Small Burgh	630	4	—	—	—	—
Dornoch	630	4	—	—	—	—
Landward	9,953	12	7	3,580	2,430	67·9
Districts	9,953	26	6	1,904	1,157	60·8
Assynt	717	2	3	477	306	64·2
Dornoch and Creich	1,950	4	—	—	—	—
Edrachillis and Durness	911	5	—	—	—	—
Golspie, Rogart and Lairg	2,225	6	—	—	—	—
Kildonan, Loth and Clyne	2,443	2	3	1,427	851	59·6
Tongue and Farr	1,707	7	—	—	—	—
WEST LOTHIAN COUNTY:						
Small Burghs	25,943	4	19	19,077	10,635	55·7
Armadale	3,849	—	3	3,849	3,053	79·3
Bathgate	7,652	—	5	7,652	4,617	60·3
Bo'ness	6,866	4	—	—	—	—
Linlithgow	2,763	—	5	2,763	1,067	38·6
Queensferry	1,742	—	3	1,742	593	34·0
Whitburn	3,071	—	3	3,071	1,305	42·5
Landward	30,643	13	18	18,517	12,685	68·5
Districts	30,643	20	10	10,940	7,933	72·5
Bo'ness	2,596	2	—	—	—	—

TABLE 61—continued

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
West Lothian Co.—continued						
Linlithgow	1,906	2	—	—	—	—
Queensferry	3,872	3	2	1,666	1,241	74·5
Torphichen and Bathgate ...	3,978	5	—	—	—	—
Uphall	7,927	2	6	6,182	4,325	70·0
Whitburn and Livingstone...	10,364	6	2	3,092	2,367	76·6
WIGTOWN COUNTY:						
Small Burghs	7,650	3	13	6,273	2,575	41·0
Newton-Stewart	1,377	3	—	—	—	—
Stranraer	4,873	—	6	4,873	1,748	35·9
Whithorn	701	—	3	701	404	57·6
Wigtown	699	—	4	699	423	60·5
Landward	9,118	21	—	—	—	—
Districts	9,118	21	—	—	—	—
Machars	3,843	9	—	—	—	—
Rhins	5,275	12	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,971	—	4	3,971	1,369	34·5
Landward	10,041	19	4	1,820	864	47·5
Districts	10,041	71	14	1,410	440	31·2
Bressay	256	—	5	256	152	59·4
Delting	622	9	—	—	—	—
Dunrossness	1,782	10	—	—	—	—
Fetlar	125	4	—	—	—	—
Lerwick (Landward)	825	3	—	—	—	—
Nesting	434	7	—	—	—	—
Northmaven... ..	754	2	—	—	—	—
Sandsting	914	9	—	—	—	—
Tingwall	1,177	9	—	—	—	—
Unst	707	1	5	487	204	41·9
Walls	679	9	—	—	—	—
Whalsay	667	—	4	667	84	12·6
Yell	1,099	8	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952

	1939	1948	1949	1950	1951	1952
SCOTLAND ...	1,294,872	1,374,387	1,398,576	1,420,411	1,438,390	1,458,101
Counties of Cities ...	507,110	529,864	536,926	544,710	549,350	553,806
Large Burghs ...	199,651	216,832	222,198	225,567	229,486	233,116
Small Burghs ...	213,511	232,055	235,792	240,115	244,940	252,812
Landward Areas ...	374,600	395,636	403,660	410,019	414,614	418,367
ABERDEEN COUNTY ...	83,224	88,117	89,123	89,866	90,893	92,043
County of City of						
Aberdeen ...	46,516	49,966	50,537	51,027	51,685	52,268
Small Burghs ...	10,386	11,102	11,298	11,405	11,533	11,711
Ballater... ..	394	401	409	407	409	436
Ellon	389	427	437	442	451	463
Fraserburgh ...	2,410	2,580	2,609	2,638	2,679	2,733
Huntly	1,106	1,156	1,161	1,153	1,172	1,192
Inverurie	1,306	1,435	1,468	1,474	1,485	1,509
Kintore	231	242	247	262	264	265
Oldmeldrum ...	293	333	338	342	345	343
Peterhead	3,177	3,399	3,460	3,451	3,466	3,493
Rosehearty	308	320	334	355	359	367
Turriff	772	809	835	881	903	910
Landward	26,322	27,049	27,288	27,434	27,675	28,064
ANGUS COUNTY ...	78,121	82,524	83,445	84,388	85,439	86,335
County of City of Dundee	49,416	52,569	53,178	53,780	54,459	55,043
Large Burgh	5,806	6,182	6,293	6,415	6,499	6,600
Arbroath	5,806	6,182	6,293	6,415	6,499	6,600
Small Burghs ...	12,612	13,533	13,664	13,859	14,053	14,232
Brechin	2,161	2,413	2,457	2,486	2,547	2,572
Carnoustie	1,603	1,776	1,788	1,822	1,845	1,906
Forfar	3,156	3,309	3,347	3,372	3,424	3,494
Kirriemuir	1,187	1,281	1,284	1,288	1,295	1,312
Monifieth	1,038	1,124	1,138	1,187	1,191	1,209
Montrose	3,467	3,630	3,650	3,704	3,751	3,739
Landward	10,287	10,240	10,310	10,334	10,428	10,460
ARGYLL COUNTY ...	18,889	19,972	20,006	19,864	20,017	20,193
Small Burghs	7,487	7,870	7,954	8,067	8,154	8,195
Campbeltown ...	1,745	1,902	1,942	2,006	2,052	2,057
Dunoon	3,501	3,616	3,637	3,610	3,630	3,636
Inveraray	153	154	152	152	150	147
Lochgilphead ...	370	385	395	417	407	414
Oban	1,472	1,573	1,591	1,627	1,632	1,679
Tobermory	246	240	237	255	263	262
Landward	11,402	12,102	12,052	11,797	11,863	11,998
AYR COUNTY	75,984	82,389	84,419	85,672	87,725	89,358
Large Burghs	20,424	22,192	22,738	22,989	23,251	23,787
Ayr	9,981	10,765	10,980	11,095	11,221	11,511
Kilmarnock	10,443	11,427	11,758	11,894	12,030	12,276
Small Burghs	25,787	28,539	29,001	29,541	30,207	33,203
Ardrossan	1,951	2,208	2,243	2,266	2,297	2,359
Cumnock and Holmhead	1,089	1,176	1,197	1,220	1,256	1,280
Darvel	1,003	1,024	1,034	1,066	1,093	1,099
Galston	1,247	1,368	1,387	1,401	1,415	1,413
Girvan	1,634	1,711	1,732	1,767	1,769	1,772
Irvine	3,074	3,682	3,744	3,846	3,960	4,177
Kilwinning	1,320	1,560	1,618	1,618	1,744	1,827
Largs	2,882	3,025	3,045	3,078	3,090	3,119

Note—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952—*cont.*

	1939	1948	1949	1950	1951	1952
Ayr County—continued						
Maybole	1,202	1,358	1,335	1,334	1,363	1,391
Newmilns & Greenholm	1,237	1,313	1,329	1,359	1,399	1,393
Prestwick	2,934	3,188	3,248	3,322	3,358	3,394
Saltcoats	2,980	3,334	3,441	3,513	3,587	3,663
*Stevenston	—	—	—	—	—	2,428
Stewarton	795	875	878	880	982	982
Troon	2,439	2,717	2,770	2,871	2,894	2,904
Landward	29,773	31,658	32,680	33,142	34,267	32,368
BANFF COUNTY	13,217	13,821	13,562	13,709	13,773	13,947
Small Burghs	7,545	7,992	7,672	7,768	7,820	7,980
Aberchirder	259	259	258	264	268	268
Aberlour	229	233	228	236	244	249
Banff	932	982	985	996	1,003	1,040
Buckie	1,912	2,046	1,794	1,802	1,819	1,867
Cullen	479	503	493	501	501	512
Dufftown	425	426	417	428	438	447
Findochty	371	412	407	407	407	407
Keith	1,144	1,217	1,211	1,215	1,215	1,219
Macduff	896	973	958	958	964	1,007
Portknockie	407	434	423	423	423	423
Portsoy	491	507	498	538	538	541
Landward	5,672	5,829	5,890	5,941	5,953	5,967
BERWICK COUNTY	7,856	8,048	7,761	7,647	7,663	7,731
Small Burghs	1,862	2,017	2,037	2,029	2,050	2,064
Coldstream	417	448	452	451	450	453
Duns	606	649	650	644	672	671
Eyemouth	624	706	710	711	708	715
Lauder	215	214	225	223	220	225
Landward	5,994	6,031	5,724	5,618	5,613	5,667
BUTE COUNTY	7,338	7,512	7,481	7,499	7,680	7,716
Small Burghs	4,470	4,656	4,571	4,589	4,770	4,777
Millport	1,207	1,213	1,159	1,159	1,224	1,215
Rothsay	3,263	3,443	3,412	3,430	3,546	3,562
Landward	2,868	2,856	2,910	2,910	2,910	2,939
CAITHNESS COUNTY	7,211	7,581	7,698	7,825	7,851	7,927
Small Burghs	2,846	3,190	3,260	3,340	3,330	3,382
Thurso	852	967	985	1,018	1,004	1,038
Wick	1,994	2,223	2,275	2,322	2,326	2,344
Landward	4,365	4,391	4,438	4,485	4,521	4,545
CLACKMANNAN CO.	9,025	9,893	10,321	10,794	10,968	11,132
Small Burghs	6,094	6,635	6,756	6,908	6,917	7,032
Alloa	3,423	3,691	3,772	3,837	3,832	3,937
Alva	1,198	1,331	1,338	1,318	1,358	1,345
Dollar	456	489	511	504	490	492
Tillicoultry	1,017	1,124	1,135	1,249	1,237	1,258
Landward	2,931	3,258	3,565	3,886	4,051	4,100
DUMFRIES COUNTY	21,490	23,049	23,527	23,842	24,126	24,735
Large Burgh	6,381	7,227	7,265	7,384	7,512	7,657
Dumfries	6,381	7,227	7,265	7,384	7,512	7,657
Small Burghs	4,002	4,477	4,610	4,732	4,814	4,962
Annan	1,057	1,272	1,302	1,349	1,363	1,443
Langholm	784	852	872	879	887	903
Lochmaben	292	318	322	333	336	352
Lockerbie	760	815	842	838	842	863
Moffat	611	664	678	678	681	689
Sanquhar	498	556	594	655	705	712
Landward	11,107	11,345	11,652	11,726	11,800	12,116

* Formation of new burgh, 1952.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952—*cont.*

	1939	1948	1949	1950	1951	1952
DUNBARTON COUNTY	39,258	41,175	43,001	43,911	45,366	46,058
Large Burghs	16,977	16,285	17,552	17,753	18,804	19,174
Clydebank	11,572	10,139	11,210	11,397	12,336	12,563
Dumbarton	5,405	6,146	6,342	6,356	6,468	6,611
Small Burghs	7,732	8,858	9,072	9,252	9,408	9,551
Cove and Kilcreggan ...	351	350	350	391	348	384
Helensburgh	2,405	2,601	2,654	2,693	2,725	2,750
Kirkintilloch	3,242	3,686	3,750	3,788	3,877	3,883
Milngavie	1,734	2,221	2,318	2,380	2,458	2,534
Landward	14,549	16,032	16,377	16,906	17,154	17,333
EAST LOTHIAN CO....	12,767	13,670	13,917	14,061	14,293	14,778
Small Burghs	6,301	6,703	6,899	7,000	7,162	7,545
Cockenzie & Port Seton	738	861	895	899	938	1,019
Dunbar	1,163	1,167	1,193	1,229	1,248	1,313
East Linton	284	310	322	333	343	364
Haddington	1,168	1,230	1,227	1,208	1,242	1,281
North Berwick... ..	1,005	1,095	1,131	1,166	1,175	1,289
Prestonpans	672	706	722	726	765	812
Tranent... ..	1,271	1,334	1,409	1,439	1,451	1,467
Landward	6,466	6,967	7,018	7,061	7,131	7,233
FIFE COUNTY...	75,928	83,456	84,895	87,055	88,434	90,044
Large Burghs	22,997	25,925	26,484	26,985	27,391	27,682
Dunfermline	10,309	12,120	12,433	12,531	12,674	12,822
Kirkcaldy	12,688	13,805	14,051	14,454	14,717	14,860
Small Burghs	27,768	29,936	30,792	31,426	32,052	32,675
Auchtermuchty	414	433	440	440	454	463
Buckhaven and Methil	4,516	5,102	5,299	5,412	5,539	5,796
Burntisland	1,621	1,718	1,730	1,732	1,763	1,774
Cowdenbeath	3,108	3,460	3,672	3,754	3,857	3,930
Crail	397	404	411	423	449	451
Culross	134	151	147	162	179	167
Cupar	1,558	1,655	1,703	1,731	1,747	1,792
Elie and Earlsferry ...	485	491	496	502	500	518
Falkland	294	304	326	354	356	359
Inverkeithing	881	1,002	1,044	1,055	1,087	1,080
Kilrenny, Anstruther						
Easter & Anstruther						
Wester	1,119	1,114	1,119	1,125	1,134	1,128
Kinghorn	698	709	728	758	761	778
Ladybank	391	398	400	406	414	424
Leslie	782	806	818	831	864	873
Leven	2,345	2,580	2,639	2,697	2,741	2,769
Lochgelly	2,118	2,329	2,399	2,496	2,564	2,594
Markinch	652	687	706	724	733	730
Newburgh	770	759	769	772	798	810
Newport	1,009	1,068	1,086	1,098	1,118	1,158
Pittenweem	534	532	537	576	570	575
St. Andrews	2,379	2,590	2,668	2,724	2,750	2,787
St. Monance	561	576	587	585	583	594
Tayport	1,002	1,068	1,068	1,069	1,088	1,105
Landward	25,163	27,595	27,619	28,644	28,991	29,687
INVERNESS COUNTY	20,773	21,571	22,098	22,884	23,221	23,627
Large Burgh	6,089	6,657	6,987	7,251	7,453	7,702
Inverness	6,089	6,657	6,987	7,251	7,453	7,702
Small Burghs	944	981	999	1,036	1,037	1,065
Fort William	636	668	670	688	689	720
Kingussie	308	313	329	348	348	345
Landward	13,740	13,933	14,112	14,597	14,731	14,860

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952—*cont.*

	1939	1948	1949	1950	1951	1952
KINCARDINE COUNTY	7,119	7,406	7,571	7,608	7,661	7,797
Small Burghs	2,553	2,705	2,745	2,753	2,761	2,851
Banchory	514	584	584	582	587	591
Inverbervie	268	262	264	264	267	280
Laurencekirk	468	501	499	503	506	505
Stonehaven	1,303	1,358	1,398	1,404	1,401	1,475
Landward	4,566	4,701	4,826	4,855	4,900	4,946
KINROSS COUNTY ...	2,057	2,140	2,144	2,196	2,211	2,219
Small Burgh	716	731	737	754	764	778
Kinross	716	731	737	754	764	778
Landward	1,341	1,409	1,407	1,442	1,447	1,441
KIRKCUDBRIGHT CO.	8,315	8,641	8,598	8,626	8,717	8,785
Small Burghs	2,801	2,861	2,904	2,962	3,005	3,043
Castle Douglas	876	902	928	953	974	986
Dalbeattie	868	858	875	889	889	904
Gatehouse	252	279	276	283	296	299
Kirkcudbright	663	703	707	718	726	728
New Galloway	142	119	118	119	120	126
Landward	5,514	5,780	5,694	5,664	5,712	5,742
LANARK COUNTY ...	400,057	421,047	427,627	434,957	439,471	443,640
County of City of						
Glasgow	283,011	290,869	293,627	299,038	301,991	304,352
Large Burghs	47,604	53,868	54,654	55,559	56,508	57,178
Airdrie	6,276	7,399	7,597	7,728	7,973	8,080
Coatbridge	10,082	11,541	11,692	11,943	12,135	12,477
Hamilton	8,639	9,748	9,872	10,035	10,280	10,371
Motherwell & Wishaw	15,925	18,172	18,428	18,602	18,785	18,849
Rutherglen	6,682	7,008	7,065	7,251	7,335	7,401
Small Burghs	1,988	2,223	2,261	2,304	2,576	2,757
Biggar	415	471	482	487	489	509
Lanark	1,573	1,752	1,779	1,817	2,087	2,248
Landward	67,454	74,087	77,085	78,056	78,396	79,353
MIDLOTHIAN COUNTY	150,274	161,180	165,663	167,713	168,084	169,990
County of City of						
Edinburgh	128,167	136,460	139,584	140,865	141,215	142,143
Small Burghs	9,949	11,048	11,379	11,579	11,860	11,954
Bonnyrigg and Lasswade	1,453	1,553	1,557	1,594	1,613	1,617
Dalkeith	1,901	2,193	2,376	2,416	2,459	2,521
Loanhead	959	1,126	1,264	1,293	1,325	1,293
Musselburgh	4,399	4,758	4,796	4,885	4,928	4,951
Penicuik	1,237	1,418	1,386	1,391	1,535	1,572
Landward	12,158	13,672	14,700	15,269	15,009	15,893
MORAY COUNTY ...	11,031	11,491	11,742	12,105	12,412	12,755
Small Burghs	5,787	6,260	6,391	6,503	6,754	6,990
Burghead	378	382	395	387	391	390
Elgin	2,474	2,798	2,851	2,899	3,031	3,197
Forres	1,148	1,205	1,213	1,222	1,279	1,317
Grantown-on-Spey ...	418	428	436	448	456	458
Lossiemouth and						
Branderburgh ...	1,033	1,108	1,151	1,201	1,253	1,286
Rothes	336	339	345	346	344	342
Landward	5,244	5,231	5,351	5,602	5,658	5,765
NAIRN COUNTY ...	2,281	2,409	2,402	2,417	2,468	2,518
Small Burgh	1,239	1,338	1,335	1,350	1,392	1,437
Nairn	1,239	1,338	1,335	1,350	1,392	1,437
Landward	1,042	1,071	1,067	1,067	1,076	1,081

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952—cont.

	1939	1948	1949	1950	1951	1952
ORKNEY COUNTY ...	6,087	6,295	6,292	6,366	6,362	6,333
Small Burghs ...	1,487	1,612	1,637	1,689	1,690	1,734
Kirkwall ...	1,044	1,136	1,161	1,208	1,210	1,245
Stromness ...	443	476	476	481	480	489
Landward ...	4,600	4,683	4,655	4,677	4,672	4,599
PEEBLES COUNTY ...	4,318	4,567	4,664	4,696	4,763	4,840
Small Burghs ...	2,475	2,620	2,651	2,716	2,758	2,824
Innerleithen ...	697	755	763	780	804	811
Peebles ...	1,778	1,865	1,888	1,936	1,954	2,013
Landward ...	1,843	1,947	2,013	1,980	2,005	2,016
PERTH COUNTY ...	34,217	36,203	36,888	37,419	38,046	38,737
Large Burgh ...	10,286	11,453	11,789	12,035	12,127	12,405
Perth ...	10,286	11,453	11,789	12,035	12,127	12,405
Small Burghs ...	7,128	8,101	8,286	8,398	8,503	8,628
Aberfeldy ...	437	463	484	485	491	494
Abernethy ...	199	213	210	217	228	238
Alyth ...	601	618	630	631	654	649
Auchterarder ...	680	732	735	757	770	782
Blairgowrie and Rattray	1,519	1,595	1,648	1,663	1,679	1,704
Callander ...	447	505	523	543	545	554
Coupar Angus ...	601	648	667	687	688	700
Crieff ...	1,559	1,610	1,636	1,654	1,671	1,704
Doune ...	253	252	261	256	257	269
Dunblane ...	832	884	887	891	891	891
Pitlochry ...	Burgh consti- tuted 1947	581	605	614	629	643
Landward ...	16,803	16,649	16,813	16,986	17,416	17,704
RENFREW COUNTY ...	81,383	86,707	88,390	89,445	90,668	92,194
Large Burghs ...	46,882	50,161	51,389	51,943	52,440	53,183
Greenock ...	18,239	19,034	19,470	19,861	19,740	19,961
Paisley ...	24,284	26,223	26,738	26,773	27,161	27,435
Port Glasgow ...	4,359	4,904	5,181	5,309	5,539	5,787
Small Burghs ...	13,408	14,595	14,818	14,948	15,404	15,816
Barrhead ...	3,014	3,374	3,392	3,497	3,576	3,738
Gourock ...	2,693	2,743	2,803	2,826	2,964	3,055
Johnstone ...	3,373	3,881	3,934	3,922	3,965	4,077
Renfrew ...	4,328	4,597	4,689	4,703	4,899	4,946
Landward ...	21,093	21,951	22,183	22,554	22,824	23,195
ROSS AND CROMARTY COUNTY ...	15,993	16,126	16,200	16,483	16,745	16,973
Small Burghs ...	3,197	3,461	3,498	3,640	3,746	3,819
Cromarty ...	268	264	266	270	277	279
Dingwall ...	714	819	824	842	891	914
Fortrose ...	285	297	296	305	313	329
Invergordon ...	424	454	454	475	471	477
Stornoway ...	1,084	1,156	1,182	1,251	1,270	1,298
Tain ...	422	471	476	497	524	522
Landward ...	12,796	12,665	12,702	12,843	12,999	13,154
ROXBURGH COUNTY ...	12,972	13,685	13,844	13,984	14,125	14,385
Small Burghs ...	7,612	8,195	8,341	8,430	8,551	8,742
Hawick ...	4,978	5,248	5,287	5,371	5,468	5,562
Jedburgh ...	1,041	1,222	1,260	1,245	1,273	1,359
Kelso ...	1,120	1,232	1,287	1,292	1,278	1,288
Melrose ...	473	493	507	522	532	533
Landward ...	5,360	5,490	5,503	5,554	5,574	5,643

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1948 to 1952—cont.

	1939	1948	1949	1950	1951	1952
SELKIRK COUNTY ...	6,666	6,869	6,958	6,992	7,144	7,166
Small Burghs ...	5,697	6,030	6,083	6,136	6,217	6,258
Galashiels ...	3,985	4,082	4,128	4,170	4,232	4,237
Selkirk ...	1,712	1,948	1,955	1,966	1,985	2,021
Landward ...	969	839	875	856	927	908
STIRLING COUNTY ...	43,522	46,408	47,515	48,457	49,467	50,518
Large Burghs ...	16,205	16,882	17,047	17,253	17,501	17,748
Falkirk ...	9,490	9,812	9,920	10,028	10,201	10,449
Stirling ...	6,715	7,070	7,127	7,225	7,300	7,299
Small Burghs ...	8,112	8,857	9,013	9,167	9,501	10,002
Bridge of Allan ...	787	840	867	887	900	929
Denny and Dunipace ...	1,443	1,581	1,640	1,675	1,766	1,846
Grangemouth ...	3,690	3,914	3,945	3,998	4,142	4,433
Kilsyth ...	2,192	2,522	2,561	2,607	2,693	2,794
Landward ...	19,205	20,669	21,455	22,037	22,465	22,768
SUTHERLAND COUNTY ...	4,725	4,706	4,712	4,775	4,934	4,858
Small Burgh ...	225	221	223	239	248	268
Dornoch ...	225	221	223	239	248	268
Landward ...	4,500	4,485	4,489	4,536	4,686	4,590
WEST LOTHIAN CO. ...	19,476	22,035	22,477	23,174	23,274	24,121
Small Burghs ...	8,867	9,919	10,143	10,594	10,758	11,223
Armadale ...	1,281	1,492	1,553	1,562	1,614	1,701
Bathgate ...	2,569	2,941	2,923	3,158	3,228	3,235
Bo'ness ...	2,538	2,618	2,660	2,674	2,685	2,923
Linlithgow ...	959	1,130	1,129	1,173	1,192	1,240
Queensferry ...	542	628	649	679	678	730
Whitburn ...	978	1,110	1,229	1,348	1,361	1,394
Landward ...	10,609	12,116	12,334	12,580	12,516	12,898
WIGTOWN COUNTY ...	7,599	7,971	7,850	8,095	8,469	8,671
Small Burghs ...	2,973	3,338	3,276	3,457	3,591	3,690
Newton-Stewart ...	561	578	585	596	630	662
Stranraer ...	1,769	2,077	2,026	2,185	2,250	2,333
Whithorn ...	291	315	297	307	342	306
Wigtown ...	352	368	368	369	369	389
Landward ...	4,626	4,633	4,574	4,638	4,878	4,981
ZETLAND COUNTY ...	5,699	5,723	5,785	5,886	5,920	5,977
Small Burgh ...	1,461	1,451	1,486	1,544	1,554	1,624
Lerwick... ...	1,461	1,451	1,486	1,544	1,554	1,624
Landward ...	4,238	4,272	4,299	4,342	4,366	4,353

TABLE 63.—Meteorology of Scotland for 1952; also the Number of Births, Still-Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1952

	YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	52.8°	39.3°	44.1°	47.8°	55.2°	60.3°	61.5°	66.6°	64.1°	56.7°	52.3°	43.6°	42.0°
Mean of Minimum Temperature	40.7°	29.0°	32.9°	37.7°	40.4°	45.7°	47.6°	51.4°	51.5°	44.0°	41.2°	33.6°	32.9°
Mean Temperature	46.7°	34.1°	38.5°	42.7°	47.8°	53.0°	54.5°	59.0°	57.7°	50.4°	46.7°	38.6°	37.4°
Absolute Maximum	80°	55°	56°	58°	69°	79°	78°	80°	74°	67°	66°	56°	51°
Absolute Minimum	9°	9°	21°	25°	28°	33°	33°	39°	38°	30°	24°	14°	13°
Rainfall (Normal 100)	94	110	55	94	79	89	130	79	115	98	106	77	94
Births (Living Children only)	90,422	7,649	7,247	7,996	7,769	8,196	7,566	7,798	7,134	7,229	7,760	6,590	7,488
Still-Births	2,430	222	217	238	184	203	211	177	187	177	196	174	244
Deaths	61,510	6,382	6,158	5,854	5,270	4,632	4,368	4,352	4,057	4,404	4,769	4,485	6,779
Deaths under 1	3,181	324	287	261	312	269	220	213	223	227	254	229	362
Marriages	41,163	2,350	3,151	6,922	3,679	1,057	3,422	4,392	3,390	4,114	2,692	2,179	3,815
Rates per 1,000 of Estimated Population													
Births	17.7	17.7	17.9	18.5	18.5	18.9	18.1	18.0	16.5	17.3	17.9	15.7	17.3
Still-Births†	26	28	29	29	23	24	27	22	26	24	25	26	32
Deaths	12.0	14.8	15.2	13.5	12.6	10.7	10.4	10.1	9.4	10.5	11.0	10.7	15.6
Infant Mortality*	35	42	40	33	40	33	29	27	31	31	33	35	48
Marriages	8.0	5.4	7.8	16.0	8.8	2.4	8.2	10.1	7.8	9.8	6.2	5.2	8.8

* Rate per 1,000 live births.

† Rate per 1,000 births (including still-births).

TABLE 64.—Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each Week of 1952

No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	TEMPERATURE			Rain in inches	No. of Week	Week ended	Deaths (cor- rected for Transfers)	Death-rate (cor- rected per 1,000 of Population)	TEMPERATURE			Rain in inches
				Max. °	Min. °	Mean °						Max. °	Min. °	Mean °	
1	January 5	...	13.7	51	19	34.7	0.65	27	July 5	...	11.2	80	42	61.1	0.40
2	12	779	15.8	55	28	39.5	0.96	28	12	...	9.5	76	40	60.3	0.75
3	19	658	13.3	52	24	36.6	1.27	29	19	...	9.1	72	39	54.4	0.90
4	26	754	15.3	41	11	28.8	0.17	30	26	...	10.6	79	45	62.3	0.15
5	February 2	...	17.0	43	11	30.3	1.06	31	August 2	...	8.9	75	42	57.4	0.73
6	9	829	16.8	49	22	37.0	0.31	32	9	...	9.7	71	44	57.0	2.48
7	16	809	16.4	50	22	34.1	0.27	33	16	...	10.2	72	49	60.0	0.62
8	23	796	16.1	56	33	44.6	0.09	34	23	...	9.9	74	42	55.9	0.03
9	March 1	739	15.0	53	22	40.1	0.64	35	30	...	9.6	72	38	57.8	0.47
10	8	776	15.7	57	31	46.2	1.41	36	September 6	...	10.4	68	31	53.3	0.59
11	15	712	14.4	54	25	41.9	0.02	37	13	...	9.6	67	36	51.0	0.19
12	22	694	14.1	55	29	43.9	0.59	38	20	...	11.0	67	30	47.5	0.26
13	29	661	13.4	55	28	39.4	0.14	39	27	...	10.6	67	38	52.5	1.23
14	April 5	638	12.9	57	28	41.5	0.45	40	October 4	...	10.3	66	27	47.4	0.20
15	12	645	13.1	58	33	45.1	0.27	41	11	...	10.6	57	24	45.6	0.26
16	19	643	13.0	69	32	51.6	0.05	42	18	...	11.3	57	25	44.3	0.52
17	26	620	12.6	66	33	48.9	0.85	43	25	...	11.0	56	31	46.5	1.47
18	May 3	514	10.4	67	32	48.6	0.23	44	November 1	...	11.9	57	37	48.8	1.06
19	10	591	12.0	63	34	50.2	0.85	45	8	...	9.5	53	30	43.2	1.18
20	17	550	11.2	78	40	55.9	0.51	46	15	...	10.4	52	28	40.5	0.45
21	24	531	10.8	79	35	55.2	0.03	47	22	...	11.5	45	28	38.2	0.60
22	31	539	10.9	72	33	51.9	0.54	48	29	...	12.5	42	15	31.4	0.08
23	June 7	509	10.3	64	33	51.1	0.48	49	December 6	...	16.9	49	14	33.6	0.04
24	14	523	10.6	78	36	55.3	0.28	50	13	...	17.5	51	24	41.4	0.98
25	21	483	9.8	63	37	51.3	1.43	51	20	...	15.1	47	16	33.8	1.26
26	28	498	10.1	72	42	57.6	0.58	52	27	...	15.5	49	24	38.1	1.01
								53	January 3	...	14.4	47	19	35.0	0.26

METEOROLOGICAL TABLES, 1952

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

DISTRICT	1952	AIR TEMPERATURE			RAINFALL		SUN-SHINE	NORMAL VALUES			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
North Scotland	Jan.	°F. 54	°F. 4	°F. -5.2	104	- 1	149	°F. 38.4	Ins. 5.79	23	Hours 0.84
	Feb.	54	12	-1.4	68	0	86	38.3	4.57	21	1.89
	Mar.	58	15	+1.3	124	- 2	93	39.2	4.41	23	3.05
	April	73	27	+3.0	61	- 3	111	42.9	3.23	19	4.55
	May	79	28	+2.8	103	0	90	48.1	2.80	19	5.36
	June	73	27	-1.2	158	+ 7	67	52.4	2.72	16	5.17
	July	82	33	-0.2	65	+ 2	99	54.7	3.35	19	4.18
	Aug.	72	29	+0.1	143	- 1	84	54.6	4.18	21	3.69
	Sept.	66	27	-3.4	111	+ 2	93	51.8	3.78	19	3.49
	Oct.	61	22	-0.6	112	- 2	119	46.4	5.00	22	2.50
	Nov.	54	5	-3.7	82	0	117	41.8	5.63	23	1.22
	Dec.	53	8	-1.4	102	+ 4	81	39.1	6.18	24	0.61
	Year	82	4	-0.8	101	+ 7	93	45.6	51.64	249	3.05
East Scotland	Jan.	55	1	-4.6	110	0	112	37.2	2.57	17	1.37
	Feb.	57	13	-0.2	45	- 5	118	37.4	2.24	16	2.50
	Mar.	60	16	+1.7	90	- 1	94	39.2	2.48	19	3.51
	April	71	24	+3.6	74	- 5	131	43.2	1.85	16	4.94
	May	79	25	+3.4	96	- 3	103	48.2	2.24	16	5.76
	June	78	24	+0.3	127	+ 2	86	53.7	2.13	14	6.03
	July	82	34	+1.5	68	- 1	124	56.4	2.87	17	5.09
	Aug.	75	27	+0.5	129	0	96	55.8	3.15	18	4.70
	Sept.	69	28	-3.4	79	+ 3	81	52.3	2.24	15	4.06
	Oct.	66	22	-1.2	79	+ 2	110	46.5	3.27	19	2.80
	Nov.	57	6	-3.2	105	+ 1	100	41.1	3.11	19	1.73
	Dec.	57	7	-1.9	109	+ 3	122	37.9	3.11	19	1.04
	Year	82	1	-0.3	93	- 5	105	45.7	31.26	205	3.63
West Scotland	Jan.	53	8	-4.7	132	0	141	39.4	4.57	20	1.17
	Feb.	54	14	-0.6	38	- 3	138	39.3	3.94	18	2.10
	Mar.	58	23	+1.4	103	- 4	103	40.7	3.58	19	3.51
	April	72	22	+3.1	92	0	106	44.7	2.76	16	5.15
	May	80	29	+3.0	83	- 3	102	49.7	2.91	16	6.16
	June	75	28	-0.9	125	+ 3	88	55.0	2.87	15	6.32
	July	82	35	+0.5	79	- 1	119	57.1	3.46	17	5.73
	Aug.	73	35	+0.6	101	- 1	98	56.6	4.41	18	4.99
	Sept.	68	27	-2.9	80	- 2	98	53.5	3.66	16	4.24
	Oct.	63	23	-1.3	117	- 1	118	47.9	4.69	19	2.68
	Nov.	57	12	-3.1	54	- 5	152	43.2	5.16	19	1.59
	Dec.	54	13	-2.2	93	0	116	40.6	5.63	22	0.96
	Year	82	8	-0.6	91	-18	108	47.3	47.64	215	3.67

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Dunfermline), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1952	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A - B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	39·3	29·0	34·1	-4·8	10·3	+1·4	55	9	110	113	147
February ...	44·1	32·9	38·5	-0·5	11·2	+1·7	56	21	55	43	46
March ...	47·8	37·7	42·7	+1·9	10·1	-1·2	58	25	94	115	61
April ...	55·2	40·4	47·8	+3·5	14·8	+1·2	69	28	79	107	60
May ...	60·3	45·7	53·0	+3·2	14·6	+0·2	79	33	89	114	66
June ...	61·5	47·6	54·5	-0·3	13·9	-1·4	78	33	130	86	98
July ...	66·6	51·4	59·0	+0·7	15·2	+0·9	80	39	79	47	55
August ...	64·1	51·5	57·7	+0·4	12·6	-0·7	74	38	115	126	124
September	56·7	44·0	50·4	-2·9	12·7	-0·5	67	30	98	148	74
October ...	52·3	41·2	46·7	-1·2	11·1	-0·2	66	24	106	105	133
November...	43·6	33·6	38·6	-3·0	10·0	+0·1	56	14	77	118	85
December ...	42·0	32·9	37·4	-2·0	9·1	+0·4	51	13	94	93	111
Means and Extremes	52·8	40·7	46·7	-0·4	12·1	+0·2	80	9	94	101	91

TABLE III.—Number of Hours Bright Sunshine

1952	No. of Hours												YEAR TOTAL HOURS
	January	February	March	April	May	June	July	August	September	October	November	December	
NORTH SCOTLAND													
Lerwick ...	39	42	84	153	77	104	117	106	102	87	42	11	964
Grimsetter ...	45	51	114	174	105	117	128	92	95	80	55	29	1085
Wick ...	64	72	123	178	115	136	166	108	94	96	55	29	1236
Stornoway ...	34	58	94	161	192	117	129	111	92	97	57	15	1157
Skye, Duntuim	36	49	109	163	174	87	124	104	95	86	63	7	1097
Strathy ...	36	45	94	152	158	117	124	81	61	91	30	19	1008
Fortrose ...	58	62	102	157	163	142	164	110	95	94	55	38	1240
Dalwhinnie ...	43	40	85	139	171	115	140	83	88	62	34	19	1019
Fort William ...	27	34	97	113	169	93	128	92	124	78	32	5	992
Inverness ...	49	57	99	167	162	133	170	100	70	90	52	34	1183
Onich ...	39	48	105	120	163	88	131	92	124	93	56	15	1074
EAST SCOTLAND													
Nairn ...	60	63	112	172	158	137	178	110	86	103	52	40	1271
Gordon Castle	64	61	106	198	137	118	175	95	65	95	40	31	1185
Forres ...	63	63	122	180	163	137	181	114	77	98	49	44	1291
Elgin ...	71	75	119	213	171	134	184	112	76	102	56	42	1355
Kinloss ...	62	69	119	189	155	135	181	114	80	98	54	44	1300
Banff ...	67	67	115	184	143	134	178	110	70	91	43	29	1231
Glenlivet ...	57	52	99	174	157	125	145	90	62	91	40	34	1126
Dyce ...	65	90	113	206	144	154	197	140	100	95	62	46	1412
Braemar ...	25	67	76	163	169	135	162	104	99	64	33	24	1121
Craibstone ...	71	91	109	204	140	147	197	139	98	97	64	51	1408
Stonehaven ...	69	89	98	198	122	149	203	156	95	93	65	46	1383
Arbroath ...	63	105	111	200	150	171	216	181	119	118	79	51	1564
Dundee ...	60	110	103	180	165	171	217	164	133	121	68	51	1543
Montrose ...	58	95	73	183	143	132	184	123	87	108	64	49	1299
Perth ...	52	99	85	173	170	173	238	134	127	104	51	33	1439
Dunfermline ...	41	85	91	158	172	183	209	115	105	105	55	36	1355
Lundin Links...	(56)	95	93	162	172	181	223	158	122	117	74	46	1499
Leuchars ...	64	110	108	191	176	204	243	178	133	128	72	54	1661
St. Andrews ...	61	106	98	178	160	189	237	174	107	122	70	51	1553
Balerno ...	40	78	96	164	200	182	232	120	79	110	60	48	1409
Boghall ...	43	92	89	152	181	182	200	121	81	106	70	48	1365
Edinburgh (R.O.)	43	85	108	165	192	185	216	128	95	115	66	55	1453
Edinburgh (B.G.)	37	85	97	161	182	199	226	123	96	107	58	51	1422
North Berwick	45	85	107	167	165	181	214	160	74	105	59	50	1412
Marchmont ...	45	83	89	176	187	166	194	145	91	85	55	45	1361
WEST OF SCOTLAND													
Dunoon													
(Benmore)	33	56	62	114	123	104	124	78	97	66	60	24	941
Oban ...	58	56	121	152	195	129	167	117	170	106	89	25	1385
Tiree ...	49	58	141	159	216	151	154	146	171	112	68	28	1453
Rothsay ...	59	79	103	161	196	166	194	123	144	97	81	41	1444
Helensburgh ...	46	71	97	161	162	151	192	108	140	89	82	28	1327
Greenock ...	33	58	101	167	175	171	198	117	139	84	59	20	1322
Paisley ...	42	69	91	159	160	161	207	104	123	89	55	26	1286
Renfrew ...	47	81	108	172	185	187	235	127	136	99	65	33	1475
Carluke ...	46	76	113	139	182	163	205	104	97	106	65	43	1339
Glasgow ...	45	67	92	143	163	172	220	108	109	85	57	19	1280
Auchincruive ...	52	74	117	160	168	158	176	131	113	97	75	38	1359
Kilmarnock ...	58	79	118	165	185	177	210	132	120	103	72	33	1452
Prestwick ...	56	79	125	180	212	190	209	157	134	108	81	42	1573
Dumfries ...	53	83	91	140	173	163	177	149	94	90	82	39	1334
Eskdalemuir ...	54	86	98	131	158	158	163	116	89	79	87	37	1256
Ruthwell ...	49	79	104	145	174	161	172	158	97	103	81	40	1363

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1952	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04* or more
NORTH SCOTLAND—															
Lerwick ...	4·64	2·05	6·15	1·78	3·83	3·66	1·82	5·36	4·03	3·75	2·88	5·79	45·73	265	187
Grimsetter ...	3·65	2·58	4·02	1·22	2·47	2·99	1·65	6·67	3·57	4·04	4·04	3·69	40·59	257	193
Benbecula ...	7·15	2·61	3·80	2·73	1·86	4·21	2·67	3·94	4·12	5·76	3·85	6·07	48·77	262	197
Stornoway ...	5·50	3·20	4·08	1·85	2·17	2·71	2·85	3·48	4·02	5·13	3·68	5·95	44·66	278	208
Duntulm ...	5·63	2·60	4·37	2·97	2·47	4·23	3·00	5·03	5·82	6·43	4·40	6·62	53·57	276	221
Cape Wrath ...	5·52	3·22	5·33	1·02	2·72	3·94	2·96	6·54	4·16	3·43	5·92	4·85	49·61	266	217
Wick ...	3·67	2·43	2·80	0·49	1·81	2·92	1·60	3·48	2·45	3·49	3·57	3·62	32·33	246	173
Strathly ...	4·28	2·40	2·44	0·82	1·77	2·33	1·96	3·59	3·14	3·20	5·21	3·55	34·69	263	211
Achnashellach ...	8·67	7·44	5·06	4·13	3·68	5·28	5·71	8·16	9·34	9·88	7·93	9·39	84·67	264	233
Fortrose ...	1·77	1·16	1·67	0·91	1·88	1·46	1·25	3·53	1·08	1·77	2·22	1·99	20·69	166	134
Dalwhinnie ...	2·78	1·55	3·11	2·72	3·37	2·86	2·09	2·65	3·59	8·55	2·90	3·96	40·13	229	162
Fort William ...	7·79	3·76	5·86	4·39	2·48	5·20	3·62	5·92	6·37	8·77	4·27	8·58	66·91	234	182
Inverness ...	1·96	1·15	2·02	0·74	1·50	2·29	1·19	4·41	2·59	2·75	2·78	2·32	25·70	221	154
Onich ...	8·29	5·09	7·05	4·45	3·06	5·60	5·06	6·72	6·60	8·85	3·53	10·16	74·46	231	205
EAST SCOTLAND—															
Nairn ...	2·21	1·11	1·52	0·63	1·57	1·50	1·55	3·69	1·40	1·57	2·59	2·05	21·39	209	140
Forres ...	1·76	1·18	1·45	0·77	1·14	1·97	2·78	3·82	2·42	1·77	2·15	2·14	22·85	207	138
Kinloss ...	1·39	1·27	1·67	0·86	1·08	1·71	2·25	2·84	1·98	1·50	2·39	1·95	20·89	199	136
Gordon Castle ...	2·93	1·50	1·84	1·36	1·63	2·31	2·37	4·15	3·93	2·28	4·09	2·30	30·69	207	175
Banff ...	2·34	1·61	2·51	1·90	1·35	2·33	1·57	2·83	2·77	2·21	3·52	3·64	28·58	223	152
Glenlivet ...	2·41	0·98	1·98	1·68	2·40	2·88	3·08	3·77	3·38	4·36	4·17	3·18	34·27	227	180
Balmoral ...	2·67	1·90	2·39	1·02	2·27	2·15	1·72	3·59	1·53	4·69	3·59	4·56	32·08	231	145
Braemar ...	2·73	1·24	1·93	1·63	2·99	1·86	0·96	3·17	1·73	5·84	3·06	4·11	30·75	226	151
Craibstone ...	2·66	1·39	3·86	1·51	2·52	3·04	2·20	4·69	2·05	2·67	3·55	2·87	33·01	215	149
Dyce ...	2·50	1·27	3·64	1·54	2·36	3·13	2·17	3·93	2·09	2·74	3·65	2·90	31·92	211	145
Logie Coldstone ...	1·81	1·32	2·42	1·18	2·34	2·74	1·94	3·61	2·46	3·26	3·48	4·15	30·71	220	145
Stonehaven ...	2·70	0·99	3·96	1·63	2·65	1·96	1·77	3·45	1·13	2·67	2·80	2·50	28·21	193	137
Arbroath ...	0·92	0·45	2·41	1·17	2·24	2·14	2·01	2·29	0·96	1·55	1·64	2·02	19·80	158	104
Buddonness ...	1·25	0·53	2·24	1·11	2·35	1·87	2·18	2·67	0·77	1·93	1·85	1·91	20·66	161	104
Dundee ...	1·63	0·56	2·74	1·08	2·41	2·50	1·91	2·62	0·92	2·07	2·02	2·10	22·36	161	117
Montrose ...	1·18	0·75	2·74	1·10	2·78	2·35	2·26	2·05	0·56	2·34	1·72	1·90	21·73	156	108
Perth ...	2·08	0·51	1·80	1·50	2·35	2·35	2·21	2·74	0·90	2·45	1·61	2·45	99·95	174	120

Cupar ...	1.55	0.62	2.43	1.15	2.12	2.44	1.80	3.17	1.47	3.38	2.30	2.18	24.61	153	172
Dunfermline	1.75	0.56	1.69	0.93	1.24	1.85	2.45	4.26	1.60	1.75	2.09	2.01	22.18	169	180
Leuchars	0.94	0.53	1.78	0.87	1.90	2.24	1.62	3.49	0.77	1.60	2.09	1.99	20.52	154	101
St. Andrews	1.21	0.73	2.16	1.03	1.63	2.47	1.72	3.50	1.20	2.72	2.21	1.92	22.50	177	119
Balerno ...	3.54	0.82	1.57	1.86	1.87	2.78	2.58	3.25	2.51	2.06	2.94	3.37	29.15	184	128
Boghall ...	3.30	0.58	1.34	1.53	1.68	2.78	2.16	3.93	2.67	1.76	2.89	3.80	28.46	197	128
Edinburgh	2.45	0.47	0.95	1.50	1.70	2.43	2.23	4.53	1.88	1.46	2.07	2.74	24.41	194	113
Midcalder	2.62	0.72	1.08	1.31	1.44	2.50	2.63	4.36	2.21	2.21	2.41	3.10	26.64	180	132
North Berwick	1.04	0.64	1.33	1.25	1.96	2.24	1.99	2.07	1.81	1.58	2.30	2.01	20.22	187	124
Marchmont	1.86	0.64	1.58	1.65	2.02	2.65	1.42	3.54	2.43	3.47	3.41	4.28	28.95	193	131
West Linton	4.23	1.16	1.38	1.59	1.40	2.69	2.79	4.60	2.77	2.83	3.23	4.46	33.13	203	159
Kelso ...	2.00	0.53	0.82	1.39	1.67	1.91	1.53	4.75	2.26	3.21	4.08	4.50	28.65	185	131
WEST SCOTLAND—															
Dunoon ...	7.74	2.49	6.28	3.16	1.54	4.77	3.31	7.16	4.61	6.46	2.89	9.74	60.15	206	170
Dunoon (Benmore)	7.54	4.11	7.82	3.33	2.62	4.43	4.61	8.48	5.38	9.99	3.64	9.69	71.64	190	180
Glenbranter	10.16	4.70	7.78	4.45	2.18	5.39	5.00	7.53	5.94	11.03	3.57	9.96	77.69	207	179
Oban ...	5.41	2.89	4.74	3.72	1.65	4.36	3.88	6.11	4.38	6.36	2.60	7.67	53.77	225	176
Rothsay	5.66	2.21	4.10	2.26	1.97	3.72	3.76	6.56	3.39	5.50	2.61	7.18	48.92	196	165
Largs ...	5.35	2.15	3.76	2.26	2.10	3.20	3.51	4.53	3.62	8.06	2.79	4.95	46.28	194	156
Tirree ...	5.27	1.95	4.71	2.03	1.39	3.48	2.81	3.53	3.45	4.56	2.06	5.18	40.42	234	179
Helensburgh	5.61	2.26	4.18	2.80	1.70	3.31	2.78	5.01	3.55	5.81	3.54	7.00	47.55	199	165
Stirling ...	3.01	0.55	3.08	1.17	2.48	2.40	2.14	5.30	2.06	4.07	1.77	3.51	31.54	157	120
Falkirk ...	3.62	0.98	2.48	1.21	1.63	2.73	3.31	4.19	2.24	2.47	2.23	2.87	29.96	170	120
Greenock	7.75	2.61	4.61	3.01	1.98	4.21	2.87	5.93	4.43	6.64	2.16	7.59	53.79	202	162
Paisley ...	5.40	1.39	3.01	2.04	2.27	2.93	2.08	3.93	3.56	5.11	2.01	4.45	37.58	189	148
Renfrew ...	4.99	1.26	2.42	1.82	2.32	2.32	2.07	3.07	3.02	4.39	1.87	3.76	33.49	181	141
Auchincruive	5.01	1.85	1.42	1.77	1.67	2.52	3.07	4.98	3.19	3.52	2.07	3.39	38.5	185	148
Colmonell	5.04	1.18	2.15	1.67	1.85	2.44	2.76	5.68	2.83	4.57	2.54	3.66	36.37	206	150
Kilmarnock	3.80	1.40	1.85	1.62	1.50	2.91	3.77	4.41	3.08	3.29	2.80	4.30	36.10	190	152
Prestwick	3.80	1.40	1.85	1.37	1.69	2.18	2.68	5.24	2.40	3.36	2.11	3.06	30.84	182	135
Dumfries...	3.90	0.57	2.52	2.73	3.43	2.80	2.65	3.93	1.62	5.40	2.13	3.61	35.29	174	134
Eskdalemuir	7.63	1.19	3.97	3.57	2.42	4.85	2.68	5.44	2.34	5.04	3.98	4.73	47.83	216	154
Ruthwell...	3.14	0.47	2.28	2.71	3.22	3.06	2.53	5.36	1.85	4.46	2.11	3.08	34.27	183	127
Tongland	5.33	1.38	2.84	2.50	2.70	3.72	3.20	6.35	2.99	6.09	2.85	4.92	44.87	175	145
Glenlee ...	8.06	1.61	4.14	2.83	3.48	2.98	3.63	5.24	2.86	6.47	2.98	5.95	50.23	199	156
West Freugh	4.22	1.00	2.11	1.40	2.38	2.58	2.09	5.72	2.92	3.55	3.30	4.41	35.68	197	146

Printed in Great Britain under the authority of Her Majesty's Stationery Office
by the Herald Printing Works, York. Wt.71598. K4



Note. The line ... indicates the boundaries of the Districts named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1952.

